

ELECTRIFIED MORTISE LOCKSETS

ACCURATE - MODIFIED BY CAT

MODIFICATION ONLY (Customer's lock) - Specify Voltage & Handing		LIST
MDML59EL	EL - Store (Mod'd Accurate 9145)	154
MDML59EU	EU - Store (Mod'd Accurate 9145)	154

ITEM #'S FOR MORTISE LOCK SWITCHES AVAILABLE **Switches list for \$63 each**

	Request to Exit	Latchbolt Monitor	Door Position Switch	DB Monitor	Solenoid Monitor	Security Monitor
ACCURATE	ACCRES-ML	ACCLBM-ML	ACCDPS-ML			

ARROW - MODIFIED BY CAT

MODIFICATION ONLY (Customer's lock) - Specify Voltage & Handing		LIST
MDML77EL	EL - Store (Mod'd Arrow AM17 or BM17)	154
MDML78EU	EU - Store (Mod'd Arrow AM17 or BM17)	154

ITEM #'S FOR MORTISE LOCK SWITCHES AVAILABLE **Switches list for \$63 each**

	Request to Exit	Latchbolt Monitor	Door Position Switch	DB Monitor	Solenoid Monitor	Security Monitor
ARROW	ARWRES-ML					

BEST - MODIFIED BY CAT

COMPLETE MORTISE LOCKSETS - Specify Trim, Voltage & Handing		LIST
ML45DEL/EU	EL or EU - Store w/ Trim (Mod'd Best 45HD)	880
ML453DEL/EU	EL or EU - Ent w/ DB w/ Trim (Mod'd Best 45HD) "QUOTE"	
ML45WEL/EU	EL or EU - Inst w/ Trim (Mod'd Best 45HD)	945

Typically Stocked Trim - 03, 14, 15. Typically Stocked Finishes - 626 (613 & 625 4 wk ETA). Pricing and ETA may vary for out of stock i
7 Pin IC housing (less core). Specify 12 or 24 Volt. H = Rose. M = Escucheon 613 & 625 avail in 14H/15H trim only

	TRIM PRICES	LIST
BEST	ML45D(STRM)	415
BEST	ML45W(INST)	480
LESS CYLINDER	LC	NO deduct

MORTISE CHASSIS ONLY - Specify Voltage & Handing		LIST
ML35DEL/EUCH	See Command Access Retrofit Chassis Section	
ML35WEL/EUCH	See Command Access Retrofit Chassis Section	
ML45DEL/EUCH	EL or EU Chassis only - Store (Mod'd Best 45HD)	465
ML45WEL/EUCH	EL or EU Chassis only - Institutional (Mod'd Best 45HD)	465
ML453DEL/EUCH	EL or EU - Ent w/ DB (Mod'd Best 45HD)	497
ML453TEL/EUCH	EL or EU - Privacy w/ DB (Mod'd Best 45HAB or 45HUNAB)	651
Faceplates	Faceplates Available in 626 only	40
Strikes	Strikes	40

ELECTRIFIED MORTISE LOCKSETS

BEST - MODIFIED BY CAT

MODIFICATION ONLY (Customer's lock) - Specify Voltage & Handing		LIST
MDML35DEL/EU	See Command Access Retrofit Chassis Section	
MDML35WEL/EU	See Command Access Retrofit Chassis Section	
MDML45DEL/EU	EL or EU - Store (Mod'd Best 45HD or 7UNR)	146
MDML453DEL/EU	EL or EU - Ent w/ DB (Mod'd Best 45HD or 7UNR)	161
MDML453TEL/EUCH	EL or EU - Privacy w/ DB (Mod'd Best 45HAB or 45HUNAB or 7UNAB)	203
MDML45WEL/EU	EL or EU - Inst (Mod'd Best 45HD or 7UNR)	161

*****45 SERIES CAN BE CONVERTED TO INST IN THE FIELD.**

ITEM #'S FOR MORTISE LOCK SWITCHES AVAILABLE **Switches list for \$63 each**

	Request to Exit	Latchbolt Monitor	Door Position Switch	DB Monitor	Solenoid Monitor	LIST
BEST -NO ML453 Switches	BSTRES-ML*	BSTLBM-ML*	BSTDPS-ML*			63

CAL ROYAL - MODIFIED BY CAT

COMPLETE MORTISE LOCKSETS - Specify Trim, Voltage & Handing		LIST
ML8080EL/EU	EL or EU - Store w/ Trim (Mod'd Cal Royal M8080)	603
ML8053EL/EU	EL or EU - Ent w/ DB w/ Trim (Mod'd Cal Royal M8053)	646

Typically Stocked Trim - TS,SS,GS,JS. Typically Stocked Finishes - 626 (613 & 625 4 wk ETA). Pricing and ETA may vary for out of stc

LESS CYLINDER NOT AVAILABLE NO DEDUCT

MORTISE CHASSIS ONLY - See Command Access Retrofit Chassis Section

MODIFICATION ONLY (Customer's lock) - Specify Voltage & Handing		LIST

MDML8080EL/EU	EL or EU (Mod'd Cal-Royal M8080)	146
MDML8053EL/EU	EL or EU (Mod'd Cal-Royal M8053)	182

ITEM #S FOR MORTISE LOCK SWITCHES AVAILABLE Switches list for \$63 each

	Request to Exit	Latchbolt Monitor	Door Position Switch	DB Monitor	Solenoid Monitor	LIST
CAL ROYAL	CALREX-ML	CALLBM-ML				63

COMMAND ACCESS RETROFIT SERIES

MORTISE CHASSIS ONLY (includes Faceplate & Strikeplate 626) - Specify Voltage
 - 625 & 613 faceplate & strikeplate available. Strikeplate List=\$38.00, Faceplate List=\$38.00, List=\$55.00 when ordered together.

BEST 35	LIST	
MRC135DEL/EU	EL or EU Chassis only - Storeroom	396
MRC135WEL/EUCH	EL or EU Chassis only - Institutional	419

Cal Royal 8000

MRC18080EL/EU	EL or EU Chassis only - Storeroom	396
MRC18082EL/EU	EL or EU Chassis only - Institutional	423

Corbin Russwin 200C

MRC103EL	EL Chassis only - Storeroom	396
MRC105EU	EU Chassis only - Storeroom	396
MRC101EL	EL Chassis only - Institutional	419
MRC104EU	EU Chassis only - Institutional	419

Falcon MA series

MRC151EL	EL Chassis only - Storeroom	396
MRC181EU	EU Chassis only - Storeroom	396
MRC111EL	EL Chassis only - Institutional	419
MRC121EU	EU Chassis only - Institutional	419
MRC1651EL	EL Chassis only - Entrance W/ Deadbolt	419
MRC1681EU	EU Chassis only - Entrance W/ Deadbolt	419
*Option	Add an "I" for a CRU3 and REX package (i.e., ML135iEL/EU)	85

ITEM #S FOR MORTISE LOCK SWITCHES AVAILABLE Switches list for \$60 each

	Request to Exit	Latchbolt Monitor	Door Position Switch	DB Monitor	Solenoid Monitor	LIST
CAT MRC1 Series	CATREX-ML	CATLBM-ML				63

ELECTRIFIED MORTISE LOCKSETS

COMMAND ACCESS RETROFIT SERIES

Schlage L9000

COMPLETE MORTISE LOCKSET W/ CAT TRIM - Specify Voltage	LIST	
ML170EL/EU	EL or EU - Classroom with Trim	502
ML180EL/EU	EL or EU - Store w/ Trim	480
ML19090-M-EL/EUCH	Motorized EL or EU Chassis only - Store	525
ML182EL/EU	EL or EU - Inst w/ Trim	520
ML19092-M-EL/EUCH	Motorized EL or EU Chassis only - Inst	464
ML1480EL/EU	EL or EU - Ent w/ Trim (formerly ML153) Key Override	519
ML1482EL/EU	EL or EU - Ent w/ Trim (formerly ML153) Key Override Inst.	559
ML1485EU	EU only - Privacy with Trim (formally ML48)	567
*Option	Add for Schlage Original Trim (Ex. ML180 Complete List \$480+380)	380

Typically Stocked Trim - L3, L6, L7, L17 with Rose trim. Typically Stocked Finish - 626,625,613,605. Pricing and ETA may vary for out c

	TRIM PRICES	LIST
COMMAND	ML180	197
COMMAND	ML182	216
COMMAND	ML1482	216
COMMAND	ML1485	197
COMMAND	ML1480	197
COMMAND	ML170	197
LESS CYLINDER NOT AVAILABLE		NO DEDUCT

MORTISE CHASSIS ONLY (retrofits to Schlage levers) - Specify Voltage	LIST	
ML170EL/EUCH	EL or EU Chassis only - Classroom	305
ML180EL/EUCH	EL or EU Chassis only - Store	283
ML19090-M-EL/EUCH	Motorized EL or EU Chassis only - Store	328
ML182EL/EUCH	EL or EU Chassis only - Inst	304
ML19092-M-EL/EUCH	Motorized EL or EU Chassis only - Inst	248
ML1480EL/EUCH	EL or EU Chassis only - Ent (formerly ML153) Key Override	322
ML1482EL/EUCH	EL or EU Chassis only - Ent (formerly ML153) Key Override Inst.	343
ML1485EUCH	EU only Chassis only - Privacy (formally ML48)	370

Faceplates	Faceplates Available in 626,625,613, &605 only	40
Strikes	Strikes Available in 626,625,613, &605 only	40
ML182KIT	Spindle to convert ML180 to ML182 Institutional Function	40
Privacy Indicator	IND-1 & IND-2 (See catalog for different types)	47

ITEM #S FOR MORTISE LOCK SWITCHES AVAILABLE Switches list for \$63 each

	Request to Exit	Latchbolt Monitor	Door Position Switch	DB Monitor	Solenoid Monitor	
CAT ML170	CATREX-ML					
CAT ML180/82	CATREX-ML	CATLBM-ML	CATDPS-ML		CATSML-ML	LIST
CAT ML1480/82/85	CATREX-ML			CATDBM-ML		63

MECHANICAL

Complete Lockset W/ CAT Trim		LIST
ML1010	MECHANICAL Passage w/ Trim	341
ML1040	MECHANICAL Privacy w/ Trim	362
ML1050	MECHANICAL Office w/ Trim	368
ML1053	MECHANICAL Entry w/ Deadbolt w/ Trim	379
ML1070	MECHANICAL Classroom w/ Trim	368
ML1080	MECHANICAL Storeroom w/ Trim	368
ML1082	MECHANICAL Institutional w/ Trim	409

Typically Stocked Trim - L3, L6, L17 with Rose trim. Typically Stocked Finish - 626,625,613,605. Pricing and ETA may vary for out of stock

	TRIM PRICES	LIST
COMMAND	ML1010	182.00
COMMAND	ML1040	197.00
COMMAND	ML1050	197.00
COMMAND	ML1053	197.00
COMMAND	ML1070/80	197.00
COMMAND	ML1082	216.00
LESS CYLINDER NOT AVAILABLE		NO DEDUCT

ELECTRIFIED MORTISE LOCKSETS

MECHANICAL

MORTISE CHASSIS ONLY (retrofits to Schlage levers)		LIST
ML1010	MECHANICAL Passage	159
ML1040	MECHANICAL Privacy	165
ML1050	MECHANICAL Office	171
ML1053	MECHANICAL Entry	182
ML1070	MECHANICAL Classroom	171
ML1080	MECHANICAL Storeroom	171
ML1082	MECHANICAL Institutional	193

COMMAND ACCESS LPM180 (Must use the PS1, PS210, PS220/220B, PS5-4, or PS440B Power Supply)

COMPLETE MORTISE LOCKSET W/ CAT TRIM - Specify Voltage		LIST
LPM110E	Passage function w/ Trim	813
LPM180EU	EU - Store w/ Trim	828
LPM182EU	EU - Institutional w/ Trim	849
LPM183EUxEL	EU - Storeroom x EL- Storeroom w/ Trim	1003
LPM184EUxEU	EU - Storeroom x EU-Storeroom w/ Trim	1003
LPM185EUxEL	EU - Institutional x EL-Storeroom w/ Trim	1003
LPM186EUxEU	EU - Institutional x EU-Storeroom w/ Trim	1003
LPM187EUxEL	EU - Institutional x EL-Institutional w/ Trim	1003
LPM188EUxEU	EU - Institutional x EU-Institutional w/ Trim	1003
*Option	Add for Schlage Original Trim with ML1 chassis (Ex. LPM110 Complete List \$ 985)	312

Typically Stocked Trim - L3, L6, L7, L17 with Rose trim. Typically Stocked Finish - 626, 625, 613 & 605. Pricing and ETA may vary for out of stock

	TRIM PRICES	LIST
COMMAND	LPM110	182.00
COMMAND	LPM180	197.00
COMMAND	LPM182	197.00
COMMAND	LPM183-8	216.00
LESS CYLINDER NOT AVAILABLE		NO DEDUCT

MORTISE CHASSIS ONLY (retrofits to Schlage levers) - Specify Voltage		LIST
LPM110E	Passage function	631
LPM180EU	EU- Storeroom	631
LPM182EU	EU - Institutional	652
LPM183EUxEL	EU - Storeroom x EL- Storeroom	787
LPM184EUxEU	EU - Storeroom x EU-Storeroom	787
LPM185EUxEL	EU - Institutional x EL-Storeroom	787
LPM186EUxEU	EU - Institutional x EU-Storeroom	787

LPM187EUxEL	EU - Institutional x EL-Institutional	787
LPM188EUxEU	EU - Institutional x EU-Institutional	787
Faceplates	Faceplates Available in 626 and 613 only	40
Strikes	Strikes Available in 626 and 613 only	40

ITEM #S FOR MORTISE LOCK SWITCHES AVAILABLE **Switches list for \$63 each**

	Request to Exit	Latchbolt Monitor	Door Position Switch	DB Monitor	Solenoid Monitor	LIST
CAT LPM180	CATREX-ML	CATLBM-ML				63

LPM has 12 lbs of pulling pressure

COMMAND ACCESS UNIVERSAL PRIVACY RESTROOM KIT

(includes LPM+PS, Logic Module, ILLUMINATED Outside/Inside (PUSH TO OPEN' & 'PUSH TO LOCK) Push Buttons, DPS Switch

		LIST
UBPK1-FM-EUxEL	Includes: PS220B, LPM183(Latch retraction EU x outside lever control EL), L	2360
UBPK1-FM-EUxEU	Includes: PS220B, LPM184 (Latch retraction EU x outside lever control EU), L	2360
UBPK1-SM-EUxEL	Includes: PS220B, LPM183(Latch retraction EU x outside lever control EL), L	2360
UBPK1-SM-EUxEU	Includes: PS220B, LPM184 (Latch retraction EU x outside lever control EU), L	2360

(includes above + LOW ENERGY OPERATOR)

UBPK2-FM-EUxEL	Includes: Low Energy Operator + PS220B, LPM183(Latch retraction EU x out	5360
UBPK2-FM-EUxEU	Includes: Low Energy Operator + PS220B, LPM184(Latch retraction EU x out	5360
UBPK2-SM-EUxEL	Includes: Low Energy Operator + PS220B, LPM183(Latch retraction EU x out	5360
UBPK2-SM-EUxEU	Includes: Low Energy Operator + PS220B, LPM184(Latch retraction EU x out	5360

EME KIT ADD	ADD ON EMERGENCY KIT FOR PRIVACY RESTROOM PACKAGE	550
-------------	---	-----

ELECTRIFIED MORTISE LOCKSETS

CORBIN RUSSWIN - MODIFIED BY CAT

COMPLETE MORTISE LOCKSETS - Specify Trim, Voltage and Finish

		LIST
ML03EL	EL - Store w/ Trim (Mod'd Corbin ML2057)	1027
ML05EU	EU - Store w/ Trim (Mod'd Corbin ML2057)	1027
ML01EL	EL - Inst w/ Trim (Mod'd Corbin ML2057)	1124
ML04EU	EU - Inst w/ Trim (Mod'd Corbin ML2057)	1124

Possibly Available Stocked Trim - LWA, NSA, PSA. Finishes - 613, 626, 630. Pricing and ETA for out of stock items may vary.

All complete lockset include standard cylinders

	TRIM PRICES	LIST
CORBIN RUSSIN	ML03 / ML05	404.00
CORBIN RUSSIN	ML01 / ML04	484.00
LESS CYLINDER	LC	-33

MORTISE CHASSIS ONLY - Specify Voltage (SEE COMMAND RETROFIT CHASSIS)

		LIST
ML03ELCH	EL Chassis only - Store (Mod'd Corbin ML2057)	623
ML05EUCH	EU Chassis only - Store (Mod'd Corbin ML2057)	623
ML01ELCH	EL Chassis only - Inst (Mod'd Corbin ML2057)	640
ML04EUCH	EU Chassis only - Inst (Mod'd Corbin ML2057)	640
Faceplates	Faceplates available in 613, 625, 626	40
Strikes	Strikes	40

MODIFICATION ONLY (Customer's lock) - Specify Voltage

		LIST
MDML03EL	EL - Store (Mod'd Corbin ML2057)	144
MDML05EU	EU - Store (Mod'd Corbin ML2057)	144
MDML01EL	EL - Inst (Mod'd Corbin ML2057)	161
MDML04EU	EU - Inst (Mod'd Corbin ML2057)	161

ITEM #S FOR MORTISE LOCK SWITCHES AVAILABLE **Switches list for \$63 each**

	Request to Exit	Latchbolt Monitor	Door Position Switch	DB Monitor	Solenoid Monitor	LIST
CORBIN RUSSWIN	CORREX-ML	CORLBM-ML	CORDPS-ML			63

DESIGN HARDWARE - MODIFIED BY CAT

MODIFICATION ONLY (Customer's lock) - Specify Voltage

		LIST
MDML86EL/EU	EL or EU - Store w/ Trim (Mod'd DH Classroom F05 lock)	144
MDML88EL/EU	EL or EU - Inst w/ Trim (Mod'd DH Classroom F05 lock)	161
MDML87EL/EU	EL or EU - Ent with DB w/ Trim (Mod'd DH Dorm/Exit F12 lock)	161

ITEM #S FOR MORTISE LOCK SWITCHES AVAILABLE **Switches list for \$63 each**

	Request to Exit	Latchbolt Monitor	Door Position Switch	DB Monitor	Solenoid Monitor	LIST
DESIGN HDW	DHREX-ML	DHLBM-ML	DHDPS-ML			63

FALCON - MODIFIED BY CAT

MORTISE CHASSIS ONLY - See Command Access Retrofit Chassis Section

MODIFICATION ONLY (Customer's lock) - Specify Voltage & Handing

		LIST
MDML51EL	EL - Store (Mod'd Falcon MA561)	144
MDML81EU	EU - Store (Mod'd Falcon MA561)	144
MDML11EL	EL - Inst (Mod'd Falcon MA561)	161
MDML21EU	EU - Inst (Mod'd Falcon MA561)	161
MDML651EL	EL - Ent w/ DB (Mod'd Falcon MA531)*	161
MDML681EU	EU - Ent w/ DB (Mod'd Falcon MA531)*	161

*need an MS451 faceplate

ITEM #S FOR MORTISE LOCK SWITCHES AVAILABLE Switches list for \$63 each

	Request to Exit	Latchbolt Monitor	Door Position Switch	DB Monitor	Solenoid Monitor	LIST
FALCON	FALREX-ML	FALLBM-ML				63

ELECTRIFIED MORTISE LOCKSETS**FSB - MODIFIED BY CAT****MODIFICATION ONLY (Customer's lock) - Specify Voltage & Handing**

		LIST
MDML7159EL/EU	EL or EU- Store (Mod'd FSB 7145)	154
MDML7158EL/EU	EL or EU - Inst (Mod'd FSB 7145 *Must send extra locking hub*)	154

ITEM #S FOR MORTISE LOCK SWITCHES AVAILABLE Switches list for \$63 each

	Request to Exit	Latchbolt Monitor	Door Position Switch	DB Monitor	Solenoid Monitor	LIST
FSB	FSBEX-ML	FSBLBM-ML				63
			FSBDPS-ML			75

MARKS - MODIFIED BY CAT (discontinued)**SARGENT - MODIFIED BY CAT****COMPLETE MORTISE LOCKSETS - Specify Trim and Voltage**

		LIST
ML370EL	EL - Store w/ Trim (Mod'd Sargent 8237)	1016
ML371EU	EU - Store w/ Trim (Mod'd Sargent 8237)	1016
ML372EL	EL - Inst w/ Trim (Mod'd Sargent 8237)	1051
ML373EU	EU- Inst w/ Trim (Mod'd Sargent 8237)	1051

Typically Stocked Trim - LNJ, LNL, LNB. Typically Stock Finishes-- 613, 625, 626. Price and ETA may vary for out of stock items. LA keyway standard. Specify 12 or 24 Volt

	TRIM PRICES	LIST
SARGENT	ML370/ML371	439.00
SARGENT	ML372/ML373	450.00
LESS CYLINDER	LC	-12

MORTISE CHASSIS ONLY - Specify Voltage

		LIST
ML370ELCH	EL Chassis only - Store (Mod'd Sargent 8237)	577
ML371EUCH	EU Chassis only - Store (Mod'd Sargent 8237)	577
ML372ELCH	EL Chassis only - Inst (Mod'd Sargent 8237)	601
ML373EUCH	EU Chassis only - Inst (Mod'd Sargent 8237)	601
Faceplates	Faceplates available in 626, 625, 613	40
Strikes	Strikes	40

MODIFICATION ONLY (Customer's lock) - Specify Voltage

		LIST
MDML370EL	EL - Store (Mod'd Sargent 8237)	144
MDML371EU	EU - Store (Mod'd Sargent 8237)	144
MDML372EL	EL - Inst (Mod'd Sargent 8237)	161
MDML373EU	EU - Inst (Mod'd Sargent 8237)	161

ITEM #S FOR MORTISE LOCK SWITCHES AVAILABLE Switches list for \$63 each

	Request to Exit	Latchbolt Monitor	Door Position Switch	DB Monitor	Solenoid Monitor	LIST
SARGENT	SGTREG-ML	SGTLBM-ML (fire link removed)			SGTSLM-ML	63

ELECTRIFIED MORTISE LOCKSETS**SCHLAGE - MODIFIED BY CAT****COMPLETE MORTISE LOCKSETS**

		LIST
ML70EL/EU	EL or EU - Classroom w/ Trim (Mod'd Schlage L9050)	1072
ML80EL/EU	EL or EU - Store w/ Trim (Mod'd Schlage L9050)	1062
ML82EL/EU	EL or EU - Inst w/ Trim (Mod'd Schlage L9050)	1137
ML480EL/EU	EL or EU - Ent w/ Trim (Mod'd Schlage L9453 (formerly ML53) Key Override	1107
ML482EL/EU	EL or EU - Ent (Mod'd Schlage L9453) Key Override Inst.	1197
ML485EU	EU - Privacy w/ DB & Trim (Mod'd Schlage L9453 (formerly ML48)	1154

Typically Stocked Trim - 03, 06, & 17 w/A or B Rose, (Check stock on L or N Escutcheon & other finishes). Typically Stocked Finishes. Pricing and ETA may vary for out of stock items. Specify 12 or 24 Volt.

"C" keyway standard, for Everest C123 or C145 add **List \$35.**

****Specify EL or EU, Trim, Voltage, Finish. All complete locksets include standard cylinders.**

	TRIM PRICES	LIST
SCHLAGE	ML70	581.00
SCHLAGE	ML80	581.00
SCHLAGE	ML82	635.00
SCHLAGE	ML480	581.00
SCHLAGE	ML482	635.00
SCHLAGE	ML485	581.00
LESS CYLINDER	LC	
w/FACTORY CYLINDER	ADD	33.00

MORTISE CHASSIS ONLY - Specify Voltage

		LIST
ML70EL/EUCH	EL or EU Chassis only - Classroom (Mod'd Schlage L9050)	491
ML80EL/EUCH	EL or EU Chassis only - Store (Mod'd Schlage L9050)	481
ML82EL/EUCH	EL or EU Chassis only - Inst (Mod'd Schlage L9050)	502
ML480EL/EUCH	EL or EU Chassis only - Ent (Mod'd Schlage L9453) (formerly ML53) Key Override	526
ML482EL/EUCH	EL or EU - Ent (Mod'd Schlage L9453) Key Override Inst.	562
ML485EUCH	EU only - Privacy w/ DB (Mod'd Schlage L9453) (formerly ML48)	573
Faceplates	Faceplates Available in 613, 625, 626	40
Strikes	Strikes	40
ML82KIT	Spindle to convert ML80 to ML82 Institutional Function	40

MODIFICATION ONLY (Customer's lock) - Specify voltage

		LIST
MDML70EL/EU	EL or EU - Classroom (Mod'd Schlage L9050)	144
MDML80EL/EU	EL or EU - Store (Mod'd Schlage L9050)	135
MDML80-M-EL/EU	Motorized- EL or EU - Store (Mod'd Schlage L9050)	190
MDML82EL/EU	EL or EU - Inst (Mod'd Schlage L9050)	154
MDML480EL/EU	EL or EU - Ent (Mod'd Schlage L9453) (formerly ML53) Key Override	169
MDML482EL/EU	EL or EU - Ent (Mod'd Schlage L9453) Key Override Inst.	186
MDML485EU	EU Only - Privacy w/ DB (Mod'd Sch L9453: (formerly ML48)	212

ITEM #'S FOR MORTISE LOCK SWITCHES AVAILABLE Switches list for \$63 each

	Request to Exit	Latchbolt Monitor	Door Position Switch	DB Monitor	Solenoid Monitor	
CAT ML70	CATREX-ML	CATLBM-ML				
CAT ML80/82	CATREX-ML	CATLBM-ML	CATDPS-ML		CATSLM-ML	LIST
CAT ML480/82/85	CATREX-ML	CATLBM-ML		CATDBM-ML		63

ELECTRIFIED MORTISE LOCKSETS

YALE - MODIFIED BY CAT

COMPLETE MORTISE LOCKSET- Specify voltage

		LIST
ML90ELCH	EL - Store w/Trim (Mod'd Yale 8808)	1057
ML91EUCH	EU - Store w/ Trim (Mod'd Yale 8808)	1057
ML94ELCH	EL - Inst w/ Trim (Mod'd Yale 8808)	1120
ML95EUCH	EU - Inst w/ Trim (Mod'd Yale 8808)	1120

Typically Stocked Trim - CR, AU, PB. Typically Stocked Finishes **626.**

"C" keyway standard

****Specify EL or EU, Trim, Voltage, Finish. All complete locksets include standard cylinders.**

	TRIM PRICES	LIST
YALE	ML90/91	434.00
YALE	ML94/95	480.00
LESS CYLINDER	LC	
w/FACTORY CYLINDER		

MORTISE CHASSIS ONLY - Specify voltage

		LIST
ML90ELCH	EL Chassis only - Store (Mod'd Yale 8808)	623
ML91EUCH	EU Chassis only - Store (Mod'd Yale 8808)	623
ML94ELCH	EL Chassis only - Inst (Mod'd Yale 8808)	640
ML95EUCH	EU Chassis only - Inst (Mod'd Yale 8808)	640
Faceplates	Faceplates -626 Only	57
Strikes	Strikes	42

MODIFICATION ONLY (Customer's lock) - Specify voltage

		LIST
MDML90EL	EL Chassis only - Store (Mod'd Yale 8808)	157
MDML91EU	EU Chassis only - Store (Mod'd Yale 8808)	157
MDML94EL	EL Chassis only - Inst (Mod'd Yale 8808)	174

MDML95EU	EU Chassis only - Inst (Mod'd Yale 8808)	174
----------	--	-----

***Fire Link is removed when ordering LBM

ITEM #S FOR MORTISE LOCK SWITCHES AVAILABLE Switches list for \$63 each

	Request to Exit	Latchbolt Monitor	Door Position Switch	DB Monitor	Solenoid Monitor	LIST
YALE	YALREX-ML	YALLBM-ML(fire link removed)				63

OTHER LOCK MODIFICATIONS

LOCKMOD	Please contact Customer Service for availability to modify any locks not listed.	275
---------	--	-----

* All Complete Locksets to be provided with Schlage C Keyway equivalent unless otherwise specified. Upcharge to original Schlage C, C

SWITCHES FOR MORTISE LOCKS

SWITCHES

		LIST
CATREXKIT-ML	Command Access ML1 Series mortise lock field installable REX kit.	63
SCHREXKIT-ML	Schlage L-Series mortise lock field installable REX kit.	63
CATLBMKIT-ML	Command Access ML1 Series mortise lock field installable LBM kit.	63
SCHLBMKIT-ML	Schlage L-Series mortise lock field installable LBM kit.	63
REX	Request to Exit Switch installed in mortise lock	63
RXBP	Request to Exit Switch with Bypass option to shunt the signal during unlock cycles installed in mortise lock Available in Schlage ML485, ML1485	111
LBM	Latchbolt Monitoring Switch installed in mortise lock	63
DBM	DB Monitoring Switch installed in mortise lock	63
DPS	Door Position Switch installed in mortise lock	63
SLM	Solenoid Monitor installed in mortise lock	63
SCM	Security Monitor installed in mortise lock	111

REPLACEMENT PARTS FOR MORTISE LOCKS

SOL-ML	Mortise Lock Replacement Solenoids (Specify brand, EU or EL & voltage)	85
--------	---	----

ACCESSORIES FOR MORTISE LOCKS

		LIST
BR1	Bridge Rectifiers W/ 12" lead	17
BR5	Bridge Rectifiers W/ 5' lead	28
10' Lead	10' Wire Leads	36
4' Lead	Add 4' lead to any switch (per)	17
QC/CON	Molex Connectors to retro Electrolynx QC8 or QC12 *SPECIFY*	42
QC/CON w/ lead	Molex Connectors to retro Electrolynx QC8 or QC12 w/ 38-50" lead *SPECIFY*	74
Door Cord w/ QC/CON	3-5' Door Cord w/ Molex Connectors to retro Electrolynx QC8 or QC12 *SPECIFY*	85
Lead Lining	Add lead lining to mortise chassis	233

ELECTRIFIED CYLINDRICAL LOCKS

ARROW - MODIFIED BY CAT

MODIFICATION ONLY (Customer's Locks) - Specify Voltage

		LIST
MDCL877EL	EL - Storeroom with Clutching (Mod'd Arrow QL82)	186
MDCL878EU	EU - Storeroom with Clutching (Mod'd Arrow QL82)	186
NO REX		

BEST - MODIFIED BY CAT

COMPLETE CYLINDRICAL LOCKSETS

		LIST
CL93DEL	EL (Mod'd Best 93K Series)	659
CL93DEU	EU (Mod'd Best 93K Series)	659

Pricing and ETA may vary for out of stock items.

Specify voltage, trim, and finish when ordering

MODIFICATION ONLY (Customer's Locks) - Specify Voltage

		LIST
MDCL93EL	EL (Mod'd Best 93K Series)	135
MDCL93EU	EU (Mod'd Best 93K Series)	135

LESS CYLINDER NOT AVAILABLE NO DEDUCT

BESREX-CL	BEST REX switch installed at the factory	63
-----------	--	----

CAL ROYAL - MODIFIED BY CAT

COMPLETE CYLINDRICAL LOCKSETS

		LIST
CLCR05EL	EL (Mod'd Cal Royal CGN05)	411

CLCR05EU	EU (Mod'd Cal Royal CGN05)	411
<i>Pricing and ETA may vary for out of stock items. Specify voltage, trim and finish when ordering</i>		
MODIFICATION ONLY (Customer's Locks) - Specify Voltage		LIST
MDCLCGNEL/EU	EL or EU (Mod'd Cal Royal CGN05)	127
MDCLGRBEL/EU	EL or EU (Mod'd Cal Royal GRB05)	127
LESS CYLINDER NOT AVAILABLE NO DEDUCT		
CALREX-CL	REX switch installed at the factory	63

COMMAND ACCESS CL1

COMPLETE CYLINDRICAL LOCKSETS		LIST
CL180EL	EL Grade 1 Cyl lock by CAT	339
CL180EU	EU Grade 1 Cyl lock by CAT	339
LE-Option	EU Grade 1 Cyl lock by CAT w/Low Energy+ REX	85

LESS CYLINDER NOT AVAILABLE NO DEDUCT

2-3/8 backset available in 605, 613, 625, 626 at \$35 list

MECHANICAL

COMPLETE CYLINDRICAL LOCKSETS		
CL1010	Mechanical Grade 1 Passage Lock by CAT	199
CL1040	Mechanical Grade 1 Privacy Lock by CAT	203
CL1053	Mechanical Grade 1 Entry/Office Lock by CAT	210
CL1070	Mechanical Grade 1 Classroom Lock by CAT	210
CL1080	Mechanical Grade 1 Storeroom Lock by CAT	210

LESS CYLINDER NOT AVAILABLE NO DEDUCT

CATREX-CL	REX switch installed at the factory	63
CATREXKIT-CL	CAT CL180 Field REX Kit	72

ELECTRIFIED CYLINDRICAL LOCKS

CORBIN RUSSWIN - MODIFIED BY CAT

COMPLETE CYLINDRICAL LOCKSETS		LIST
CL03EL	EL (Mod'd Corbin CL3357)	670
CL05EU	EU (Mod'd Corbin CL3357)	670
LESS CYLINDER	Lc \$12 deduct	

Possibly Stocked Trims - NZD, PZD. Typically Stocked Finishes - 613, 625, 626. Price and ETA may vary on out of stock items.

Specify voltage, trim, and finish when ordering. L4 keyway cylinder standard

MODIFICATION ONLY (Customer's Locks) - Specify Voltage

MDCL03EL	EL (Mod'd Corbin CL3357)	152
MDCL05EU	EU (Mod'd Corbin CL3357)	152
CORREX-CL	REX switch installed at the factory	63

DESIGN HARDWARE - MODIFIED BY CAT (DISCONTINUED)

DORMA - MODIFIED BY CAT (DISCONTINUED)

LSDA - MODIFIED BY CAT

MODIFICATION ONLY (Customer's Locks) - Specify Voltage		LIST
MDCLC5400EL	EL (Mod'd LSDA C5400 Grade One)	212
MDCLC5400EU	EU (Mod'd LSDA C5400 Grade One)	212
LSDAREX-CL	LSDA REX switch installed at the factory	63

MARKS - MODIFIED BY CAT

MODIFICATION ONLY (Customer's Locks) - Specify Voltage		LIST
MDCLFEL	EL (Mod'd Marks 195F)	159
MDCLFEU	EU (Mod'd Marks 195F)	159
MDCLRFEL	EL (Mod'd Marks 195RF - IC Core)	159
MDCLRFEU	EU (Mod'd Marks 195RF - IC Core)	159
MRKREX-CL	REX switch installed at the factory	63

MARSHALL BEST - MODIFIED BY CAT (DISCONTINUED)

SARGENT - MODIFIED BY CAT

COMPLETE CYLINDRICAL LOCKSETS		LIST
CL370EL	EL (LL or LP Trim) (Mod'd Sargent 10G04)	670
CL371EU	EU (LL or LP Trim) (Mod'd Sargent 10G04)	670
LESS CYLINDER	Lc \$12 deduct	

Possibly Stocked Trims - LP, LL. Typically Stocked Finishes - 613, 625, 626. Price and ETA may vary on out of stock items.

Specify voltage, trim and finish when ordering

Can also modify the classroom function 10G37

MODIFICATION ONLY (Customer's Locks) - Specify Voltage		LIST
MDCL370EL	EL (Mod'd Sargent 10G04)	138
MDCL371EU	EU (Mod'd Sargent 10G04)	138
SGTREG-CL	REX switch installed at the factory	63

ELECTRIFIED CYLINDRICAL LOCKS

SCHLAGE-MODIFIED BY CAT

COMPLETE CYLINDRICAL LOCKSETS) - Specify Voltage		LIST
CLN12EU/EL	EU or EL (RHO or SPA) (Mod'd Schlage ND12PD)	690
CLN70PEU/EL	EU or EL(RHO or SPA) (Mod'd Schlage ND70PD)	756
CLN70BEU/EL	EU or EL(RHO or SPA) (Mod'd Schlage ND70BD)	812
CLN80PEU/EL	EU or EL(RHO or SPA) (Mod'd Schlage ND80PD)	756
CLN80BEU/EL	EU or EL(RHO or SPA) (Mod'd Schlage ND80BD)	812
CLN94/96PEU/EL	EU or EL(RHO or SPA) (Mod'd Schlage ND94PD)	770
CLN94/96BEU/EL	EU or EL(RHO or SPA) (Mod'd Schlage ND94BD)	820

LESS CYLINDER (LD) Lc \$12 deduct

ND10 with REX = \$490 list
 List \$33 Add for 613 Finish
 TD & RD = List \$70
 Control Key is list \$15.00 for TD
 2 1/2 " CHASSIS = \$375 List ADD
 Schalge Original C & Everest C123 - \$35 list add

MODIFICATION ONLY (Customer's Locks) - Specify Voltage		LIST
MDCLN12EU/EL	EU or EL (Mod'd Schlage ND12PD)	119
MDCLN70PEU/EL	EU or EL (Mod'd Schlage ND70PD)	119
MDCLN80PEU/EL	EU or EL (Mod'd Schlage ND80PD)	119
MDCLN80BEU/EL	EU or EL (Mod'd Schlage ND80BD)	119
MDCLN94/N96PEU/EL	EU or EL (Mod'd Schlage ND94PD)	127

SCHREX-CL	REX switch installed at the factory	63
SCHREXKIT-CL	Schlage ND Series Field REX Kit (Anti-Rotation Plate w/switch)	74

D80 (old style) Modification - Use MDCL80 when ordering D (rather than ND) series for modification. List \$150 - REX List \$100
Knob Locks - Send D53 function for modification of knob locks - List \$210 - no REX available

OTHER LOCK MODIFICATIONS

	LIST	
LOCKMOD	Please contact Customer Service for availability to modify any locks not listed.	275

* All Complete Locksets to be provided with Schlage C Keyway equivalent unless otherwise specified. Upcharge to original Schlage C, C

SWITCHES FOR CYLINDRICAL LOCKS

SWITCHES FOR CYLINDRICAL LOCKS		LIST
REX	REX switch for all cyl locks	63
CATREXKIT-CL	CAT CL1 Series Spring cage w/ Request to Exit (REX) switch installed	74
SCHREXKIT-CL	Schlage ND Series Anti-Rotation Plate with Request to Exit (REX) switch installed	74

REPLACEMENT PARTS FOR CYLINDRICAL LOCKS

	LIST	
SOL-CL	FACTORY ONLY Cyl Lock Replacement Solenoids	85

Specify brand, EU or EL and voltage

ACCESSORIES FOR CYLINDRICAL LOCKS

	LIST	
BR1	Bridge Rectifiers W/ 12" lead	17
BR5	Bridge Rectifiers W/ 5' lead	28
10' Lead	10' Wire Leads	36
4' Lead	Add 4' lead to REX switch (per)	17
QC/CON	Molex Connectors to retro Electrolynx QC8 or QC12 *SPECIFY*	42
QC/CON w/ lead	Molex Connectors to retro Electrolynx QC8 or QC12 w/ 38-50" lead *SPECIFY*	74
Door Cord w/ QC/CON	3-5' Door Cord w/ Molex Connectors to retro Electrolynx QC8 or QC12 *SPECIFY*	85

ELECTRIFIED PANIC TRIM

Command Access ET Series

ET15/16

Specify Trim, Voltage, Finish, Handing (LHR or RHR). Cylinder not included.		LIST
ET15EL/EURIM	EL or EU CVR Trim for CAT PD16 RIM, L6 lever, Alum/Duro finish (HANDING)	434

ET15EL/EUCVR	EL or EU RIM Trim for CAT PD16 CVR, L6 lever, Alum/Duro finish (HANDING)	434
--------------	--	-----

Mechanical

ET16RIM	Entrance Trim for CAT PD15 RIM, L6 Lever, Alum/Duro finish	233
ET16CVR	Entrance Trim for CAT PD15 CVR, L6 Lever, Alum/Duro finish	233

ET25/26

Specify Trim, Voltage, Finish, Handing (LHR or RHR). Cylinder included.

		LIST
ET25EU/EL	EL or EU RIM Trim (CAT PD26RIM & SVR on!) L6 lever, 626 finish	453

Typically Stocked in L6 626 finish. L17 lever, 613 & 625 finish available on special order.

Mechanical

Pull Trim		LIST
ET26NPT	Night Latch Trim for CAT PD25 series (Pull Trim)	177
ET26DPT	Dummy Trim for CAT PD25 series (Pull Trim)	177
Thumbpiece		
ET26DTT	Dummy Trim for CAT PD25 series (Thumbpiece Trim)	238
ET26PTT	Passage Trim for CAT PD25 series (Thumbpiece Trim)	238
ET26ETT	Entrance Trim for CAT PD25 series (Thumbpiece Trim)	238
ET26STT	Storeroom Trim for CAT PD25 series (Thumbpiece Trim)	238
Lever Trim		
ET26DLT	Dummy Trim for CAT PD25 series (Lever Trim)	270
ET26PLT	Passage Trim for CAT PD25 series (Lever Trim)	270
ET26ELT	Entrance Trim for CAT PD25 series (Lever Trim)	270
ET26SLT	Storeroom Trim for CAT PD25 series (Lever Trim)	270

613 finish add List \$20 for ET26 Only

Von Duprin - MODIFIED BY CAT

		LIST
V23EL/EU	EL or EU Trim (Mod'd VD 230L Trim) 06 lever, 313/628 finis	670
V96EL/EU	EL or EU Trim (Mod'd VD 996L)(03, 06 or 17 lev)(613, 625 or 626)	865

MODIFICATION ONLY EXIT TRIM

		LIST
MDCR22EL/EU	EL or EU (Mod'd Cal Royal NESC22 Trim) Specify handing. SVR & RIM only	217
MDCR98EL/EU	EL or EU (Mod'd Cal Royal NESC98 Trim)Specify handing. SVR & RIM only	217
MDCR77EL/EU	EL or EU (Mod'd Cal Royal NESC77 Trim)Specify handing. SVR & RIM only	217
MDLE08-2EL/EU	EL or EU (Mod'd Design Hardware LE08-2 Trim)	217
MDFAL551EL	EL (Mod'd Falcon 510 Trim)	217
MDFAL581EU	EU (Mod'd Falcon 510 Trim)	217
MDHAG45CEEL/EU	EL or EU (Mod'd Hager 45CE Trim)	217
MDJK85EL/EU	EL or EU (Mod'd Jackson 85 Series Extended Trim)	217
MDPH49EL/EU	EL or EU (Mod'd Precision 4900 Series Trim) no key override	500
MDSGT700EL/EU	EL or EU (Mod'd Sargent 713, 715, 716, 734 Trim)	250
MDV23EL/EU	EL or EU (Mod'd Von Duprin 230L Trim)	186
MDV36EL/EU*	EL or EU (Mod'd VD L/BE/T versions of 360 series) NO KEY OVERRIDE	500
MDV37EL/EU	EL or EU (Mod'd VD L/BE/T versions of 371,372,373,374,376,377,379)	500
MDV92EL/EU	EL or EU (Mod'd Von Duprin 992L Trim)	455
MDV96EL/EU	EL or EU (Mod'd Von Duprin 996L Trim)	186

SWITCHES

		LIST
REE	Request to Enter Switch installed on Exit Trim	66

REPLACEMENT PARTS FOR EXIT TRIM

SOL-ET	Exit Trim Replacement Solenoids (Specify brand, EU or EL and voltage)	85
--------	---	----

****Always check with R&D to make sure no additional info is needed**

ACCESSORIES FOR EXIT TRIM

		LIST
BR5	Bridge Rectifier W/ 5' lead	28
10' Lead	10' Wire Leads	38
4' Lead	Add 4' lead to REE switch (per)	17
QC	Molex Connectors to retro Electrolynx QC8 or QC12 *SPECIFY*	42
QC w/ lead	Molex Connectors to retro Electrolynx QC8 or QC12 w/ 38-50" lead *SPECIFY*	74
Door Cord w/ QC	3-5' Door Cord w/ Molex Connectors to retro Electrolynx QC8 or QC12 *SPECIFY*	85

ACCESSORIES & OPTIONS

ACCESSORIES

		LIST
PM300	Module W/ PM & PWM technology with option switch for HO w/ Univ harness	200
PM300-D	Delay Module W/ PM & PWM technology with option switch for HO w/ Univ harness	200

PM300-AC	For Unregulated Power supplies 24V Module W/ PM & PWM technology with option switch for	200
PM300-ACD	Delay Module For Unregulated Power supplies 24V Module W/ PM & PWM technology with op	200
CRU2	Current Reduction Unit (non-polarity sensitive)	36
CRU4	CRU3 (Intelligent CRU2 from 12-30VDC) w/ smaller footprint for 12V solenoids only.	36
CRU2- 4' Lead	Current Reduction Unit (non-polarity sensitive)	49
CRU4- 4' Lead	CRU3 (Intelligent CRU2 from 12-30VDC) for 12V solenoids only.	49
DS1	Command Access delay/sequencer for auto operator integration and door sequencing	165
DS1-X	Command Access delay/sequencer for auto operator integration	190
VD2-873	Replacement output board for the Von Duprin PS873. Replaces the 872-1 output card.	190
VD2-914	Output Board Only for Von Duprin PS914 power supplies w/2 solid-state Inputs/Outputs and 1 d	190
VC2412	Voltage Converter 24VDC input & output 12VDC - 1A max	42

** Use PM300 pricing for PWM202HO & PWM202HOD

		LIST
IDPS1	Independent DPS switch installs in frame & alum door (wood, hollow metal & FRP)	30
IDPS2	Independent High Security DPS switch installs in frame & alum door (wood, hollow metal & FR	40
IDPSSC-1	Vandal Resistance Independent Concealed Magnetic Contact switch installs in frame & alum do	84
CATMREX100	REX sensor with an active infrared (AIR) detection zone focused directly on the door handle.	218

ELECTRIFIED LATCH RETRACTION KITS

MOTORIZED LATCH RETRACTION KITS 1 Series

		LIST
MLRK1-AR	CAT MLR kit for Adams Rite 8000 series	530
MLRK1-AREX	CAT MLR kit for Adams Rite EX series	530
MLRK1-AW	CAT MLR kit for Arrow 1000,2000 & 3000 series series	530
MLRK1-CAL	CAT MLR kit for Cal Royal 98/2200 series	530
MLRK1-CAL77	CAT MLR kit for Cal Royal 7700 Series	530
MLRK1-COR	CAT MLR kit for Corbin 4000/5000 Series	530
MLRK1-DH	CAT MLR kit for Design Hardware 1000 Series	530
MLRK1-DOR	CAT MLR kit for Dorma 9000 Series	530
MLRK1-DRX	CAT MLR kit for Dorex 9500 Series	530
MLRK1-FAL17	CAT MLR kit for Falcon 16/17 Series	530
MLRK1-FAL25	CAT MLR kit for Falcon 24/25 Series	530
MLRK1-FC	CAT MLR kit for First Choice 36/37 Series	530
MLRK1-HAG	CAT MLR kit for Hager 4500 Series	530
MLRK1-JAC12	CAT MLR kit for Jackson 1200 Series	530
MLRK1-KAW17	CAT MLR kit for Kawneer 1686/1786 Series	530
MLRK1-LSDA1	CAT MLR kit for LSDA 9000 R/V Series	530
MLRK1-LSDA2	CAT MLR kit for LSDA 9200 Series	530
MLRK1-MRK	CAT MLR kit for Marks M9900/8800	530
MLRK1-PDQ	CAT MLR kit for PDQ 6200 Series	530
MLRK1-PHH	CAT MLR kit for Philadelphia Hardware 9000 series	530
MLRK1-SGT	CAT MLR kit for Sargent 80 Series	530
MLRK1-SQ	CAT MLR kit for Stanley QED100/200 Series	530
MLRK1-TEL	CAT MLR kit for Tell 9500 Series	530
MLRK1-TS	CAT MLR kit for Townsteel 1100 Series	530
MLRK1-VD	CAT MLR kit for Von Duprin 33/35 & 98/99 Series	530
MLRK1-VD22	CAT MLR kit for Von Duprin 22 Series	530
MLRK1-YAL	CAT MLR kit for Yale 7000 Series	530

ELEC EXIT DEVICE KITS -SOLENOID

		LIST
ARLP88-KIT-12V/24V	CAT LP kit for Adams Rite 8800 device (RIM only) Solenoid * Must specify 12V or 24V	210
VLP-UL-KIT	CAT UL Listed LP kit for VD 33/35 & 98/99 exits w/PM300 (36" & 48")	380
VLPKIT36	CAT LP kit for Von Duprin 33/35 & 98/99 series w/ PM300, 36"	530
VLPKIT48	CAT LP kit for Von Duprin 33/35 & 98/99 series w/ PM300, 48"	530

ELECTRIFIED STOREFRONT PANIC HARDWARE

ADAMS RITE COMPLETE ELEC EXIT DEVICES (maintain factory dogging ability)

		LIST
ARLP8801-12	Adams Rite 8800 Rim device w/ E-LP by CAT -12V- Alum	640
ARLP8802-12	Adams Rite 8800 Rim device w/ E-LP by CAT -12V- Duro	640
ARLP8801-24	Adams Rite	640
ARLP8802-24	Adams Rite	640
ARLP8611	Adams Rite 8600 CVR device w/ E-LP by CAT- Alum	974
ARLP8622	Adams Rite 8600 CVR device w/ E-LP by CAT - Duro	974
MOTORIZED		
ARLP-M-8801	Adams Rite 8800 rim device w/ E-LP by CAT - Alum MOTORIZED	857

ARLP-M-8802	Adams Rite	857
ARLP-M-8611	Adams Rite 8600 CVR device w/ E-LP by CAT - Alum MOTORIZED	1042
ARLP-M-8622	Adams Rite 8600 CVR device w/ E-LP by CAT -Duro MOTORIZED	1042

COMMAND ACCESS COMPLETE ELEC EXIT DEVICES

PD10/11 series (retrofits Doromatic1600/1700 & First Choice 3600/3700)

LIST

MOTORIZED

LIST \$30 for 48" Device

PD10-M-RIMA	CAT RIM w/ E-LP - Alum.* MOTORIZED	815
PD10-M-RIMD	CAT RIM w/ E-LP - Duro* MOTORIZED	836
PD10-M-CVRA	CAT CVR w/ E-LP - Alum * MOTORIZED	847
PD10-M-CVRD	CAT CVR w/ E-LP - Duro* MOTORIZED	868

MECHANICAL

LIST \$30 for 48" Device

PD11RIMA	CAT Rim Exit Device, Alum	472
PD11RIMD	CAT Rim Exit Device, Duro	493
PD11CVRA	CAT CVR Exit Device, Alum	504
PD11CVRD	CAT CVR Exit Device, Alum	525

NOTE:PD10/11-Bracket_Relocate List \$64, for Non 36"/48" (example 42") PD10/11Ext Rods List \$60 for 12", 24" or 36"

PD15/16 series (retrofits Jackson1200 & AHT 8000/9000)

LIST

PD15-M-RIMA	CAT RIM w/ E-LP - Alum** MOTORIZED	813
PD15-M-RIMD	CAT RIM w/ E-LP - Duro** MOTORIZED	813
PD15-M-CVRA (handing)	CAT CVR w/ E-LP - Alum** (Specify Handing) MOTORIZED	847
PD15-M-CVRD (handing)	CAT CVR w/ E-LP - Duro ** (Specify Handing) MOTORIZED	847

MECHANICAL

LIST \$30 for 48" Device

PD16-RIMA	CAT Rim Exit Device for CAT ET15, Alum	413
PD16-RIMD	CAT Rim Exit Device for CAT ET15, Duro	413
PD16-CVRA	CAT CVR Exit Device for CAT ET15, Alum	434
PD16-CVRD	CAT CVR Exit Device for CAT ET15, Alum	434

List \$30 for 48" Device, List \$40 for End Cap, PD15/16Ext Rods List \$60 for 12", 24" or 36"

* The PD15 will work to retrofit the Jackson 1085, however there will be holes exposed.

PD18/19 series (retrofits Adams Rite 8000)

LIST

PD18-RIMA	CAT RIM w/ E-LP - Alum** Solenoid	505
PD18-RIMD	CAT RIM w/ E-LP - Duro** Solenoid	505
PD18-CVRA	CAT CVR w/ E-LP - Alum** Solenoid	764
PD18-CVRD	CAT CVR w/ E-LP - Duro ** Solenoid	764

MOTORIZED

PD18-M-RIMA	CAT RIM w/ E-LP - Alum**	840
PD18-M-RIMD	CAT RIM w/ E-LP - Duro** -	840
PD18-M-CVRA	CAT CVR w/ E-LP - Alum** -	908
PD18-M-CVRD	CAT CVR w/ E-LP - Duro ** -	908

MECHANICAL

LIST \$30 for 48" Device

PD19-RIMA	CAT Rim Exit Device for CAT ET15, Alum	360
PD19-RIMD	CAT Rim Exit Device for CAT ET15, Duro	360
PD19-CVRA	CAT CVR Exit Device for CAT ET15, Alum	430
PD19-CVRD	CAT CVR Exit Device for CAT ET15, Alum	430

ELECTRIFIED ARCHITECTURAL PANIC HARDWARE

PD25/26 series - **MOTOR DRIVEN ONLY**

LIST

PD25-M-RIM	CAT RIM with E-LP - 626 (3' only in stock)	1073
PD25-M-SVR	CAT SVR Exit Device with EL LP - 626 (3' only in stock)	1299

Fire Rated

LIST \$30 for 48" Device 613 finish List \$20

PD25F-M-RIM	CAT Rim - Fire - Exit Device with E-LP - 626 (3' only in stock)	1173
PD25F-M-SVR	CAT SVR - Fire - Exit Device with EL LP - 626 (3' only in stock)	1412

MECHANICAL

LIST \$30 for 48" Device 613 finish List \$20

PD26-RIM	CAT Rim Exit Device for ET25 - 626 (3' only in stock)	593
PD26-SVR	CAT SVR Exit Device for ET25 - 626 (3' only in stock)	819

Fire Rated

LIST \$30 for 48" Device 613 finish List \$20

PD26F-RIM	CAT Rim - Fire - Exit Device for ET25 - 626 (3' only in stock)	693
PD26F-SVR	CAT SVR - Fire - Exit Device for ET25 - 626 (3' only in stock)	938

Auxiliary Fire-bolt **List \$95**

613 finish List \$20

48" Device List \$30

PD25/26 Ext Rods: for 96" device = List \$95 or for 108" device **List \$95**

PD26 cylinder dogging 36"&41

CAL ROYAL COMPLETE ELEC EXIT DEVICES

Cal Royal MORTISE CHASSIS ONLY FOR EXIT DEVICES

		LIST
MDMLMR9800	Mod only of Cal-Royal MR9800 chassis only for CR Rim Exit	240

ELECTRIFIED MODIFICATION PANIC HARDWARE

MODIFICATION ONLY OF CUSTOMER'S EXIT DEVICES

		LIST
MDARLP82	EL LP mod of Adams Rite 8200 devices -24V	381
MDARLP84	EL LP mod of Adams Rite 8400 devices -24V	381
MDARLP86	EL LP mod of Adams Rite 8600 devices -24V	381
MDARLP88	See ARLP88-KIT	
MDARLP8812	See ARLP88-KIT	

ELEC PANIC HARDWARE ACCESSORIES & OPTIONS

SWITCHES FOR STOREFRONT & ARCHITECTURAL DEVICES

		LIST
ARREXKIT-ED	Field REX kit for Adams Rite Solenoid exit device (8400/8600/8800)	74
ARREXKIT2-ED *	(2) Field REX kit for Adams Rite Solenoid exit device (8400/8600/8800)	142
ARREXKIT-M-ED	Field REX kit for Adams Rite Motorized exit device (8400/8600/8800)	74
CRSREXKIT-ED	Field REX kit for Cal Royal exit device (2200/9800 series) & Sargent (80 series)	74
CRSREXKIT-M-ED	Field REX kit for Motorized Cal Royal exit device (2200/9800 series) & Sargent (80 series)	74
CYREXKIT-ED	Field REX kit for Corbin (5000/4000 series) & Yale (7000 series) devices	74
CYREXKIT-M-ED	Field REX kit for Motorized Corbin (5000/4000 series) & Yale (7000 series)	74
LLPREXKIT-M-ED	Field REX kit for Motorized Hager 5000 & Lawrence 8000 series exit device	74
PD10REXKIT-ED	Field REX kit for CAT PD10, First Choice (3600/3700), Doromatic (1600/1700)	74
PD15REXKIT-ED	Field REX kit for Command Access PD15/16, AHT8/9, Jackson 1285/95, & Kawneer 1686/1786	74
PD15REXKIT-M-ED	Field REX kit for Motorized Command Access PD15/16, AHT8/9, Jackson 1285/95 exit devices	74
PD25REXKIT-ED	Field REX kit for Command Access PD25 exit device, CAL Royal 77 Series	74
PREREXKIT-ED	Field REX kit for Precision exit device (2000 series)	74
VDLBMKIT-ED	Field Latch Bolt Monitor kit for Von Duprin (22/33/35/98/99 series)	74
VDLBMKIT-LC-ED	Field Latch Bolt Monitor "Low Current" kit for VD (22/33/35/98/99 series)	85
VDREXKIT-ED	Field REX kit for Von Duprin exit device (22/33/35/98/99 series)	74
VDREXKIT2-ED *	(2) Field REX kit for Von Duprin exit device (22/33/35/98/99 series)	142
VDREXKIT-LC-ED	Field LOW CURRENT REX kit for Von Duprin exit device (22/33/35/98/99 series)	85
REX	Request to Exit Switch added Exit Device	63
REX-LC	LOW CURRENT Request to Exit Switch added to VD Exit Device	74
LBM	Latchbolt Monitor added to Exit Device	63

* End user will have to drill (1) hole for the switch.

REPLACEMENT PARTS FOR STOREFRONT DEVICES

		LIST
SOLLP1	Replacement Solenoid Assembly for E-LP - Single Coil*	127
SOLLP2	Replacement Solenoid Assembly for E-LP - Dual Coil*	127
SOLLP3	Replacement Solenoid Assembly for E-LP - Single Coil*(12V EU AR8800)	127
SOLLP4	Replacement Solenoid Assembly for PD15 type (two solenoid Assem)	212
SOLLP5	Replacement Solenoid Assembly for E-LP - Single Coil* (24V EU AR8800)	127

* Not all models can be changed in the field. Specify brand and model.

ACCESSORIES & OPTIONS FOR EXIT DEVICES & KITS

ACCESSORIES

		LIST
8' Lead	8' Replacement Connector Cord Exit Device Wire Lead	30
10' Lead	10' Wire Leads	36
QC	Molex Connectors to retro Electrolynx QC8 or QC12 *SPECIFY*	42
QC w/ lead	Molex Connectors to retro Electrolynx QC8 or QC12 w/ 38-50" lead *SPECIFY*	74
Door Cord w/ QC	3-5' Door Cord w/ Molex Connectors to retro Electrolynx QC8 or QC12 *SPECIFY*	85
MM modules	Interface Module to operate CAT Motor device specify series	159

POWER SUPPLIES & AUXILIARY BOARDS



UL LISTED POWER SUPPLIES FOR LP EXIT DEVICES



		LIST
PS202	2A 24V momentary 3A boost Heavy Duty regulated linear Power Supply with boost Circuitry for E-Motorized exit devices, locks, & strikes w/ (2) Solid-state I/O - UL 294 6E / CSA Design	233
PS202B	2A 24V momentary 3A boost Heavy Duty regulated linear Power Supply with battery back-up for	290

	E-Motorized exit devices, locks, & strikes w/ (2) Solid-state I/O - UL 294 6E / CSA Design	
PS204	2A 24V momentary 3A boost Heavy Duty regulated linear Power Supply with boost Circuitry for E-Motorized exit devices, locks, & strikes w/ (4) Solid-state I/O - UL 294 6E / CSA Design	275
PS204B	2A 24V momentary 3A boost Heavy Duty regulated linear Power Supply with battery back-up for E-Motorized exit devices, locks, & strikes w/ (4) Solid-state I/O - UL 294 6E / CSA Design	332
PS210	2A 24V momentary 3A boost Heavy Duty regulated linear Power Supply with boost Circuitry for E-LP, (1) Solid State I/Os - UL 294 6E / CSA Design	250
PS220	2A 24V momentary 3A boost Heavy Duty regulated linear Power Supply with boost Circuitry for (2) E-LP devices, (2) solid state output, and fire alarm link - UL 294 6E / CSA Design	311
PS220B	2A 24V momentary 3A boost Heavy Duty regulated linear Power Supply with boost Circuitry for (2) E-LP devices, (2) solid state output, battery back-up and fire alarm link - UL 294 6E / CSA	368
PS440B	4A 24V momentary 6A boost Heavy Duty regulated linear Power Supply with boost Circuitry for (4) E-LP devices, (4) solid state output, and fire alarm link - UL 294 6E / CSA	413
PS480B	4A 24V momentary 6A boost Heavy Duty regulated linear Power Supply with boost Circuitry for (6) E-LP devices, (8) solid state output, battery back-up and fire alarm link - UL 294 6E / CSA	453
PS1	2.3A 24V Heavy Duty regulated linear Power Supply with boost Circuitry for E-LP Device w/ (1) Solid-state I/O - UL/CSA Design	271
BB12V7	2-12V 7AH Gel Cell batteries	160

POWER SUPPLIES FOR MORTISE & CYLINDRICAL LOCKS

		LIST
SW3	2.4 amp 27VDC regulated power supply w/ 3 non-fused outputs for ELEC strike mortise locks and cylindrical locks	174

POWER SUPPLIES & AUXILIARY BOARDS

		LIST
PS1-BO	PS1N-BO Replacement Board Only - UL/CSA Design	212
PS2-BO	PS2-BO Replacement Board Only - UL/CSA Design . Replaces the VD 873-2 board.	328
PS2BB-BO	PS2BB-BO Replacement Board Only - UL/CSA Design	385
PS5-BO	use PS5-Mainboard + PS5-Transformer - UL/CSA Design	370
PS5-4-BO	use PS5-Mainboard + PS5-Transformer + PS5-Output Board-4 - UL/CSA Design	529
PS-OUTPUTBOARD-2	OUTPUT BOARD	180
PS-OUTPUTBOARD-4	OUTPUT BOARD	190
PS-OUTPUTBOARD-8	OUTPUT BOARD	200

Power Supply **Can ONLY:** 15 x 12 x 5 = List \$70

10.5 x 10.5 = List \$65

Cam lock only for above power supplies: List=

CAT FIELD TESTERS

		List
CATFT-DW	CAT Field Tester- DeWalt	260.00
CATFT-MK	CAT Field Tester- Makita	260.00
CATFT-ML	CAT Field Tester- Milwaukee	260.00
CATFT-DISPK	CAT Field Tester- Distributor Pack (15 BASE units + 15 attachments of customer's choice)	3600.00
CATFT-BASE	CAT Field Tester Base Only	220.00
CATFT-ATTACH	CAT Field Tester battery attachment only (Specify brand)	40.00

HINGE ADD ON'S

Quick Connects for Hinges

	LIST
QC-Molex8 - 8-pin Molex to retro Electrolynx(10" leads)	46
QC-Molex12- 12-pin Molex to retro Electrolynx(10" leads)	46
QC-Molex8- - 8-pin Molex to retro Electrolynx(36"-50" leads)	74
QC-Molex12 - 12-pin Molex to retro Electrolynx(36"-50" leads)	74

* Cannot do QC or CON connectors on 18g wires.

Add to Standard Wire Price for (Light Heavy Wire 2/20ga)

ETH420W (2/20g + 2/26g)	35
ETH620W (2/20g + 4/26g)	40

Misc. Adds

	LIST
Upcharge for 693/L1 finish hinges	21
2 kunckle hinge mod (4 wire)	228
Hinge Rewire (CAT MOD)	85

Hinge Rewire (Other Manufacturer's MOD)	106
Hospital Tip Hinges (630 ONLY)-Hinges already HT when we receive them	44
Hospital Tip Hinges (630 ONLY)-Convert hinge to hospital tip in house	85
Wide Throw Hinges (Including modification of 6.0X6.0 hinges)	42
Add VD (2-Pin) connector to hinge or pivot	26
V-KRM-EL (CAT modification of customer's Sargent mullion for power transfer)	370
Add NRP (non-removable pin) to raw hinge	
Upcharge to add Fire Rating to hinges other than CAT	

ETH's - 5 KNUCKLE STANDARD WEIGHT

(CH-BB79: UL-F rated)

****STEEL BASE****

LIST

		LIST
ETH2W/4W4040	ETH - 2-(20g) or 4-(26g) wire 4.0 x 4.0 (SQ or RC)	126
ETH2W/4W4540	ETH - 2-(20g) or 4-(26g) wire 4.5 x 4.0	126
ETH2W/4W4545	ETH - 2-(20g) or 4-(26g) wire 4.5 x 4.5	126
ETH2W/4W5045	ETH - 2-(20g) or 4-(26g) wire 5.0 x 4.5	144
ETH2W/4W5050	ETH - 2-(20g) or 4-(26g) wire 5.0 x 5.0	165
ETH2W/4W4560	ETH - 2-(20g) or 4-(26g) wire 4.5 x 6.0	165
ETH6W4040	ETH - 6-(26g) wire 4.0 x 4.0 (SQ or RC)	144
ETH6W4540	ETH - 6-(26g) wire 4.5 x 4.0	144
ETH6W4545	ETH - 6-(26g) wire 4.5 x 4.5	144
ETH6W5045	ETH - 6-(26g) wire 5.0 x 4.5	161
ETH6W5050	ETH - 6-(26g) wire 5.0 x 5.0	182
ETH6W4560	ETH - 6-(26g) wire 4.5 x 6.0	182
ETH8W4040	ETH - 8-(28g) wire 4.0 x 4.0 (SQ or RC)	158
ETH8W4540	ETH - 8-(28g) wire 4.5 x 4.0	158
ETH8W4545	ETH - 8-(28g) wire 4.5 x 4.5	158
ETH8W5045	ETH - 8-(28g) wire 5.0 x 4.5	180
ETH8W5050	ETH - 8-(28g) wire 5.0 x 5.0	203
ETH8W4560	ETH - 8-(28g) wire 4.5 x 6.0	203
ETH10W/12W4040	ETH - 10-(28g) OR 12-(28g) wire 4.0 x 4.0 (SQ or RC)	180
ETH10W/12W4540	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 4.0	180
ETH10W/12W4545	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 4.5	180
ETH10W/12W5045	ETH - 10-(28g) OR 12-(28g) wire 5.0 x 4.5	203
ETH10W/12W5050	ETH - 10-(28g) OR 12-(28g) wire 5.0 x 5.0	224
ETH10W/12W4560	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 6.0	224

HEAVY GAUGE WIRE FOR LATCH RETRACTION

LIST

		LIST
ETH2WH4540	ETH - 2-(18g) wire 4.5 x 4.0	169
ETH2WH4545	ETH - 2-(18g) wire 4.5 x 4.5	169
ETH2WH5045	ETH - 2-(18g) wire 5.0 x 4.5	186
ETH2WH5050	ETH - 2-(18g) wire 5.0 x 5.0	207
ETH2WH4560	ETH - 2-(18g) wire 4.5 x 6.0	207
ETH4WH4540	ETH - 4-(2-18g +2-26g) wire 4.5 x 4.0	186
ETH4WH4545	ETH - 4-(2-18g +2-26g) wire 4.5 x 4.5	186
ETH4WH5045	ETH - 4-(2-18g +2-26g) wire 5.0 x 4.5	203
ETH4WH5050	ETH - 4-(2-18g +2-26g) wire 5.0 x 5.0	224
ETH4WH4560	ETH - 4-(2-18g +2-26g) wire 4.5 x 6.0	224
ETH6WH4540	ETH - 6-(2-18g+4-26g) wire 4.5 x 4.0	186
ETH6WH4545	ETH - 6-(2-18g+4-28g) wire 4.5 x 4.5	186
ETH6WH5045	ETH - 6-(2-18g+4-28g) wire 5.0 x 4.5	203
ETH6WH5050	ETH - 6-(2-18g+4-28g) wire 5.0 x 5.0	224
ETH6WH4560	ETH - 6-(2-18g+4-28g) wire 4.5 x 6.0	224
ETH8WH4540	ETH - 8-(2-20g+6-28g) wire 4.5 x 4.0	203
ETH8WH4545	ETH - 8-(2-20g+6-28g) wire 4.5 x 4.5	203
ETH8WH5045	ETH - 8-(2-20g+6-28g) wire 5.0 x 4.5	222
ETH8WH5050	ETH - 8-(2-20g+6-28g) wire 5.0 x 5.0	246
ETH8WH4560	ETH - 8-(2-20g+6-28g) wire 4.5 x 6.0	246
ETH10WH/12WH4540	ETH - 10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 4.0	222
ETH10WH/12WH4545	ETH - 10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 4.5	222
ETH10WH/12WH5045	ETH - 10 or 12 -(2-20g+8-28g or 10-28g) wire 5.0 x 4.5	246
ETH10WH/12WH5050	ETH - 10 or 12 -(2-20g+8-28g or 10-28g) wire 5.0 x 5.0	267
ETH10WH/12WH4560	ETH - 10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 6.0	267

ETH's - 5 KNUCKLE STANDARD WEIGHT

(CH-BB91: UL-F rated)

****BRASS BASE-All except 32D****

LIST

ETH2W/4W4040	ETH - 2-(20g) or 4-(26g) wire 4.0 x 4.0 (SQ or RC)	152
ETH2W/4W4540	ETH - 2-(20g) or 4-(26g) wire 4.5 x 4.0	152
ETH2W/4W4545	ETH - 2-(20g) or 4-(26g) wire 4.5 x 4.5	152
ETH2W/4W5045	ETH - 2-(20g) or 4-(26g) wire 5.0 x 4.5	169
ETH2W/4W5050	ETH - 2-(20g) or 4-(26g) wire 5.0 x 5.0	182
ETH2W/4W4560	ETH - 2-(20g) or 4-(26g) wire 4.5 x 6.0	182
ETH6W4040	ETH - 6-(26g) wire 4.0 x 4.0 (SQ or RC)	169
ETH6W4540	ETH - 6-(26g) wire 4.5 x 4.0	169
ETH6W4545	ETH - 6-(26g) wire 4.5 x 4.5	169
ETH6W5045	ETH - 6-(26g) wire 5.0 x 4.5	186
ETH6W5050	ETH - 6-(26g) wire 5.0 x 5.0	203
ETH6W4560	ETH - 6-(26g) wire 4.5 x 6.0	203
ETH8W4040	ETH - 8-(28g) wire 4.0 x 4.0 (SQ or RC)	186
ETH8W4540	ETH - 8-(28g) wire 4.5 x 4.0	186
ETH8W4545	ETH - 8-(28g) wire 4.5 x 4.5	186
ETH8W5045	ETH - 8-(28g) wire 5.0 x 4.5	203
ETH8W5050	ETH - 8-(28g) wire 5.0 x 5.0	222
ETH8W4560	ETH - 8-(28g) wire 4.5 x 6.0	222
ETH10W/12W4040	ETH - 10-(28g) OR 12-(28g) wire 4.0 x 4.0 (SQ or RC)	203
ETH10W/12W4540	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 4.0	203
ETH10W/12W4545	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 4.5	203
ETH10W/12W5045	ETH - 10-(28g) OR 12-(28g) wire 5.0 x 4.5	222
ETH10W/12W5050	ETH - 10-(28g) OR 12-(28g) wire 5.0 x 5.0	241
ETH10W/12W4560	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 6.0	241

HEAVY GAUGE WIRE FOR LATCH RETRACTION

		LIST
ETH2WH4540	ETH - 2-(18g) wire 4.5 x 4.0	195
ETH2WH4545	ETH - 2-(18g) wire 4.5 x 4.5	195
ETH2WH5045	ETH - 2-(18g) wire 5.0 x 4.5	212
ETH2WH5050	ETH - 2-(18g) wire 5.0 x 5.0	224
ETH2WH4560	ETH - 2-(18g) wire 4.5 x 6.0	224
ETH4WH4540	ETH - 4-(2-18g +2-26g) wire 4.5 x 4.0	212
ETH4WH4545	ETH - 4-(2-18g +2-26g) wire 4.5 x 4.5	212
ETH4WH5045	ETH - 4-(2-18g +2-26g) wire 5.0 x 4.5	229
ETH4WH5050	ETH - 4-(2-18g +2-26g) wire 5.0 x 5.0	246
ETH4WH4560	ETH - 4-(2-18g +2-26g) wire 4.5 x 6.0	246
ETH6WH4540	ETH - 6-(2-18g+4-26g) wire 4.5 x 4.0	212
ETH6WH4545	ETH - 6-(2-18g+4-28g) wire 4.5 x 4.5	212
ETH6WH5045	ETH - 6-(2-18g+4-28g) wire 5.0 x 4.5	229
ETH6WH5050	ETH - 6-(2-18g+4-28g) wire 5.0 x 5.0	246
ETH6WH4560	ETH - 6-(2-18g+4-28g) wire 4.5 x 6.0	246
ETH8WH4540	ETH - 8-(2-20g+6-28g) wire 4.5 x 4.0	229
ETH8WH4545	ETH - 8-(2-20g+6-28g) wire 4.5 x 4.5	222
ETH8WH5045	ETH - 8-(2-20g+6-28g) wire 5.0 x 4.5	238
ETH8WH5050	ETH - 8-(2-20g+6-28g) wire 5.0 x 5.0	254
ETH8WH4560	ETH - 4-(2-20g+6-28g) wire 4.5 x 6.0	254
ETH10WH/12WH4540	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 4.0	246
ETH10WH/12WH4545	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 4.5	246
ETH10WH/12WH5045	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 5.0 x 4.5	265
ETH10WH/12WH5050	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 5.0 x 5.0	284
ETH10WH/12WH4560	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 6.0	284

ETH's - 5 KNUCKLE STANDARD WEIGHT

(CH-BB91: UL-F rated) **STAINLESS STEEL (32D)**

		LIST
ETH2W/4W4040	ETH - 2-(20g) or 4-(26g) wire 4.0 x 4.0 (SQ or RC)	169
ETH2W/4W4540	ETH - 2-(20g) or 4-(26g) wire 4.5 x 4.0	169
ETH2W/4W4545	ETH - 2-(20g) or 4-(26g) wire 4.5 x 4.5	169
ETH2W/4W5045	ETH - 2-(20g) or 4-(26g) wire 5.0 x 4.5	186
ETH2W/4W5050	ETH - 2-(20g) or 4-(26g) wire 5.0 x 5.0	203
ETH2W/4W4560	ETH - 2-(20g) or 4-(26g) wire 4.5 x 6.0	203
ETH6W4040	ETH - 6-(26g) wire 4.0 x 4.0 (SQ or RC)	186
ETH6W4540	ETH - 6-(26g) wire 4.5 x 4.0	186
ETH6W4545	ETH - 6-(26g) wire 4.5 x 4.5	186
ETH6W5045	ETH - 6-(26g) wire 5.0 x 4.5	203
ETH6W5050	ETH - 6-(26g) wire 5.0 x 5.0	222
ETH6W4560	ETH - 6-(26g) wire 4.5 x 6.0	222
ETH8W4040	ETH - 8-(28g) wire 4.0 x 4.0 (SQ or RC)	203
ETH8W4540	ETH - 8-(28g) wire 4.5 x 4.0	203

ETH8W4545	ETH - 8-(28g) wire 4.5 x 4.5	203
ETH8W5045	ETH - 8-(28g) wire 5.0 x 4.5	222
ETH8W5050	ETH - 8-(28g) wire 5.0 x 5.0	238
ETH8W4560	ETH - 8-(28g) wire 4.5 x 6.0	238
ETH10W/12W4040	ETH - 10-(28g) OR 12-(28g) wire 4.0 x 4.0 (SQ or RC)	238
ETH10W/12W4540	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 4.0	238
ETH10W/12W4545	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 4.5	238
ETH10W/12W5045	ETH - 10-(28g) OR 12-(28g) wire 5.0 x 4.5	254
ETH10W/12W5050	ETH - 10-(28g) OR 12-(28g) wire 5.0 x 5.0	270
ETH10W/12W4560	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 6.0	270

HEAVY GAUGE WIRE FOR LATCH RETRACTION

		LIST
ETH2WH4540	ETH - 2-(18g) wire 4.5 x 4.0	212
ETH2WH4545	ETH - 2-(18g) wire 4.5 x 4.5	212
ETH2WH5045	ETH - 2-(18g) wire 5.0 x 4.5	229
ETH2WH5050	ETH - 2-(18g) wire 5.0 x 5.0	246
ETH2WH4560	ETH - 2-(18g) wire 4.5 x 6.0	246
ETH4WH4540	ETH - 4-(2-18g +2-26g) wire 4.5 x 4.0	229
ETH4WH4545	ETH - 4-(2-18g +2-26g) wire 4.5 x 4.5	229
ETH4WH5045	ETH - 4-(2-18g +2-26g) wire 5.0 x 4.5	246
ETH4WH5050	ETH - 4-(2-18g +2-26g) wire 5.0 x 5.0	265
ETH4WH4560	ETH - 4-(2-18g +2-26g) wire 4.5 x 6.0	265
ETH6WH4540	ETH - 6-(2-18g+4-26g) wire 4.5 x 4.0	229
ETH6WH4545	ETH - 6-(2-18g+4-28g) wire 4.5 x 4.5	229
ETH6WH5045	ETH - 6-(2-18g+4-28g) wire 5.0 x 4.5	246
ETH6WH5050	ETH - 6-(2-18g+4-28g) wire 5.0 x 5.0	265
ETH6WH4560	ETH - 6-(2-18g+4-28g) wire 4.5 x 6.0	265
ETH8WH4540	ETH - 8-(2-20g+6-28g) wire 4.5 x 4.0	246
ETH8WH4545	ETH - 8-(2-20g+6-28g) wire 4.5 x 4.5	246
ETH8WH5045	ETH - 8-(2-20g+6-28g) wire 5.0 x 4.5	265
ETH8WH5050	ETH - 8-(2-20g+6-28g) wire 5.0 x 5.0	280
ETH8WH4560	ETH - 4-(2-208g+6-28g) wire 4.5 x 6.0	280
ETH10WH/12WH4540	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 4.0	280
ETH10WH/12WH4545	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 4.5	280
ETH10WH/12WH5045	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 5.0 x 4.5	296
ETH10WH/12WH5050	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 5.0 x 5.0	312
ETH10WH/12WH4560	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 6.0	312

ETH's - 5 KNUCKLE HEAVY WEIGHT

(CH-BB68: UL-F rated)

****STEEL BASE****

		LIST
ETH2W/4W4540	ETH - 2-(20g) or 4-(26g) wire 4.5 x 4.0	161
ETH2W/4W4545	ETH - 2-(20g) or 4-(26g) wire 4.5 x 4.5	161
ETH2W/4W5045	ETH - 2-(20g) or 4-(26g) wire 5.0 x 4.5	178
ETH2W/4W5050	ETH - 2-(20g) or 4-(26g) wire 5.0 x 5.0	190
ETH6W4540	ETH - 6-(26g) wire 4.5 x 4.0	178
ETH6W4545	ETH - 6-(26g) wire 4.5 x 4.5	178
ETH6W5045	ETH - 6-(26g) wire 5.0 x 4.5	195
ETH6W5050	ETH - 6-(26g) wire 5.0 x 5.0	207
ETH8W4540	ETH - 8-(28g) wire 4.5 x 4.0	195
ETH8W4545	ETH - 8-(28g) wire 4.5 x 4.5	195
ETH8W5045	ETH - 8-(28g) wire 5.0 x 4.5	212
ETH8W5050	ETH - 8-(28g) wire 5.0 x 5.0	224
ETH10W/12W4540	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 4.0	212
ETH10W/12W4545	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 4.5	212
ETH10W/12W5045	ETH - 10-(28g) OR 12-(28g) wire 5.0 x 4.5	229
ETH10W/12W5050	ETH - 10-(28g) OR 12-(28g) wire 5.0 x 5.0	241

HEAVY GAUGE WIRE FOR LATCH RETRACTION

		LIST
ETH2WH4540	ETH - 2-(18g) wire 4.5 x 4.0	203
ETH2WH4545	ETH - 2-(18g) wire 4.5 x 4.5	203
ETH2WH5045	ETH - 2-(18g) wire 5.0 x 4.5	220
ETH2WH5050	ETH - 2-(18g) wire 5.0 x 5.0	233
ETH4WH4540	ETH - 4-(2-18g +2-26g) wire 4.5 x 4.0	220
ETH4WH4545	ETH - 4-(2-18g +2-26g) wire 4.5 x 4.5	220
ETH4WH5045	ETH - 4-(2-18g +2-26g) wire 5.0 x 4.5	237
ETH4WH5050	ETH - 4-(2-18g +2-26g) wire 5.0 x 5.0	250
ETH6WH4540	ETH - 6-(2-18g+4-26g) wire 4.5 x 4.0	224

ETH6WH4545	ETH - 6-(2-18g+4-28g) wire 4.5 x 4.5	224
ETH6WH5045	ETH - 6-(2-18g+4-28g) wire 5.0 x 4.5	239
ETH6WH5050	ETH - 6-(2-18g+4-28g) wire 5.0 x 5.0	250
ETH8WH4540	ETH - 8-(2-20g+6-28g) wire 4.5 x 4.0	237
ETH8WH4545	ETH - 8-(2-20g+6-28g) wire 4.5 x 4.5	237
ETH8WH5045	ETH - 8-(2-20g+6-28g) wire 5.0 x 4.5	254
ETH8WH5050	ETH - 8-(2-20g+6-28g) wire 5.0 x 5.0	267
ETH10WH/12WH4540	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 4.0	254
ETH10WH/12WH4545	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 4.5	254
ETH10WH/12WH5045	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 5.0 x 4.5	271
ETH10WH/12WH5050	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 5.0 x 5.0	284

ETH's - 5 KNUCKLE HEAVY WEIGHT

(CH-BB99: UL-F rated) **BRASS BASE (All except 32D)**

		LIST
ETH2W/4W4540	ETH - 2-(20g) or 4-(26g) wire 4.5 x 4.0	178
ETH2W/4W4545	ETH - 2-(20g) or 4-(26g) wire 4.5 x 4.5	178
ETH2W/4W5045	ETH - 2-(20g) or 4-(26g) wire 5.0 x 4.5	195
ETH2W/4W5050	ETH - 2-(20g) or 4-(26g) wire 5.0 x 5.0	207
ETH6W4540	ETH - 6-(26g) wire 4.5 x 4.0	195
ETH6W4545	ETH - 6-(26g) wire 4.5 x 4.5	195
ETH6W5045	ETH - 6-(26g) wire 5.0 x 4.5	212
ETH6W5050	ETH - 6-(26g) wire 5.0 x 5.0	224
ETH8W4540	ETH - 8-(28g) wire 4.5 x 4.0	212
ETH8W4545	ETH - 8-(28g) wire 4.5 x 4.5	212
ETH8W5045	ETH - 8-(28g) wire 5.0 x 4.5	231
ETH8W5050	ETH - 8-(28g) wire 5.0 x 5.0	241
ETH10W/12W4540	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 4.0	231
ETH10W/12W4545	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 4.5	231
ETH10W/12W5045	ETH - 10-(28g) OR 12-(28g) wire 5.0 x 4.5	248
ETH10W/12W5050	ETH - 10-(28g) OR 12-(28g) wire 5.0 x 5.0	265

HEAVY GAUGE WIRE FOR LATCH RETRACTION

		LIST
ETH2WH4540	ETH - 2-(18g) wire 4.5 x 4.0	220
ETH2WH4545	ETH - 2-(18g) wire 4.5 x 4.5	220
ETH2WH5045	ETH - 2-(18g) wire 5.0 x 4.5	237
ETH2WH5050	ETH - 2-(18g) wire 5.0 x 5.0	250
ETH4WH4540	ETH - 4-(2-18g +2-26g) wire 4.5 x 4.0	237
ETH4WH4545	ETH - 4-(2-18g +2-26g) wire 4.5 x 4.5	237
ETH4WH5045	ETH - 4-(2-18g +2-26g) wire 5.0 x 4.5	254
ETH4WH5050	ETH - 4-(2-18g +2-26g) wire 5.0 x 5.0	267
ETH6WH4540	ETH - 6-(2-18g+4-26g) wire 4.5 x 4.0	239
ETH6WH4545	ETH - 6-(2-18g+4-28g) wire 4.5 x 4.5	239
ETH6WH5045	ETH - 6-(2-18g+4-28g) wire 5.0 x 4.5	254
ETH6WH5050	ETH - 6-(2-18g+4-28g) wire 5.0 x 5.0	267
ETH8WH4540	ETH - 8-(2-20g+6-28g) wire 4.5 x 4.0	252
ETH8WH4545	ETH - 8-(2-20g+6-28g) wire 4.5 x 4.5	252
ETH8WH5045	ETH - 8-(2-20g+6-28g) wire 5.0 x 4.5	269
ETH8WH5050	ETH - 8-(2-20g+6-28g) wire 5.0 x 5.0	284
ETH10WH/12WH4540	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 4.0	273
ETH10WH/12WH4545	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 4.5	273
ETH10WH/12WH5045	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 5.0 x 4.5	290
ETH10WH/12WH5050	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 5.0 x 5.0	307

ETH's - 5 KNUCKLE HEAVY WEIGHT

(CH-BB99: UL-F rated) **STAINLESS STEEL (32D)**

		LIST
ETH2W/4W4540	ETH - 2-(20g) or 4-(26g) wire 4.5 x 4.0	203
ETH2W/4W4545	ETH - 2-(20g) or 4-(26g) wire 4.5 x 4.5	203
ETH2W/4W5045	ETH - 2-(20g) or 4-(26g) wire 5.0 x 4.5	212
ETH2W/4W5050	ETH - 2-(20g) or 4-(26g) wire 5.0 x 5.0	224
ETH6W4540	ETH - 6-(26g) wire 4.5 x 4.0	212
ETH6W4545	ETH - 6-(26g) wire 4.5 x 4.5	212
ETH6W5045	ETH - 6-(26g) wire 5.0 x 4.5	231
ETH6W5050	ETH - 6-(26g) wire 5.0 x 5.0	241
ETH8W4540	ETH - 8-(28g) wire 4.5 x 4.0	231
ETH8W4545	ETH - 8-(28g) wire 4.5 x 4.5	231
ETH8W5045	ETH - 8-(28g) wire 5.0 x 4.5	246

ETH8W5050	ETH - 8-(28g) wire 5.0 x 5.0	258
ETH10W/12W4540	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 4.0	258
ETH10W/12W4545	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 4.5	258
ETH10W/12W5045	ETH - 10-(28g) OR 12-(28g) wire 5.0 x 4.5	273
ETH10W/12W5050	ETH - 10-(28g) OR 12-(28g) wire 5.0 x 5.0	286

HEAVY GAUGE WIRE FOR LATCH RETRACTION

		LIST
ETH2WH4540	ETH - 2-(18g) wire 4.5 x 4.0	241
ETH2WH4545	ETH - 2-(18g) wire 4.5 x 4.5	241
ETH2WH5045	ETH - 2-(18g) wire 5.0 x 4.5	254
ETH2WH5050	ETH - 2-(18g) wire 5.0 x 5.0	267
ETH4WH4540	ETH - 4-(2-18g +2-26g) wire 4.5 x 4.0	254
ETH4WH4545	ETH - 4-(2-18g +2-26g) wire 4.5 x 4.5	254
ETH4WH5045	ETH - 4-(2-18g +2-26g) wire 5.0 x 4.5	271
ETH4WH5050	ETH - 4-(2-18g +2-26g) wire 5.0 x 5.0	284
ETH6WH4540	ETH - 6-(2-18g+4-26g) wire 4.5 x 4.0	254
ETH6WH4545	ETH - 6-(2-18g+4-28g) wire 4.5 x 4.5	254
ETH6WH5045	ETH - 6-(2-18g+4-28g) wire 5.0 x 4.5	271
ETH6WH5050	ETH - 6-(2-18g+4-28g) wire 5.0 x 5.0	284
ETH8WH4540	ETH - 8-(2-20g+6-28g) wire 4.5 x 4.0	271
ETH8WH4545	ETH - 8-(2-20g+6-28g) wire 4.5 x 4.5	271
ETH8WH5045	ETH - 8-(2-20g+6-28g) wire 5.0 x 4.5	288
ETH8WH5050	ETH - 8-(2-20g+6-28g) wire 5.0 x 5.0	301
ETH10WH/12WH4540	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 4.0	301
ETH10WH/12WH4545	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 4.5	301
ETH10WH/12WH5045	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 5.0 x 4.5	315
ETH10WH/12WH5050	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 5.0 x 5.0	328

ETH's - 3 KNUCKLE STANDARD WEIGHT

(CH-CB70: UL-F rated)

****STEEL BASE****

		LIST
ETH2W/4W4540	ETH - 2-(20g) or 4-(26g) wire 4.5 x 4.0	135
ETH2W/4W4545	ETH - 2-(20g) or 4-(26g) wire 4.5 x 4.5	135
ETH2W/4W5045	ETH - 2-(20g) or 4-(26g) wire 5.0 x 4.5	152
ETH2W/4W5050	ETH - 2-(20g) or 4-(26g) wire 5.0 x 5.0	169
ETH6W4540	ETH - 6-(26g) wire 4.5 x 4.0	152
ETH6W4545	ETH - 6-(26g) wire 4.5 x 4.5	152
ETH6W5045	ETH - 6-(26g) wire 5.0 x 4.5	169
ETH6W5050	ETH - 6-(26g) wire 5.0 x 5.0	186
ETH8W4540	ETH - 8-(28g) wire 4.5 x 4.0	169
ETH8W4545	ETH - 8-(28g) wire 4.5 x 4.5	169
ETH8W5045	ETH - 8-(28g) wire 5.0 x 4.5	186
ETH8W5050	ETH - 8-(28g) wire 5.0 x 5.0	203
ETH10W/12W4540	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 4.0	186
ETH10W/12W4545	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 4.5	186
ETH10W/12W5045	ETH - 10-(28g) OR 12-(28g) wire 5.0 x 4.5	203
ETH10W/12W5050	ETH - 10-(28g) OR 12-(28g) wire 5.0 x 5.0	220

HEAVY GAUGE WIRE FOR LATCH RETRACTION

		LIST
ETH2WH4540	ETH - 2-(18g) wire 4.5 x 4.0	178
ETH2WH4545	ETH - 2-(18g) wire 4.5 x 4.5	178
ETH2WH5045	ETH - 2-(18g) wire 5.0 x 4.5	195
ETH2WH5050	ETH - 2-(18g) wire 5.0 x 5.0	212
ETH4WH4540	ETH - 4-(2-18g +2-26g) wire 4.5 x 4.0	195
ETH4WH4545	ETH - 4-(2-18g +2-26g) wire 4.5 x 4.5	195
ETH4WH5045	ETH - 4-(2-18g +2-26g) wire 5.0 x 4.5	212
ETH4WH5050	ETH - 4-(2-18g +2-26g) wire 5.0 x 5.0	229
ETH6WH4540	ETH - 6-(2-18g+4-26g) wire 4.5 x 4.0	195
ETH6WH4545	ETH - 6-(2-18g+4-28g) wire 4.5 x 4.5	195
ETH6WH5045	ETH - 6-(2-18g+4-28g) wire 5.0 x 4.5	212
ETH6WH5050	ETH - 6-(2-18g+4-28g) wire 5.0 x 5.0	229
ETH8WH4540	ETH - 8-(2-20g+6-28g) wire 4.5 x 4.0	212
ETH8WH4545	ETH - 8-(2-20g+6-28g) wire 4.5 x 4.5	212
ETH8WH5045	ETH - 8-(2-20g+6-28g) wire 5.0 x 4.5	229
ETH8WH5050	ETH - 8-(2-20g+6-28g) wire 5.0 x 5.0	246
ETH10WH/12WH4540	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 4.0	229
ETH10WH/12WH4545	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 4.5	229
ETH10WH/12WH5045	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 5.0 x 4.5	246

ETH10WH/12WH5050	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 5.0 x 5.0	262
------------------	---	-----

ETH's - 3 KNUCKLE STANDARD WEIGHT

(CH-CB80: UL-F rated) **BRASS BASE (All except 32D)**		LIST
ETH2W/4W4540	ETH - 2-(20g) or 4-(26g) wire 4.5 x 4.0	161
ETH2W/4W4545	ETH - 2-(20g) or 4-(26g) wire 4.5 x 4.5	161
ETH2W/4W5045	ETH - 2-(20g) or 4-(26g) wire 5.0 x 4.5	178
ETH2W/4W5050	ETH - 2-(20g) or 4-(26g) wire 5.0 x 5.0	190
ETH6W4540	ETH - 6-(26g) wire 4.5 x 4.0	178
ETH6W4545	ETH - 6-(26g) wire 4.5 x 4.5	178
ETH6W5045	ETH - 6-(26g) wire 5.0 x 4.5	195
ETH6W5050	ETH - 6-(26g) wire 5.0 x 5.0	207
ETH8W4540	ETH - 8-(28g) wire 4.5 x 4.0	195
ETH8W4545	ETH - 8-(28g) wire 4.5 x 4.5	195
ETH8W5045	ETH - 8-(28g) wire 5.0 x 4.5	212
ETH8W5050	ETH - 8-(28g) wire 5.0 x 5.0	224
ETH10W/12W4540	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 4.0	212
ETH10W/12W4545	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 4.5	212
ETH10W/12W5045	ETH - 10-(28g) OR 12-(28g) wire 5.0 x 4.5	231
ETH10W/12W5050	ETH - 10-(28g) OR 12-(28g) wire 5.0 x 5.0	243

HEAVY GAUGE WIRE FOR LATCH RETRACTION		LIST
ETH2WH4540	ETH - 2-(18g) wire 4.5 x 4.0	203
ETH2WH4545	ETH - 2-(18g) wire 4.5 x 4.5	203
ETH2WH5045	ETH - 2-(18g) wire 5.0 x 4.5	220
ETH2WH5050	ETH - 2-(18g) wire 5.0 x 5.0	233
ETH4WH4540	ETH - 4-(2-18g +2-26g) wire 4.5 x 4.0	220
ETH4WH4545	ETH - 4-(2-18g +2-26g) wire 4.5 x 4.5	220
ETH4WH5045	ETH - 4-(2-18g +2-26g) wire 5.0 x 4.5	237
ETH4WH5050	ETH - 4-(2-18g +2-26g) wire 5.0 x 5.0	250
ETH6WH4540	ETH - 6-(2-18g+4-26g) wire 4.5 x 4.0	222
ETH6WH4545	ETH - 6-(2-18g+4-28g) wire 4.5 x 4.5	222
ETH6WH5045	ETH - 6-(2-18g+4-28g) wire 5.0 x 4.5	239
ETH6WH5050	ETH - 6-(2-18g+4-28g) wire 5.0 x 5.0	250
ETH8WH4540	ETH - 8-(2-20g+6-28g) wire 4.5 x 4.0	237
ETH8WH4545	ETH - 8-(2-20g+6-28g) wire 4.5 x 4.5	237
ETH8WH5045	ETH - 8-(2-20g+6-28g) wire 5.0 x 4.5	254
ETH8WH5050	ETH - 8-(2-20g+6-28g) wire 5.0 x 5.0	267
ETH10WH/12WH4540	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 4.0	254
ETH10WH/12WH4545	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 4.5	254
ETH10WH/12WH5045	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 5.0 x 4.5	273
ETH10WH/12WH5050	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 5.0 x 5.0	286

ETH's - 3 KNUCKLE STANDARD WEIGHT

(CH-CB80: UL-F rated) **STAINLESS STEEL (32D)**		LIST
ETH2W/4W4540	ETH - 2-(20g) or 4-(26g) wire 4.5 x 4.0	178
ETH2W/4W4545	ETH - 2-(20g) or 4-(26g) wire 4.5 x 4.5	178
ETH2W/4W5045	ETH - 2-(20g) or 4-(26g) wire 5.0 x 4.5	195
ETH2W/4W5050	ETH - 2-(20g) or 4-(26g) wire 5.0 x 5.0	207
ETH6W4540	ETH - 6-(26g) wire 4.5 x 4.0	195
ETH6W4545	ETH - 6-(26g) wire 4.5 x 4.5	195
ETH6W5045	ETH - 6-(26g) wire 5.0 x 4.5	212
ETH6W5050	ETH - 6-(26g) wire 5.0 x 5.0	229
ETH8W4540	ETH - 8-(28g) wire 4.5 x 4.0	212
ETH8W4545	ETH - 8-(28g) wire 4.5 x 4.5	212
ETH8W5045	ETH - 8-(28g) wire 5.0 x 4.5	229
ETH8W5050	ETH - 8-(28g) wire 5.0 x 5.0	246
ETH10W/12W4540	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 4.0	229
ETH10W/12W4545	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 4.5	229
ETH10W/12W5045	ETH - 10-(28g) OR 12-(28g) wire 5.0 x 4.5	248
ETH10W/12W5050	ETH - 10-(28g) OR 12-(28g) wire 5.0 x 5.0	262

HEAVY GAUGE WIRE FOR LATCH RETRACTION		LIST
ETH2WH4540	ETH - 2-(18g) wire 4.5 x 4.0	220
ETH2WH4545	ETH - 2-(18g) wire 4.5 x 4.5	220

ETH2WH5045	ETH - 2-(18g) wire 5.0 x 4.5	237
ETH2WH5050	ETH - 2-(18g) wire 5.0 x 5.0	250
ETH4WH4540	ETH - 4-(2-18g +2-26g) wire 4.5 x 4.0	237
ETH4WH4545	ETH - 4-(2-18g +2-26g) wire 4.5 x 4.5	237
ETH4WH5045	ETH - 4-(2-18g +2-26g) wire 5.0 x 4.5	254
ETH4WH5050	ETH - 4-(2-18g +2-26g) wire 5.0 x 5.0	271
ETH6WH4540	ETH - 6-(2-18g+4-26g) wire 4.5 x 4.0	239
ETH6WH4545	ETH - 6-(2-18g+4-28g) wire 4.5 x 4.5	239
ETH6WH5045	ETH - 6-(2-18g+4-28g) wire 5.0 x 4.5	254
ETH6WH5050	ETH - 6-(2-18g+4-28g) wire 5.0 x 5.0	271
ETH8WH4540	ETH - 8-(2-20g+6-28g) wire 4.5 x 4.0	250
ETH8WH4545	ETH - 8-(2-20g+6-28g) wire 4.5 x 4.5	250
ETH8WH5045	ETH - 8-(2-20g+6-28g) wire 5.0 x 4.5	265
ETH8WH5050	ETH - 8-(2-20g+6-28g) wire 5.0 x 5.0	284
ETH10WH/12WH4540	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 4.0	265
ETH10WH/12WH4545	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 4.5	265
ETH10WH/12WH5045	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 5.0 x 4.5	284
ETH10WH/12WH5050	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 5.0 x 5.0	303

ETH's - 3 KNUCKLE HEAVY WEIGHT

(CH-CB75: UL-F rated)

****STEEL BASE****

		LIST
ETH2W/4W4540	ETH - 2-(20g) or 4-(26g) wire 4.5 x 4.0	161
ETH2W/4W4545	ETH - 2-(20g) or 4-(26g) wire 4.5 x 4.5	161
ETH2W/4W5045	ETH - 2-(20g) or 4-(26g) wire 5.0 x 4.5	178
ETH2W/4W5050	ETH - 2-(20g) or 4-(26g) wire 5.0 x 5.0	199
ETH6W4540	ETH - 6-(26g) wire 4.5 x 4.0	180
ETH6W4545	ETH - 6-(26g) wire 4.5 x 4.5	180
ETH6W5045	ETH - 6-(26g) wire 5.0 x 4.5	197
ETH6W5050	ETH - 6-(26g) wire 5.0 x 5.0	218
ETH8W4540	ETH - 8-(28g) wire 4.5 x 4.0	199
ETH8W4545	ETH - 8-(28g) wire 4.5 x 4.5	199
ETH8W5045	ETH - 8-(28g) wire 5.0 x 4.5	216
ETH8W5050	ETH - 8-(28g) wire 5.0 x 5.0	237
ETH10W/12W4540	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 4.0	212
ETH10W/12W4545	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 4.5	212
ETH10W/12W5045	ETH - 10-(28g) OR 12-(28g) wire 5.0 x 4.5	229
ETH10W/12W5050	ETH - 10-(28g) OR 12-(28g) wire 5.0 x 5.0	250

HEAVY GAUGE WIRE FOR LATCH RETRACTION

		LIST
ETH2WH4540	ETH - 2-(18g) wire 4.5 x 4.0	203
ETH2WH4545	ETH - 2-(18g) wire 4.5 x 4.5	203
ETH2WH5045	ETH - 2-(18g) wire 5.0 x 4.5	220
ETH2WH5050	ETH - 2-(18g) wire 5.0 x 5.0	241
ETH4WH4540	ETH - 4-(2-18g +2-26g) wire 4.5 x 4.0	222
ETH4WH4545	ETH - 4-(2-18g +2-26g) wire 4.5 x 4.5	222
ETH4WH5045	ETH - 4-(2-18g +2-26g) wire 5.0 x 4.5	239
ETH4WH5050	ETH - 4-(2-18g +2-26g) wire 5.0 x 5.0	260
ETH6WH4540	ETH - 6-(2-18g+4-26g) wire 4.5 x 4.0	222
ETH6WH4545	ETH - 6-(2-18g+4-28g) wire 4.5 x 4.5	222
ETH6WH5045	ETH - 6-(2-18g+4-28g) wire 5.0 x 4.5	229
ETH6WH5050	ETH - 6-(2-18g+4-28g) wire 5.0 x 5.0	241
ETH8WH4540	ETH - 8-(2-20g+6-28g) wire 4.5 x 4.0	241
ETH8WH4545	ETH - 8-(2-20g+6-28g) wire 4.5 x 4.5	241
ETH8WH5045	ETH - 8-(2-20g+6-28g) wire 5.0 x 4.5	258
ETH8WH5050	ETH - 8-(2-20g+6-28g) wire 5.0 x 5.0	279
ETH10WH/12WH4540	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 4.0	254
ETH10WH/12WH4545	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 4.5	254
ETH10WH/12WH5045	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 5.0 x 4.5	271
ETH10WH/12WH5050	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 5.0 x 5.0	292

ETH's - 3 KNUCKLE HEAVY WEIGHT

BRASS BASE (All except 32D)

(CH-CB85: UL-F rated)

		LIST
ETH2W/4W4540	ETH - 2-(20g) or 4-(26g) wire 4.5 x 4.0	174
ETH2W/4W4545	ETH - 2-(20g) or 4-(26g) wire 4.5 x 4.5	174
ETH2W/4W5045	ETH - 2-(20g) or 4-(26g) wire 5.0 x 4.5	190

ETH2W/4W5050	ETH - 2-(20g) or 4-(26g) wire 5.0 x 5.0	212
ETH6W4540	ETH - 6-(26g) wire 4.5 x 4.0	190
ETH6W4545	ETH - 6-(26g) wire 4.5 x 4.5	190
ETH6W5045	ETH - 6-(26g) wire 5.0 x 4.5	207
ETH6W5050	ETH - 6-(26g) wire 5.0 x 5.0	229
ETH8W4540	ETH - 8-(28g) wire 4.5 x 4.0	207
ETH8W4545	ETH - 8-(28g) wire 4.5 x 4.5	207
ETH8W5045	ETH - 8-(28g) wire 5.0 x 4.5	224
ETH8W5050	ETH - 8-(28g) wire 5.0 x 5.0	246
ETH10W/12W4540	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 4.0	224
ETH10W/12W4545	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 4.5	224
ETH10W/12W5045	ETH - 10-(28g) OR 12-(28g) wire 5.0 x 4.5	241
ETH10W/12W5050	ETH - 10-(28g) OR 12-(28g) wire 5.0 x 5.0	262

HEAVY GAUGE WIRE FOR LATCH RETRACTION

		LIST
ETH2WH4540	ETH - 2-(18g) wire 4.5 x 4.0	216
ETH2WH4545	ETH - 2-(18g) wire 4.5 x 4.5	216
ETH2WH5045	ETH - 2-(18g) wire 5.0 x 4.5	233
ETH2WH5050	ETH - 2-(18g) wire 5.0 x 5.0	254
ETH4WH4540	ETH - 4-(2-18g +2-26g) wire 4.5 x 4.0	233
ETH4WH4545	ETH - 4-(2-18g +2-26g) wire 4.5 x 4.5	233
ETH4WH5045	ETH - 4-(2-18g +2-26g) wire 5.0 x 4.5	250
ETH4WH5050	ETH - 4-(2-18g +2-26g) wire 5.0 x 5.0	271
ETH6WH4540	ETH - 6-(2-18g+4-26g) wire 4.5 x 4.0	233
ETH6WH4545	ETH - 6-(2-18g+4-28g) wire 4.5 x 4.5	233
ETH6WH5045	ETH - 6-(2-18g+4-28g) wire 5.0 x 4.5	250
ETH6WH5050	ETH - 6-(2-18g+4-28g) wire 5.0 x 5.0	265
ETH8WH4540	ETH - 8-(2-20g+6-28g) wire 4.5 x 4.0	250
ETH8WH4545	ETH - 8-(2-20g+6-28g) wire 4.5 x 4.5	250
ETH8WH5045	ETH - 8-(2-20g+6-28g) wire 5.0 x 4.5	267
ETH8WH5050	ETH - 8-(2-20g+6-28g) wire 5.0 x 5.0	288
ETH10WH/12WH4540	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 4.0	267
ETH10WH/12WH4545	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 4.5	267
ETH10WH/12WH5045	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 5.0 x 4.5	284
ETH10WH/12WH5050	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 5.0 x 5.0	305

ETH's - 3 KNUCKLE HEAVY WEIGHT

(CH-CB85: UL-F rated) **STAINLESS STEEL (32D)**

		LIST
ETH2W/4W4540	ETH - 2-(20g) or 4-(26g) wire 4.5 x 4.0	190
ETH2W/4W4545	ETH - 2-(20g) or 4-(26g) wire 4.5 x 4.5	190
ETH2W/4W5045	ETH - 2-(20g) or 4-(26g) wire 5.0 x 4.5	207
ETH2W/4W5050	ETH - 2-(20g) or 4-(26g) wire 5.0 x 5.0	229
ETH6W4540	ETH - 6-(26g) wire 4.5 x 4.0	207
ETH6W4545	ETH - 6-(26g) wire 4.5 x 4.5	207
ETH6W5045	ETH - 6-(26g) wire 5.0 x 4.5	224
ETH6W5050	ETH - 6-(26g) wire 5.0 x 5.0	246
ETH8W4540	ETH - 8-(28g) wire 4.5 x 4.0	231
ETH8W4545	ETH - 8-(28g) wire 4.5 x 4.5	231
ETH8W5045	ETH - 8-(28g) wire 5.0 x 4.5	248
ETH8W5050	ETH - 8-(28g) wire 5.0 x 5.0	269
ETH10W/12W4540	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 4.0	248
ETH10W/12W4545	ETH - 10-(28g) OR 12-(28g) wire 4.5 x 4.5	248
ETH10W/12W5045	ETH - 10-(28g) OR 12-(28g) wire 5.0 x 4.5	265
ETH10W/12W5050	ETH - 10-(28g) OR 12-(28g) wire 5.0 x 5.0	286

HEAVY GAUGE WIRE FOR LATCH RETRACTION

		LIST
ETH2WH4540	ETH - 2-(18g) wire 4.5 x 4.0	233
ETH2WH4545	ETH - 2-(18g) wire 4.5 x 4.5	233
ETH2WH5045	ETH - 2-(18g) wire 5.0 x 4.5	250
ETH2WH5050	ETH - 2-(18g) wire 5.0 x 5.0	271
ETH4WH4540	ETH - 4-(2-18g +2-26g) wire 4.5 x 4.0	250
ETH4WH4545	ETH - 4-(2-18g +2-26g) wire 4.5 x 4.5	250
ETH4WH5045	ETH - 4-(2-18g +2-26g) wire 5.0 x 4.5	267
ETH4WH5050	ETH - 4-(2-18g +2-26g) wire 5.0 x 5.0	288
ETH6WH4540	ETH - 6-(2-18g+4-26g) wire 4.5 x 4.0	250
ETH6WH4545	ETH - 6-(2-18g+4-28g) wire 4.5 x 4.5	250
ETH6WH5045	ETH - 6-(2-18g+4-28g) wire 5.0 x 4.5	267
ETH6WH5050	ETH - 6-(2-18g+4-28g) wire 5.0 x 5.0	281

ETH8WH4540	ETH - 8-(2-20g+6-28g) wire 4.5 x 4.0	273
ETH8WH4545	ETH - 8-(2-20g+6-28g) wire 4.5 x 4.5	273
ETH8WH5045	ETH - 8-(2-20g+6-28g) wire 5.0 x 4.5	290
ETH8WH5050	ETH - 8-(2-20g+6-28g) wire 5.0 x 5.0	311
ETH10WH/12WH4540	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 4.0	290
ETH10WH/12WH4545	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 4.5 x 4.5	290
ETH10WH/12WH5045	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 5.0 x 4.5	307
ETH10WH/12WH5050	ETH -10 or 12 -(2-20g+8-28g or 10-28g) wire 5.0 x 5.0	328

ETM's w/Monitor - 5 Knuckle Standard Weight

5 Knuckle Standard Weight Hinge - **Steel Base**

		LIST
ETM4540(monitor only)	Hinge w/Monitor 4.5 x 4.0 - Monitor Only	127
ETM4545(monitor only)	Hinge w/Monitor 4.5 x 4.5 - Monitor Only	127
ETM5045(monitor only)	Hinge w/Monitor 5.0 x 4.5 - Monitor Only	144
ETM5050(monitor only)	Hinge w/Monitor 5.0 x 5.0 - Monitor Only	165
ETM2/4W4540	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 4.5 x 4.0	212
ETM2/4W4545	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 4.5 x 4.5	212
ETM2/4W5045	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 5.0 x 4.5	229
ETM2/4W5050	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 5.0 x 5.0	250
ETM6W4540	6 (6/26ga) wire hinge w/Monitor 4.5 x 4.0	231
ETM6W4545	6 (6/26ga) wire hinge w/Monitor 4.5 x 4.5	231
ETM6W5045	6 (6/26ga) wire hinge w/Monitor 5.0 x 4.5	248
ETM6W5050	6 (6/26ga) wire hinge w/Monitor 5.0 x 5.0	269
ETM8W4540	8 (8/28ga) wire hinge w/Monitor 4.5 x 4.0	248
ETM8W4545	8 (8/28ga) wire hinge w/Monitor 4.5 x 4.5	248
ETM8W5045	8 (8/28ga) wire hinge w/Monitor 5.0 x 4.5	265
ETM8W5050	8 (8/28ga) wire hinge w/Monitor 5.0 x 5.0	286

HEAVY GAUGE WIRE FOR LATCH RETRACTION

		LIST
ETM2WH4540	2 (2/18ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	254
ETM2WH4545	2 (2/18ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	254
ETM2WH5045	2 (2/18ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	271
ETM2WH5050	2 (2/18ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	292
ETM4WH4540	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	292
ETM4WH4545	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	292
ETM4WH5045	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	309
ETM4WH5050	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	330
ETM6WH4540	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	309
ETM6WH4545	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	309
ETM6WH5045	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	326
ETM6WH5050	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	347

ETM's w/Monitor - 5 Knuckle Standard Weight

5 Knuckle Standard Weight Hinge - **Brass Base**

		LIST
ETM4540(monitor only)	Hinge w/Monitor 4.5 x 4.0 - Monitor Only	152
ETM4545(monitor only)	Hinge w/Monitor 4.5 x 4.5 - Monitor Only	152
ETM5045(monitor only)	Hinge w/Monitor 5.0 x 4.5 - Monitor Only	169
ETM5050(monitor only)	Hinge w/Monitor 5.0 x 5.0 - Monitor Only	190
ETM2/4W4540	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 4.5 x 4.0	239
ETM2/4W4545	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 4.5 x 4.5	239
ETM2/4W5045	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 5.0 x 4.5	256
ETM2/4W5050	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 5.0 x 5.0	277
ETM6W4540	6 (6/26ga) wire hinge w/Monitor 4.5 x 4.0	254
ETM6W4545	6 (6/26ga) wire hinge w/Monitor 4.5 x 4.5	254
ETM6W5045	6 (6/26ga) wire hinge w/Monitor 5.0 x 4.5	271
ETM6W5050	6 (6/26ga) wire hinge w/Monitor 5.0 x 5.0	292
ETM8W4540	8 (8/28ga) wire hinge w/Monitor 4.5 x 4.0	271
ETM8W4545	8 (8/28ga) wire hinge w/Monitor 4.5 x 4.5	271
ETM8W5045	8 (8/28ga) wire hinge w/Monitor 5.0 x 4.5	288
ETM8W5050	8 (8/28ga) wire hinge w/Monitor 5.0 x 5.0	309
ETM10W4540	10 (10/28ga) wire hinge w/Monitor 4.5 x 4.0	288
ETM10W4545	10 (10/28ga) wire hinge w/Monitor 4.5 x 4.5	288
ETM10W5045	10 (10/28ga) wire hinge w/Monitor 5.0 x 4.5	305
ETM10W5050	10 (10/28ga) wire hinge w/Monitor 5.0 x 5.0	326

Available with Magnet Monitor Switch Only

HEAVY GAUGE WIRE FOR LATCH RETRACTION

		LIST
ETM2WH4540	2 (2/18ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	281
ETM2WH4545	2 (2/18ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	281
ETM2WH5045	2 (2/18ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	298
ETM2WH5050	2 (2/18ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	320
ETM4WH4540	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	315
ETM4WH4545	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	315
ETM4WH5045	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	332
ETM4WH5050	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	353
ETM6WH4540	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	332
ETM6WH4545	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	332
ETM6WH5045	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	349
ETM6WH5050	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	370
ETM8WH4540	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	349
ETM8WH4545	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	349
ETM8WH5045	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	366
ETM8WH5050	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	387

Available with Magnet Monitor Switch Only

ETM's w/Monitor - 5 Knuckle Standard Weight

5 Knuckle Standard Weight Hinge - **Stainless Steel**

		LIST
ETM4540(monitor only)	Hinge w/Monitor 4.5 x 4.0 - Monitor Only	169
ETM4545(monitor only)	Hinge w/Monitor 4.5 x 4.5 - Monitor Only	169
ETM5045(monitor only)	Hinge w/Monitor 5.0 x 4.5 - Monitor Only	186
ETM5050(monitor only)	Hinge w/Monitor 5.0 x 5.0 - Monitor Only	207
ETM2/4W4540	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 4.5 x 4.0	254
ETM2/4W4545	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 4.5 x 4.5	254
ETM2/4W5045	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 5.0 x 4.5	271
ETM2/4W5050	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 5.0 x 5.0	292
ETM6W4540	6 (6/26ga) wire hinge w/Monitor 4.5 x 4.0	271
ETM6W4545	6 (6/26ga) wire hinge w/Monitor 4.5 x 4.5	271
ETM6W5045	6 (6/26ga) wire hinge w/Monitor 5.0 x 4.5	288
ETM6W5050	6 (6/26ga) wire hinge w/Monitor 5.0 x 5.0	309
ETM8W4540	8 (8/28ga) wire hinge w/Monitor 4.5 x 4.0	288
ETM8W4545	8 (8/28ga) wire hinge w/Monitor 4.5 x 4.5	288
ETM8W5045	8 (8/28ga) wire hinge w/Monitor 5.0 x 4.5	305
ETM8W5050	8 (8/28ga) wire hinge w/Monitor 5.0 x 5.0	326
ETM10W4540	10 (10/28ga) wire hinge w/Monitor 4.5 x 4.0	305
ETM10W4545	10 (10/28ga) wire hinge w/Monitor 4.5 x 4.5	305
ETM10W5045	10 (10/28ga) wire hinge w/Monitor 5.0 x 4.5	322
ETM10W5050	10 (10/28ga) wire hinge w/Monitor 5.0 x 5.0	343

Available with Magnet Monitor Switch Only

HEAVY GAUGE WIRE FOR LATCH RETRACTION

		LIST
ETM2WH4540	2 (2/18ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	296
ETM2WH4545	2 (2/18ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	296
ETM2WH5045	2 (2/18ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	313
ETM2WH5050	2 (2/18ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	334
ETM4WH4540	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	332
ETM4WH4545	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	332
ETM4WH5045	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	349
ETM4WH5050	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	370
ETM6WH4540	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	349
ETM6WH4545	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	349
ETM6WH5045	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	366
ETM6WH5050	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	387
ETM8WH4540	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	366
ETM8WH4545	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	366
ETM8WH5045	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	383
ETM8WH5050	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	404

Available with Magnet Monitor Switch Only

ETM's w/Monitor - 5 Knuckle Heavy Weight

5 Knuckle Heavy Weight Hinge - **Steel Base**

		LIST
ETM4540(monitor only)	Hinge w/Monitor 4.5 x 4.0 - Monitor Only	161
ETM4545(monitor only)	Hinge w/Monitor 4.5 x 4.5 - Monitor Only	161
ETM5045(monitor only)	Hinge w/Monitor 5.0 x 4.5 - Monitor Only	178
ETM5050(monitor only)	Hinge w/Monitor 5.0 x 5.0 - Monitor Only	199

ETM2/4W4540	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 4.5 x 4.0	246
ETM2/4W4545	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 4.5 x 4.5	246
ETM2/4W5045	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 5.0 x 4.5	262
ETM2/4W5050	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 5.0 x 5.0	284
ETM6W4540	6 (6/26ga) wire hinge w/Monitor 4.5 x 4.0	262
ETM6W4545	6 (6/26ga) wire hinge w/Monitor 4.5 x 4.5	262
ETM6W5045	6 (6/26ga) wire hinge w/Monitor 5.0 x 4.5	279
ETM6W5050	6 (6/26ga) wire hinge w/Monitor 5.0 x 5.0	301
ETM8W4540	8 (8/28ga) wire hinge w/Monitor 4.5 x 4.0	279
ETM8W4545	8 (8/28ga) wire hinge w/Monitor 4.5 x 4.5	279
ETM8W5045	8 (8/28ga) wire hinge w/Monitor 5.0 x 4.5	296
ETM8W5050	8 (8/28ga) wire hinge w/Monitor 5.0 x 5.0	317

HEAVY GAUGE WIRE FOR LATCH RETRACTION

		LIST
ETM2WH4540	2 (2/18ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	298
ETM2WH4545	2 (2/18ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	298
ETM2WH5045	2 (2/18ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	315
ETM2WH5050	2 (2/18ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	337
ETM4WH4540	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	315
ETM4WH4545	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	315
ETM4WH5045	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	332
ETM4WH5050	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	353
ETM6WH4540	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	332
ETM6WH4545	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	332
ETM6WH5045	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	349
ETM6WH5050	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	370

ETM's w/Monitor - 5 Knuckle Heavy Weight

5 Knuckle Heavy Weight Hinge - **Brass Base**

		LIST
ETM4540(monitor only)	Hinge w/Monitor 4.5 x 4.0 - Monitor Only	180
ETM4545(monitor only)	Hinge w/Monitor 4.5 x 4.5 - Monitor Only	180
ETM5045(monitor only)	Hinge w/Monitor 5.0 x 4.5 - Monitor Only	197
ETM5050(monitor only)	Hinge w/Monitor 5.0 x 5.0 - Monitor Only	218
ETM2/4W4540	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 4.5 x 4.0	262
ETM2/4W4545	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 4.5 x 4.5	262
ETM2/4W5045	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 5.0 x 4.5	279
ETM2/4W5050	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 5.0 x 5.0	301
ETM6W4540	6 (6/26ga) wire hinge w/Monitor 4.5 x 4.0	279
ETM6W4545	6 (6/26ga) wire hinge w/Monitor 4.5 x 4.5	279
ETM6W5045	6 (6/26ga) wire hinge w/Monitor 5.0 x 4.5	296
ETM6W5050	6 (6/26ga) wire hinge w/Monitor 5.0 x 5.0	317
ETM8W4540	8 (8/28ga) wire hinge w/Monitor 4.5 x 4.0	296
ETM8W4545	8 (8/28ga) wire hinge w/Monitor 4.5 x 4.5	296
ETM8W5045	8 (8/28ga) wire hinge w/Monitor 5.0 x 4.5	313
ETM8W5050	8 (8/28ga) wire hinge w/Monitor 5.0 x 5.0	334
ETM10W4540	10 (10/28ga) wire hinge w/Monitor 4.5 x 4.0	313
ETM10W4545	10 (10/28ga) wire hinge w/Monitor 4.5 x 4.5	313
ETM10W5045	10 (10/28ga) wire hinge w/Monitor 5.0 x 4.5	330
ETM10W5050	10 (10/28ga) wire hinge w/Monitor 5.0 x 5.0	351

Available with Magnet Monitor Switch Only

HEAVY GAUGE WIRE FOR LATCH RETRACTION

		LIST
ETM2WH4540	2 (2/18ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	305
ETM2WH4545	2 (2/18ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	305
ETM2WH5045	2 (2/18ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	322
ETM2WH5050	2 (2/18ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	343
ETM4WH4540	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	341
ETM4WH4545	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	341
ETM4WH5045	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	358
ETM4WH5050	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	379
ETM6WH4540	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	358
ETM6WH4545	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	358
ETM6WH5045	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	375
ETM6WH5050	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	396
ETM8WH4540	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	375
ETM8WH4545	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	375
ETM8WH5045	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	392
ETM8WH5050	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	413

Available with Magnet Monitor Switch Only

ETM's w/Monitor - 5 Knuckle Heavy Weight

5 Knuckle Heavy Weight Hinge - **Stainless Steel**

		LIST
ETM4540(monitor only)	Hinge w/Monitor 4.5 x 4.0 - Monitor Only	197
ETM4545(monitor only)	Hinge w/Monitor 4.5 x 4.5 - Monitor Only	197
ETM5045(monitor only)	Hinge w/Monitor 5.0 x 4.5 - Monitor Only	224
ETM5050(monitor only)	Hinge w/Monitor 5.0 x 5.0 - Monitor Only	239
ETM2/4W4540	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 4.5 x 4.0	279
ETM2/4W4545	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 4.5 x 4.5	279
ETM2/4W5045	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 5.0 x 4.5	309
ETM2/4W5050	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 5.0 x 5.0	322
ETM6W4540	6 (6/26ga) wire hinge w/Monitor 4.5 x 4.0	296
ETM6W4545	6 (6/26ga) wire hinge w/Monitor 4.5 x 4.5	296
ETM6W5045	6 (6/26ga) wire hinge w/Monitor 5.0 x 4.5	326
ETM6W5050	6 (6/26ga) wire hinge w/Monitor 5.0 x 5.0	339
ETM8W4540	8 (8/28ga) wire hinge w/Monitor 4.5 x 4.0	313
ETM8W4545	8 (8/28ga) wire hinge w/Monitor 4.5 x 4.5	313
ETM8W5045	8 (8/28ga) wire hinge w/Monitor 5.0 x 4.5	343
ETM8W5050	8 (8/28ga) wire hinge w/Monitor 5.0 x 5.0	356
ETM10W4540	10 (10/28ga) wire hinge w/Monitor 4.5 x 4.0	330
ETM10W4545	10 (10/28ga) wire hinge w/Monitor 4.5 x 4.5	330
ETM10W5045	10 (10/28ga) wire hinge w/Monitor 5.0 x 4.5	360
ETM10W5050	10 (10/28ga) wire hinge w/Monitor 5.0 x 5.0	372

Available with Magnet Monitor Switch Only

HEAVY GAUGE WIRE FOR LATCH RETRACTION

		LIST
ETM2WH4540	2 (2/18ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	322
ETM2WH4545	2 (2/18ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	322
ETM2WH5045	2 (2/18ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	351
ETM2WH5050	2 (2/18ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	364
ETM4WH4540	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	358
ETM4WH4545	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	358
ETM4WH5045	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	387
ETM4WH5050	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	400
ETM6WH4540	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	375
ETM6WH4545	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	375
ETM6WH5045	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	404
ETM6WH5050	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	417
ETM8WH4540	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	392
ETM8WH4545	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	392
ETM8WH5045	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	421
ETM8WH5050	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	434

Available with Magnet Monitor Switch Only

ETM's w/Monitor - 3 Knuckle Standard Weight

3 Knuckle Standard Weight Hinge - **Steel Base**

		LIST
ETM4540(monitor only)	Hinge w/Monitor 4.5 x 4.0 - Monitor Only	135
ETM4545(monitor only)	Hinge w/Monitor 4.5 x 4.5 - Monitor Only	135
ETM5045(monitor only)	Hinge w/Monitor 5.0 x 4.5 - Monitor Only	152
ETM5050(monitor only)	Hinge w/Monitor 5.0 x 5.0 - Monitor Only	174
ETM2/4W4540	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 4.5 x 4.0	222
ETM2/4W4545	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 4.5 x 4.5	222
ETM2/4W5045	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 5.0 x 4.5	239
ETM2/4W5050	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 5.0 x 5.0	260
ETM6W4540	6 (6/26ga) wire hinge w/Monitor 4.5 x 4.0	239
ETM6W4545	6 (6/26ga) wire hinge w/Monitor 4.5 x 4.5	239
ETM6W5045	6 (6/26ga) wire hinge w/Monitor 5.0 x 4.5	256
ETM6W5050	6 (6/26ga) wire hinge w/Monitor 5.0 x 5.0	277
ETM8W4540	8 (8/28ga) wire hinge w/Monitor 4.5 x 4.0	254
ETM8W4545	8 (8/28ga) wire hinge w/Monitor 4.5 x 4.5	254
ETM8W5045	8 (8/28ga) wire hinge w/Monitor 5.0 x 4.5	271
ETM8W5050	8 (8/28ga) wire hinge w/Monitor 5.0 x 5.0	292
ETM10W4540	10 (10/28ga) wire hinge w/Monitor 4.5 x 4.0	271
ETM10W4545	10 (10/28ga) wire hinge w/Monitor 4.5 x 4.5	271
ETM10W5045	10 (10/28ga) wire hinge w/Monitor 5.0 x 4.5	288
ETM10W5050	10 (10/28ga) wire hinge w/Monitor 5.0 x 5.0	309

HEAVY GAUGE WIRE FOR LATCH RETRACTION

		LIST
ETM2WH4540	2 (2/18ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	265
ETM2WH4545	2 (2/18ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	265
ETM2WH5045	2 (2/18ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	281
ETM2WH5050	2 (2/18ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	303
ETM4WH4540	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	301
ETM4WH4545	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	301
ETM4WH5045	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	317
ETM4WH5050	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	339
ETM6WH4540	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	315
ETM6WH4545	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	315
ETM6WH5045	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	332
ETM6WH5050	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	353

ETM's w/Monitor - 3 Knuckle Standard Weight

3 Knuckle Standard Weight Hinge - **Brass Base**

		LIST
ETM4540(monitor only)	Hinge w/Monitor 4.5 x 4.0 - Monitor Only	152
ETM4545(monitor only)	Hinge w/Monitor 4.5 x 4.5 - Monitor Only	152
ETM5045(monitor only)	Hinge w/Monitor 5.0 x 4.5 - Monitor Only	169
ETM5050(monitor only)	Hinge w/Monitor 5.0 x 5.0 - Monitor Only	190
ETM2/4W4540	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 4.5 x 4.0	239
ETM2/4W4545	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 4.5 x 4.5	239
ETM2/4W5045	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 5.0 x 4.5	256
ETM2/4W5050	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 5.0 x 5.0	277
ETM6W4540	6 (6/26ga) wire hinge w/Monitor 4.5 x 4.0	254
ETM6W4545	6 (6/26ga) wire hinge w/Monitor 4.5 x 4.5	254
ETM6W5045	6 (6/26ga) wire hinge w/Monitor 5.0 x 4.5	271
ETM6W5050	6 (6/26ga) wire hinge w/Monitor 5.0 x 5.0	292
ETM8W4540	8 (8/28ga) wire hinge w/Monitor 4.5 x 4.0	271
ETM8W4545	8 (8/28ga) wire hinge w/Monitor 4.5 x 4.5	271
ETM8W5045	8 (8/28ga) wire hinge w/Monitor 5.0 x 4.5	288
ETM8W5050	8 (8/28ga) wire hinge w/Monitor 5.0 x 5.0	309
ETM10W4540	10 (10/28ga) wire hinge w/Monitor 4.5 x 4.0	288
ETM10W4545	10 (10/28ga) wire hinge w/Monitor 4.5 x 4.5	288
ETM10W5045	10 (10/28ga) wire hinge w/Monitor 5.0 x 4.5	305
ETM10W5050	10 (10/28ga) wire hinge w/Monitor 5.0 x 5.0	326

Available with Magnet Monitor Switch Only

HEAVY GAUGE WIRE FOR LATCH RETRACTION

		LIST
ETM2WH4540	2 (2/18ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	281
ETM2WH4545	2 (2/18ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	281
ETM2WH5045	2 (2/18ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	298
ETM2WH5050	2 (2/18ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	320
ETM4WH4540	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	315
ETM4WH4545	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	315
ETM4WH5045	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	332
ETM4WH5050	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	353
ETM6WH4540	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	332
ETM6WH4545	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	332
ETM6WH5045	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	349
ETM6WH5050	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	370
ETM8WH4540	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	349
ETM8WH4545	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	349
ETM8WH5045	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	366
ETM8WH5050	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	387

Available with Magnet Monitor Switch Only

ETM's w/Monitor - 3 Knuckle Standard Weight

3 Knuckle Standard Weight Hinge - **Stainless Steel**

		LIST
ETM4540(monitor only)	Hinge w/Monitor 4.5 x 4.0 - Monitor Only	174
ETM4545(monitor only)	Hinge w/Monitor 4.5 x 4.5 - Monitor Only	174
ETM5045(monitor only)	Hinge w/Monitor 5.0 x 4.5 - Monitor Only	190
ETM5050(monitor only)	Hinge w/Monitor 5.0 x 5.0 - Monitor Only	212
ETM2/4W4540	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 4.5 x 4.0	258
ETM2/4W4545	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 4.5 x 4.5	258
ETM2/4W5045	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 5.0 x 4.5	275

or Switch Only

ETM2/4W5050	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 5.0 x 5.0	Available with Magnet Monit	296
ETM6W4540	6 (6/26ga) wire hinge w/Monitor 4.5 x 4.0		275
ETM6W4545	6 (6/26ga) wire hinge w/Monitor 4.5 x 4.5		275
ETM6W5045	6 (6/26ga) wire hinge w/Monitor 5.0 x 4.5		292
ETM6W5050	6 (6/26ga) wire hinge w/Monitor 5.0 x 5.0		313
ETM8W4540	8 (8/28ga) wire hinge w/Monitor 4.5 x 4.0		292
ETM8W4545	8 (8/28ga) wire hinge w/Monitor 4.5 x 4.5		292
ETM8W5045	8 (8/28ga) wire hinge w/Monitor 5.0 x 4.5		309
ETM8W5050	8 (8/28ga) wire hinge w/Monitor 5.0 x 5.0		330
ETM10W4540	10 (10/28ga) wire hinge w/Monitor 4.5 x 4.0		309
ETM10W4545	10 (10/28ga) wire hinge w/Monitor 4.5 x 4.5		309
ETM10W5045	10 (10/28ga) wire hinge w/Monitor 5.0 x 4.5		326
ETM10W5050	10 (10/28ga) wire hinge w/Monitor 5.0 x 5.0		347

HEAVY GAUGE WIRE FOR LATCH RETRACTION

		LIST
ETM2WH4540	2 (2/18ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	301
ETM2WH4545	2 (2/18ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	301
ETM2WH5045	2 (2/18ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	317
ETM2WH5050	2 (2/18ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	339
ETM4WH4540	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	337
ETM4WH4545	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	337
ETM4WH5045	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	353
ETM4WH5050	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	375
ETM6WH4540	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	353
ETM6WH4545	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	353
ETM6WH5045	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	370
ETM6WH5050	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	392
ETM8WH4540	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	370
ETM8WH4545	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	370
ETM8WH5045	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	387
ETM8WH5050	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	408

ETM's w/Monitor - 3 Knuckle Heavy Weight

3 Knuckle Heavy Weight Hinge - **Steel Base**

		LIST
ETM4540(monitor only)	Hinge w/Monitor 4.5 x 4.0 - Monitor Only	161
ETM4545(monitor only)	Hinge w/Monitor 4.5 x 4.5 - Monitor Only	161
ETM5045(monitor only)	Hinge w/Monitor 5.0 x 4.5 - Monitor Only	178
ETM5050(monitor only)	Hinge w/Monitor 5.0 x 5.0 - Monitor Only	199
ETM2/4W4540	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 4.5 x 4.0	248
ETM2/4W4545	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 4.5 x 4.5	248
ETM2/4W5045	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 5.0 x 4.5	265
ETM2/4W5050	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 5.0 x 5.0	286
ETM6W4540	6 (6/26ga) wire hinge w/Monitor 4.5 x 4.0	262
ETM6W4545	6 (6/26ga) wire hinge w/Monitor 4.5 x 4.5	262
ETM6W5045	6 (6/26ga) wire hinge w/Monitor 5.0 x 4.5	279
ETM6W5050	6 (6/26ga) wire hinge w/Monitor 5.0 x 5.0	301
ETM8W4540	8 (8/28ga) wire hinge w/Monitor 4.5 x 4.0	279
ETM8W4545	8 (8/28ga) wire hinge w/Monitor 4.5 x 4.5	279
ETM8W5045	8 (8/28ga) wire hinge w/Monitor 5.0 x 4.5	296
ETM8W5050	8 (8/28ga) wire hinge w/Monitor 5.0 x 5.0	317
ETM10W4540	10 (10/28ga) wire hinge w/Monitor 4.5 x 4.0	296
ETM10W4545	10 (10/28ga) wire hinge w/Monitor 4.5 x 4.5	296
ETM10W5045	10 (10/28ga) wire hinge w/Monitor 5.0 x 4.5	313
ETM10W5050	10 (10/28ga) wire hinge w/Monitor 5.0 x 5.0	334

HEAVY GAUGE WIRE FOR LATCH RETRACTION

		LIST
ETM2WH4540	2 (2/18ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	290
ETM2WH4545	2 (2/18ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	290
ETM2WH5045	2 (2/18ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	307
ETM2WH5050	2 (2/18ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	328
ETM4WH4540	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	324
ETM4WH4545	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	324
ETM4WH5045	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	341
ETM4WH5050	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	362
ETM6WH4540	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	341
ETM6WH4545	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	341

ETM6WH5045	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	358
ETM6WH5050	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	379

ETM's w/Monitor - 3 Knuckle Heavy Weight

3 Knuckle Heavy Weight Hinge - Brass Base

		LIST
ETM4540(monitor only)	Hinge w/Monitor 4.5 x 4.0 - Monitor Only	180
ETM4545(monitor only)	Hinge w/Monitor 4.5 x 4.5 - Monitor Only	180
ETM5045(monitor only)	Hinge w/Monitor 5.0 x 4.5 - Monitor Only	197
ETM5050(monitor only)	Hinge w/Monitor 5.0 x 5.0 - Monitor Only	218
ETM2/4W4540	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 4.5 x 4.0	262
ETM2/4W4545	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 4.5 x 4.5	262
ETM2/4W5045	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 5.0 x 4.5	279
ETM2/4W5050	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 5.0 x 5.0	301
ETM6W4540	6 (6/26ga) wire hinge w/Monitor 4.5 x 4.0	279
ETM6W4545	6 (6/26ga) wire hinge w/Monitor 4.5 x 4.5	279
ETM6W5045	6 (6/26ga) wire hinge w/Monitor 5.0 x 4.5	296
ETM6W5050	6 (6/26ga) wire hinge w/Monitor 5.0 x 5.0	317
ETM8W4540	8 (8/28ga) wire hinge w/Monitor 4.5 x 4.0	296
ETM8W4545	8 (8/28ga) wire hinge w/Monitor 4.5 x 4.5	296
ETM8W5045	8 (8/28ga) wire hinge w/Monitor 5.0 x 4.5	313
ETM8W5050	8 (8/28ga) wire hinge w/Monitor 5.0 x 5.0	334
ETM10W4540	10 (10/28ga) wire hinge w/Monitor 4.5 x 4.0	313
ETM10W4545	10 (10/28ga) wire hinge w/Monitor 4.5 x 4.5	313
ETM10W5045	10 (10/28ga) wire hinge w/Monitor 5.0 x 4.5	330
ETM10W5050	10 (10/28ga) wire hinge w/Monitor 5.0 x 5.0	351

Available with Magnet Monitor Switch Only

HEAVY GAUGE WIRE FOR LATCH RETRACTION

		LIST
ETM2WH4540	2 (2/18ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	305
ETM2WH4545	2 (2/18ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	305
ETM2WH5045	2 (2/18ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	322
ETM2WH5050	2 (2/18ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	343
ETM4WH4540	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	341
ETM4WH4545	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	341
ETM4WH5045	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	358
ETM4WH5050	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	379
ETM6WH4540	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	358
ETM6WH4545	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	358
ETM6WH5045	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	375
ETM6WH5050	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	396
ETM8WH4540	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	375
ETM8WH4545	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.5	375
ETM8WH5045	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 5.0 x 4.5	392
ETM8WH5050	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 5.0 x 5.0	413

Available with Magnetic Monitor Switch Only

ETM's w/Monitor - 3 Knuckle Heavy Weight

3 Knuckle Heavy Weight Hinge - **Stainless Steel**

		LIST
ETM4540(monitor only)	Hinge w/Monitor 4.5 x 4.0 - Monitor Only	203
ETM4545(monitor only)	Hinge w/Monitor 4.5 x 4.5 - Monitor Only	203
ETM5045(monitor only)	Hinge w/Monitor 5.0 x 4.5 - Monitor Only	220
ETM5050(monitor only)	Hinge w/Monitor 5.0 x 5.0 - Monitor Only	241
ETM2/4W4540	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 4.5 x 4.0	288
ETM2/4W4545	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 4.5 x 4.5	288
ETM2/4W5045	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 5.0 x 4.5	305
ETM2/4W5050	2/4 (2/20ga or 4/26ga) wire hinge w/Monitor 5.0 x 5.0	326
ETM6W4540	6 (6/26ga) wire hinge w/Monitor 4.5 x 4.0	305
ETM6W4545	6 (6/26ga) wire hinge w/Monitor 4.5 x 4.5	305
ETM6W5045	6 (6/26ga) wire hinge w/Monitor 5.0 x 4.5	322
ETM6W5050	6 (6/26ga) wire hinge w/Monitor 5.0 x 5.0	343
ETM8W4540	8 (8/28ga) wire hinge w/Monitor 4.5 x 4.0	328
ETM8W4545	8 (8/28ga) wire hinge w/Monitor 4.5 x 4.5	328
ETM8W5045	8 (8/28ga) wire hinge w/Monitor 5.0 x 4.5	345
ETM8W5050	8 (8/28ga) wire hinge w/Monitor 5.0 x 5.0	366
ETM10W4540	10 (10/28ga) wire hinge w/Monitor 4.5 x 4.0	345
ETM10W4545	10 (10/28ga) wire hinge w/Monitor 4.5 x 4.5	345

Available with Magnetic Monitor Switch Only

ETM10W5045	10 (10/28ga) wire hinge w/Monitor 5.0 x 4.5		362
ETM10W5050	10 (10/28ga) wire hinge w/Monitor 5.0 x 5.0		383

HEAVY GAUGE WIRE FOR LATCH RETRACTION

			LIST
ETM2WH4540	2 (2/18ga) wire heavy ga hinge w/Monitor 4.5 x 4.0	Available with Magnetic Monitor Switch Only	330
ETM2WH4545	2 (2/18ga) wire heavy ga hinge w/Monitor 4.5 x 4.5		330
ETM2WH5045	2 (2/18ga) wire heavy ga hinge w/Monitor 5.0 x 4.5		347
ETM2WH5050	2 (2/18ga) wire heavy ga hinge w/Monitor 5.0 x 5.0		368
ETM4WH4540	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 4.5 x 4.0		358
ETM4WH4545	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 4.5 x 4.5		358
ETM4WH5045	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 5.0 x 4.5		375
ETM4WH5050	4 (2/18ga+2/26ga) wire heavy ga hinge w/Monitor 5.0 x 5.0		396
ETM6WH4540	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.0		381
ETM6WH4545	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.5		381
ETM6WH5045	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 5.0 x 4.5		398
ETM6WH5050	6 (2/18ga+4/28ga) wire heavy ga hinge w/Monitor 5.0 x 5.0		419
ETM8WH4540	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.0		398
ETM8WH4545	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 4.5 x 4.5		398
ETM8WH5045	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 5.0 x 4.5		415
ETM8WH5050	8 (2/20ga+6/28ga) wire heavy ga hinge w/Monitor 5.0 x 5.0		436

Pivot & Swing Clear Hinges

COMMAND ACCESS PIVOTS Specify Handing & Finish

		LIST
ETH2WCAT/4WCAT	ETH Pivot- 2 wire or 4 wire (CAT INT Pivot)	305
ETH6WCAT	ETH Pivot- 6 wire (CAT INT Pivot)	322
ETH8WCAT	ETH Pivot- 8 wire (CAT INT Pivot)	339
ETH10WCAT	ETH Pivot- 10 wire (CAT INT Pivot)	356

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETH2WHCATPIVOT	ETH Pivot- 2 wire (CAT INT Pivot)(2-18ga)	347
ETH4WHCATPIVOT	ETH Pivot- 4 wire (CAT INT Pivot)(2-18ga, 2-26 ga)	364
ETH6WHCATPIVOT	ETH Pivot- 6 wire (CAT INT Pivot)(2-18ga, 4-28 ga)	381
ETH8WHCATPIVOT	ETH Pivot- 8 wire (CAT INT Pivo (2-20ga, 6-28 ga)	398

CAT EPT - Power Transfer

		LIST
CAT-EPT2	EPT (2 WIRES - 18GA) ALUM OR DURO UL Listed	400
CAT-EPT10	EPT10 (10 Wires - 24 GA) ALUM OR DURO UL LISTED	400

SWING CLEAR - Standard Weight Steel Hinge (specify square/straight or

		LIST
ETH2W/4WSCBB79	ETH- 2 wire or 4 wire 4.5" or 5"	347
ETH6WSCBB79	ETH - 6 wire 4.5" or 5"	366
ETH8WSCBB79	ETH - 8 wire 4.5" or 5"	381
ETH10WSCBB79	ETH - 10 wire 4.5" or 5"	398

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETH2WHSCBB79	ETH - 2 wire (2-18ga) 4.5" or 5" E-LP	389
ETH4WHSCBB79	ETH - 4 wire (2-18 ga + 2-26 ga) 4.5" or 5" E-LP	408
ETH6WHSCBB79	ETH - 6 wire (2-18 ga + 4-28 ga) 4.5" or 5" E-LP	423
ETH8WHSCBB79	ETH - 8 wire (2-20 ga + 6-28 ga) 4.5" or 5" E-LP	440

SWING CLEAR - Heavy Weight Steel Hinge (specify square/straight or

		LIST
ETH2WMOD/4WSCBB68	ETH- 2 wire or 4 wire 4.5" or 5"	389
ETH6WSCBB68	ETH - 6 wire 4.5" or 5"	408
ETH8WSCBB68	ETH - 8 wire 4.5" or 5"	423
ETH10WSCBB68	ETH - 10 wire 4.5" or 5"	440

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETH2WHSCBB68	ETH - 2 wire (2-18ga) 4.5" or 5" E-LP	432
ETH4WHSCBB68	ETH - 4 wire (2-18 ga + 2-26 ga) 4.5" or 5" E-LP	451
ETH6WHSCBB68	ETH - 6 wire (2-18 ga + 4-28 ga) 4.5" or 5" E-LP	466
ETH8WHSCBB68	ETH - 8 wire (2-20 ga + 6-28 ga) 4.5" or 5" E-LP	483

CAM LIFT & PIVOT MODIFICATIONS ONLY - 3/4" & 1-1/2"

CAM LIFT/PIVOT HINGE MODIFICATION - 3/4" Offset Brass or Al

		LIST
MD2W/4WPIVOT	2 wire/4 wire (Mod'd Customer's Intermediate Pivot)	288
MD6WPIVOT	6 wire (Mod'd Customer's Intermediate Pivot)	305

MD8WPIVOT	8 wire (Mod'd Customer's Intermediate Pivot)	322
MD10WPIVOT	10 wire (Mod'd Customer's Intermediate Pivot)	339

HEAVY GAUGE WIRE FOR LATCH RETRACTION

MD2WHPIVOT	2 wire (Mod'd Customer's Pivot) (2-18ga) E-LP	330
MD4WHPIVOT	4 wire (Mod'd Customer's Pivot) (2-18 ga + 2-26 ga) E-LP	347
MD6WHPIVOT	6 wire (Mod'd Customer's Pivot) (2-18 ga + 4-28 ga) E-LP	364
MD8WHPIVOT	8 wire (Mod'd Customer's Pivot) (2-20 ga + 6-28 ga) E-LP	381

CAM LIFT/PIVOT HINGE MODIFICATION - 3/4" Offset Stainless Steel

LIST

MD2W/4WPIVOT	2 wire/4 wire (Mod'd Customer's Intermediate Pivot)	313
MD6WPIVOT	6 wire (Mod'd Customer's Intermediate Pivot)	330
MD8WPIVOT	8 wire (Mod'd Customer's Intermediate Pivot)	347
MD10WPIVOT	10 wire (Mod'd Customer's Intermediate Pivot)	364

HEAVY GAUGE WIRE FOR LATCH RETRACTION

MD2WHPIVOT	2 wire (Mod'd Customer's Pivot) (2-18ga) E-LP	356
MD4WHPIVOT	4 wire (Mod'd Customer's Pivot) (2-18 ga + 2-26 ga) E-LP	372
MD6WHPIVOT	6 wire (Mod'd Customer's Pivot) (2-18 ga + 4-28 ga) E-LP	389
MD8WHPIVOT	8 wire (Mod'd Customer's Pivot) (2-20 ga + 6-28 ga) E-LP	406

PIVOT HINGE MODIFICATION - 1-1/2" Offset Brass or Aluminum

LIST

MD2W/4WPIVOT	2 wire/4 wire (Mod'd Customer's Intermediate Pivot)	296
MD6WPIVOT	6 wire (Mod'd Customer's Intermediate Pivot)	313
MD8WPIVOT	8 wire (Mod'd Customer's Intermediate Pivot)	330
MD10WPIVOT	10 wire (Mod'd Customer's Intermediate Pivot)	347

HEAVY GAUGE WIRE FOR LATCH RETRACTION

MD2WHPIVOT	2 wire (Mod'd Customer's Pivot) (2-18ga) E-LP	339
MD4WHPIVOT	4 wire (Mod'd Customer's Pivot) (2-18 ga + 2-26 ga) E-LP	356
MD6WHPIVOT	6 wire (Mod'd Customer's Pivot) (2-18 ga + 4-28 ga) E-LP	372
MD8WHPIVOT	8 wire (Mod'd Customer's Pivot) (2-20 ga + 6-28 ga) E-LP	389

PIVOT HINGE MODIFICATION - 1-1/2" Offset Stainless Steel

LIST

MD2W/4WPIVOT	2 wire/4 wire (Mod'd Customer's Intermediate Pivot)	322
MD6WPIVOT	6 wire (Mod'd Customer's Intermediate Pivot)	339
MD8WPIVOT	8 wire (Mod'd Customer's Intermediate Pivot)	356
MD10WPIVOT	10 wire (Mod'd Customer's Intermediate Pivot)	372

HEAVY GAUGE WIRE FOR LATCH RETRACTION

MD2WHPIVOT	2 wire (Mod'd Customer's Pivot) (2-18ga) E-LP	364
MD4WHPIVOT	4 wire (Mod'd Customer's Pivot) (2-18 ga + 2-26 ga) E-LP	381
MD6WHPIVOT	6 wire (Mod'd Customer's Pivot) (2-18 ga + 4-28 ga) E-LP	398
MD8WHPIVOT	8 wire (Mod'd Customer's Pivot) (2-20 ga + 6-28 ga) E-LP	415

PIVOT MODIFICATIONS ONLY - TOP, CENTER HUNG, & PC

PIVOT HINGE MODIFICATION - Top Pivot

*** Use pricing below for pocket pivots**

LIST

MD2W/4WPIVOT	2 wire/4 wire (Mod'd Customer's Top Pivot)	169
MD6WPIVOT	6 wire (Mod'd Customer's Top Pivot)	186
MD8WPIVOT	8 wire (Mod'd Customer's Top Pivot)	203
MD10WPIVOT	10 wire (Mod'd Customer's Top Pivot)	220

HEAVY GAUGE WIRE FOR LATCH RETRACTION

MD2WHPIVOT	2 wire (Mod'd Customer's Pivot) (2-18ga) E-LP	212
MD4WHPIVOT	4 wire (Mod'd Customer's Pivot) (2-18 ga + 2-26 ga) E-LP	229
MD6WHPIVOT	6 wire (Mod'd Customer's Pivot) (2-18 ga + 4-28 ga) E-LP	246
MD8WHPIVOT	8 wire (Mod'd Customer's Pivot) (2-20 ga + 6-28 ga) E-LP	262

PIVOT HINGE MODIFICATION - Center Hung Pivot

LIST

MD2W/4WPIVOT	2 wire/4 wire (Mod'd Customer's Center Hung Pivot)	169
MD6WPIVOT	6 wire (Mod'd Customer's Center Hung Pivot)	186
MD8WPIVOT	8 wire (Mod'd Customer's Center Hung Pivot)	203
MD10WPIVOT	10 wire (Mod'd Customer's Center Hung Pivot)	220

HEAVY GAUGE WIRE FOR LATCH RETRACTION

MD2WHPIVOT	2 wire (Mod'd Customer's Pivot) (2-18ga) E-LP	212
MD4WHPIVOT	4 wire (Mod'd Customer's Pivot) (2-18 ga + 2-26 ga) E-LP	229
MD6WHPIVOT	6 wire (Mod'd Customer's Pivot) (2-18 ga + 4-28 ga) E-LP	246
MD8WHPIVOT	8 wire (Mod'd Customer's Pivot) (2-20 ga + 6-28 ga) E-LP	262

HINGE MODIFICATIONS ONLY - 5 Knuckle

5 KNUCKLE BUTT HINGE MODIFICATION - Standard Weight (Steel or Brass Base)

		LIST
ETH2WVMOD/4WVMOD	ETH- 2 wire or 4 wire (Mod Only)	106
ETH6WVMOD	ETH - 6 wire (Mod Only)	124
ETH8WVMOD	ETH - 8 wire (Mod Only)	140
ETH10WVMOD	ETH - 10 wire (Mod Only)	160

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETH2WHMOD	ETH - 2 wire (Mod Only) (2-18ga) E-LP	152
ETH4WHMOD	ETH - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP	169
ETH6WHMOD	ETH - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP	186
ETH8WHMOD	ETH - 8 wire (Mod Only) (2-20 ga + 6-28 ga) E-LP	203

5 KNUCKLE BUTT HINGE MODIFICATION - Standard Weight (Stainless Steel)

		LIST
ETH2WVMOD/4WVMOD	ETH- 2 wire or 4 wire (Mod Only)	144
ETH6WVMOD	ETH - 6 wire (Mod Only)	161
ETH8WVMOD	ETH - 8 wire (Mod Only)	178
ETH10WVMOD	ETH - 10 wire (Mod Only)	195

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETH2WHMOD	ETH - 2 wire (Mod Only) (2-18ga) E-LP	186
ETH4WHMOD	ETH - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP	203
ETH6WHMOD	ETH - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP	220
ETH8WHMOD	ETH - 8 wire (Mod Only) (2-20 ga + 6-28 ga) E-LP	237

5 KNUCKLE BUTT HINGE MODIFICATION - Heavy Weight (Steel or Brass Base)

		LIST
ETH2WVMOD/4WVMOD	ETH- 2 wire or 4 wire (Mod Only)	119
ETH6WVMOD	ETH - 6 wire (Mod Only)	135
ETH8WVMOD	ETH - 8 wire (Mod Only)	152
ETH10WVMOD	ETH - 10 wire (Mod Only)	169

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETH2WHMOD	ETH - 2 wire (Mod Only) (2-18ga) E-LP	161
ETH4WHMOD	ETH - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP	178
ETH6WHMOD	ETH - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP	195
ETH8WHMOD	ETH - 8 wire (Mod Only) (2-20 ga + 6-28 ga) E-LP	212

5 KNUCKLE BUTT HINGE MODIFICATION - Heavy Weight (Stainless Steel)

		LIST
ETH2WVMOD/4WVMOD	ETH- 2 wire or 4 wire (Mod Only)	154
ETH6WVMOD	ETH - 6 wire (Mod Only)	171
ETH8WVMOD	ETH - 8 wire (Mod Only)	188
ETH10WVMOD	ETH - 10 wire (Mod Only)	205

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETH2WHMOD	ETH - 2 wire (Mod Only) (2-18ga) E-LP	197
ETH4WHMOD	ETH - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP	214
ETH6WHMOD	ETH - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP	231
ETH8WHMOD	ETH - 8 wire (Mod Only) (2-20 ga + 6-28 ga) E-LP	248

HINGE MODIFICATIONS ONLY - 3 Knuckle

3 KNUCKLE BUTT HINGE MODIFICATION - Standard Weight (Steel or Brass Base)

		LIST
ETH2WVMOD/4WVMOD	ETH- 2 wire or 4 wire (Mod Only)	110
ETH6WVMOD	ETH - 6 wire (Mod Only)	127
ETH8WVMOD	ETH - 8 wire (Mod Only)	144
ETH10WVMOD	ETH - 10 wire (Mod Only)	161

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETH2WHMOD	ETH - 2 wire (Mod Only) (2-18ga) E-LP	152
ETH4WHMOD	ETH - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP	169
ETH6WHMOD	ETH - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP	186
ETH8WHMOD	ETH - 8 wire (Mod Only) (2-20 ga + 6-28 ga) E-LP	203

3 KNUCKLE BUTT HINGE MODIFICATION - Standard Weight (Stainless Steel)

		LIST
ETH2WVMOD/4WVMOD	ETH- 2 wire or 4 wire (Mod Only)	152
ETH6WVMOD	ETH - 6 wire (Mod Only)	169
ETH8WVMOD	ETH - 8 wire (Mod Only)	186
ETH10WVMOD	ETH - 10 wire (Mod Only)	203

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETH2WHMOD	ETH - 2 wire (Mod Only) (2-18ga) E-LP	195
ETH4WHMOD	ETH - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP	212
ETH6WHMOD	ETH - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP	229
ETH8WHMOD	ETH - 8 wire (Mod Only) (2-20 ga + 6-28 ga) E-LP	246

3 KNUCKLE BUTT HINGE MODIFICATION - Heavy Weight (Steel or Brass Base)

		LIST
ETH2WVMOD/4WVMOD	ETH- 2 wire or 4 wire (Mod Only)	135
ETH6WVMOD	ETH - 6 wire (Mod Only)	152
ETH8WVMOD	ETH - 8 wire (Mod Only)	169
ETH10WVMOD	ETH - 10 wire (Mod Only)	186

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETH2WHMOD	ETH - 2 wire (Mod Only) (2-18ga) E-LP	178
ETH4WHMOD	ETH - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP	195
ETH6WHMOD	ETH - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP	212
ETH8WHMOD	ETH - 8 wire (Mod Only) (2-20 ga + 6-28 ga) E-LP	229

3 KNUCKLE BUTT HINGE MODIFICATION - Heavy Weight (Stainless Steel)

		LIST
ETH2WVMOD/4WVMOD	ETH- 2 wire or 4 wire (Mod Only)	163
ETH6WVMOD	ETH - 6 wire (Mod Only)	180
ETH8WVMOD	ETH - 8 wire (Mod Only)	197
ETH10WVMOD	ETH - 10 wire (Mod Only)	214

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETH2WHMOD	ETH - 2 wire (Mod Only) (2-18ga) E-LP	205
ETH4WHMOD	ETH - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP	222
ETH6WHMOD	ETH - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP	239
ETH8WHMOD	ETH - 8 wire (Mod Only) (2-18 ga + 6-28 ga) E-LP	256
ETH10WHMOD	ETH - 10 wire (Mod Only) (2-20 ga + 8-28 ga) E-LP	273

HINGE MODIFICATIONS ONLY - Swing Clear

SWING CLEAR - Standard Weight Steel Hinge

		LIST
ETH2WVMOD/4WVMOD	ETH- 2 wire or 4 wire (Mod Only)	254
ETH6WVMOD	ETH - 6 wire (Mod Only)	271
ETH8WVMOD	ETH - 8 wire (Mod Only)	288
ETH10WVMOD	ETH - 10 wire (Mod Only)	305

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETH2WHMOD	ETH - 2 wire (Mod Only) (2-18ga) E-LP	296
ETH4WHMOD	ETH - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP	313
ETH6WHMOD	ETH - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP	330
ETH8WHMOD	ETH - 8 wire (Mod Only) (2-20 ga + 6-28 ga) E-LP	347

SWING CLEAR - Heavy Weight Steel Hinge

		LIST
ETH2WVMOD/4WVMOD	ETH- 2 wire or 4 wire (Mod Only)	279
ETH6WVMOD	ETH - 6 wire (Mod Only)	296
ETH8WVMOD	ETH - 8 wire (Mod Only)	313
ETH10WVMOD	ETH - 10 wire (Mod Only)	330

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETH2WHMOD	ETH - 2 wire (Mod Only) (2-18ga) E-LP	322
ETH4WHMOD	ETH - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP	339
ETH6WHMOD	ETH - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP	356
ETH8WHMOD	ETH - 8 wire (Mod Only) (2-20 ga + 6-28 ga) E-LP	372

SWING CLEAR - Standard Weight Stainless Steel Hinge

		LIST
ETH2WVMOD/4WVMOD	ETH- 2 wire or 4 wire (Mod Only)	288

ETH6WMOD	ETH - 6 wire (Mod Only)	305
ETH8WMOD	ETH - 8 wire (Mod Only)	322
ETH10WMOD	ETH - 10 wire (Mod Only)	339

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETH2WHMOD	ETH - 2 wire (Mod Only) (2-18ga) E-LP	330
ETH4WHMOD	ETH - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP	347
ETH6WHMOD	ETH - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP	364
ETH8WHMOD	ETH - 8 wire (Mod Only) (2-20 ga + 6-28 ga) E-LP	381

SWING CLEAR - Heavy Weight Stainless Steel Hinge

	LIST
ETH2WMOD/4WMOD	ETH- 2 wire or 4 wire (Mod Only)
ETH6WMOD	ETH - 6 wire (Mod Only)
ETH8WMOD	ETH - 8 wire (Mod Only)
ETH10WMOD	ETH - 10 wire (Mod Only)

ETH2WMOD/4WMOD	ETH- 2 wire or 4 wire (Mod Only)	313
ETH6WMOD	ETH - 6 wire (Mod Only)	330
ETH8WMOD	ETH - 8 wire (Mod Only)	347
ETH10WMOD	ETH - 10 wire (Mod Only)	364

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETH2WHMOD	ETH - 2 wire (Mod Only) (2-18ga) E-LP	356
ETH4WHMOD	ETH - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP	372
ETH6WHMOD	ETH - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP	389
ETH8WHMOD	ETH - 8 wire (Mod Only) (2-20 ga + 6-28 ga) E-LP	406

HINGE MODIFICATIONS ONLY - Raised Barrel

RAISED BARREL - Standard Weight Steel Hinge

	LIST
ETH2WMOD/4WMOD	ETH- 2 wire or 4 wire (Mod Only)
ETH6WMOD	ETH - 6 wire (Mod Only)
ETH8WMOD	ETH - 8 wire (Mod Only)
ETH10WMOD	ETH - 10 wire (Mod Only)

ETH2WMOD/4WMOD	ETH- 2 wire or 4 wire (Mod Only)	254
ETH6WMOD	ETH - 6 wire (Mod Only)	271
ETH8WMOD	ETH - 8 wire (Mod Only)	288
ETH10WMOD	ETH - 10 wire (Mod Only)	305

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETH2WHMOD	ETH - 2 wire (Mod Only) (2-18ga) E-LP	296
ETH4WHMOD	ETH - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP	313
ETH6WHMOD	ETH - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP	330
ETH8WHMOD	ETH - 8 wire (Mod Only) (2-20 ga + 6-28 ga) E-LP	347

RAISED BARREL - Heavy Weight Steel Hinge

	LIST
ETH2WMOD/4WMOD	ETH- 2 wire or 4 wire (Mod Only)
ETH6WMOD	ETH - 6 wire (Mod Only)
ETH8WMOD	ETH - 8 wire (Mod Only)
ETH10WMOD	ETH - 10 wire (Mod Only)

ETH2WMOD/4WMOD	ETH- 2 wire or 4 wire (Mod Only)	279
ETH6WMOD	ETH - 6 wire (Mod Only)	296
ETH8WMOD	ETH - 8 wire (Mod Only)	313
ETH10WMOD	ETH - 10 wire (Mod Only)	330

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETH2WHMOD	ETH - 2 wire (Mod Only) (2-18ga) E-LP	322
ETH4WHMOD	ETH - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP	339
ETH6WHMOD	ETH - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP	356
ETH8WHMOD	ETH - 8 wire (Mod Only) (2-20 ga + 6-28 ga) E-LP	372

RAISED BARREL - Standard Weight Stainless Steel Hinge

	LIST
ETH2WMOD/4WMOD	ETH- 2 wire or 4 wire (Mod Only)
ETH6WMOD	ETH - 6 wire (Mod Only)
ETH8WMOD	ETH - 8 wire (Mod Only)
ETH10WMOD	ETH - 10 wire (Mod Only)

ETH2WMOD/4WMOD	ETH- 2 wire or 4 wire (Mod Only)	288
ETH6WMOD	ETH - 6 wire (Mod Only)	305
ETH8WMOD	ETH - 8 wire (Mod Only)	322
ETH10WMOD	ETH - 10 wire (Mod Only)	339

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETH2WHMOD	ETH - 2 wire (Mod Only) (2-18ga) E-LP	330
ETH4WHMOD	ETH - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP	347
ETH6WHMOD	ETH - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP	364
ETH8WHMOD	ETH - 8 wire (Mod Only) (2-20 ga + 6-28 ga) E-LP	381

RAISED BARREL - Heavy Weight Stainless Steel Hinge

	LIST
ETH2WMOD/4WMOD	ETH- 2 wire or 4 wire (Mod Only)
ETH6WMOD	ETH - 6 wire (Mod Only)
ETH8WMOD	ETH - 8 wire (Mod Only)
ETH10WMOD	ETH - 10 wire (Mod Only)

ETH2WMOD/4WMOD	ETH- 2 wire or 4 wire (Mod Only)	313
ETH6WMOD	ETH - 6 wire (Mod Only)	330
ETH8WMOD	ETH - 8 wire (Mod Only)	347
ETH10WMOD	ETH - 10 wire (Mod Only)	364

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETH2WHMOD	ETH - 2 wire (Mod Only) (2-18ga) E-LP	356
ETH4WHMOD	ETH - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP	372
ETH6WHMOD	ETH - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP	389

ETH8WHMOD	ETH - 8 wire (Mod Only) (2-20 ga + 6-28 ga) E-LP	406
-----------	--	-----

HINGE MODIFICATIONS ONLY- Half or Full Surface

HALF OR FULL SURFACE - Standard Weight Steel Hinge

		LIST
ETH2WVMOD/4WVMOD	ETH- 2 wire or 4 wire (Mod Only)	265
ETH6WVMOD	ETH - 6 wire (Mod Only)	281
ETH8WVMOD	ETH - 8 wire (Mod Only)	298
ETH10WVMOD	ETH - 10 wire (Mod Only)	315

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETH2WHMOD	ETH - 2 wire (Mod Only) (2-18ga) E-LP	307
ETH4WHMOD	ETH - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP	324
ETH6WHMOD	ETH - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP	341
ETH8WHMOD	ETH - 8 wire (Mod Only) (2-20 ga + 6-28 ga) E-LP	358

HALF OR FULL SURFACE - Heavy Weight Steel Hinge

		LIST
ETH2WVMOD/4WVMOD	ETH- 2 wire or 4 wire (Mod Only)	281
ETH6WVMOD	ETH - 6 wire (Mod Only)	298
ETH8WVMOD	ETH - 8 wire (Mod Only)	315
ETH10WVMOD	ETH - 10 wire (Mod Only)	332

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETH2WHMOD	ETH - 2 wire (Mod Only) (2-18ga) E-LP	324
ETH4WHMOD	ETH - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP	341
ETH6WHMOD	ETH - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP	358
ETH8WHMOD	ETH - 8 wire (Mod Only) (2-20 ga + 6-28 ga) E-LP	375

HALF OR FULL SURFACE - Standard Weight Stainless Steel Hinge

		LIST
ETH2WVMOD/4WVMOD	ETH- 2 wire or 4 wire (Mod Only)	296
ETH6WVMOD	ETH - 6 wire (Mod Only)	313
ETH8WVMOD	ETH - 8 wire (Mod Only)	330
ETH10WVMOD	ETH - 10 wire (Mod Only)	347

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETH2WHMOD	ETH - 2 wire (Mod Only) (2-18ga) E-LP	339
ETH4WHMOD	ETH - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP	356
ETH6WHMOD	ETH - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP	372
ETH8WHMOD	ETH - 8 wire (Mod Only) (2-20 ga + 6-28 ga) E-LP	389

HALF OR FULL SURFACE - Heavy Weight Stainless Steel Hinge

		LIST
ETH2WVMOD/4WVMOD	ETH- 2 wire or 4 wire (Mod Only)	317
ETH6WVMOD	ETH - 6 wire (Mod Only)	334
ETH8WVMOD	ETH - 8 wire (Mod Only)	351
ETH10WVMOD	ETH - 10 wire (Mod Only)	368

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETH2WHMOD	ETH - 2 wire (Mod Only) (2-18ga) E-LP	360
ETH4WHMOD	ETH - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP	377
ETH6WHMOD	ETH - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP	394
ETH8WHMOD	ETH - 8 wire (Mod Only) (2-20 ga + 6-28 ga) E-LP	411

Hinge Modifications Only - 5 Knuckle w/Monitor

5 Knuckle Standard Weight Hinge - (Steel or Brass Base)

		LIST
Monitor Only	Monitor Only (Mod Only)	110
ETM2WVMOD/4WVMOD	Monitor with - 2 wire or 4 wire (Mod Only)	197
ETM6WVMOD	Monitor with - 6 wire (Mod Only)	212
ETM8WVMOD	Monitor with - 8 wire (Mod Only)	231
ETM10WVMOD	Monitor with - 10 wire (Mod Only)	248

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETM2WHMOD	Monitor with - 2 wire (Mod Only) (2-18ga) E-LP	239
ETM4WHMOD	Monitor with - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP	254
ETM6WHMOD	Monitor with - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP	273
ETM8WHMOD	Monitor with - 8 wire (Mod Only) (2-18 ga + 6-28 ga) E-LP	290

5 Knuckle Standard Weight Hinge - (Stainless Steel)

		LIST
Monitor Only	Monitor Only (Mod Only)	144

ETM2WVOD/4WVOD	Monitor with - 2 wire or 4 wire (Mod Only)	Magnetic Monitor Only	231
ETM6WVOD	Monitor with - 6 wire (Mod Only)		248
ETM8WVOD	Monitor with - 8 wire (Mod Only)		262
ETM10WVOD	Monitor with - 10 wire (Mod Only)		279

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETM2WHVOD	Monitor with - 2 wire (Mod Only) (2-18ga) E-LP	Magnetic Monitor Only	273
ETM4WHVOD	Monitor with - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP		290
ETM6WHVOD	Monitor with - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP		305
ETM8WHVOD	Monitor with - 8 wire (Mod Only) (2-18 ga + 6-28 ga) E-LP		322

5 Knuckle Heavy Weight Hinge - (Steel or Brass Base)

Monitor Only	Monitor Only (Mod Only)	Magnetic Monitor Brass Base Only	LIST
ETM2WVOD/4WVOD	Monitor with - 2 wire or 4 wire (Mod Only)		119
ETM6WVOD	Monitor with - 6 wire (Mod Only)		203
ETM8WVOD	Monitor with - 8 wire (Mod Only)		222
ETM10WVOD	Monitor with - 10 wire (Mod Only)		239
			254

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETM2WHVOD	Monitor with - 2 wire (Mod Only) (2-18ga) E-LP	Magnetic Monitor Brass Base Only	246
ETM4WHVOD	Monitor with - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP		265
ETM6WHVOD	Monitor with - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP		281
ETM8WHVOD	Monitor with - 8 wire (Mod Only) (2-18 ga + 6-28 ga) E-LP		296

5 Knuckle Heavy Weight Hinge - (Stainless Steel)

Monitor Only	Monitor Only (Mod Only)	Magnetic Monitor Only	LIST
ETM2WVOD/4WVOD	Monitor with - 2 wire or 4 wire (Mod Only)		152
ETM6WVOD	Monitor with - 6 wire (Mod Only)		239
ETM8WVOD	Monitor with - 8 wire (Mod Only)		254
ETM10WVOD	Monitor with - 10 wire (Mod Only)		271
			288

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETM2WHVOD	Monitor with - 2 wire (Mod Only) (2-18ga) E-LP	Magnetic Monitor Only	281
ETM4WHVOD	Monitor with - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP		296
ETM6WHVOD	Monitor with - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP		313
ETM8WHVOD	Monitor with - 8 wire (Mod Only) (2-18 ga + 6-28 ga) E-LP		330

Hinge Modifications Only - 3 Knuckle w/Monitor

3 Knuckle Standard Weight Hinge - (Steel or Brass Base)

Monitor Only	Monitor Only (Mod Only)	Magnetic Monitor Brass Base Only	LIST
ETM2WVOD/4WVOD	Monitor with - 2 wire or 4 wire (Mod Only)		119
ETM6WVOD	Monitor with - 6 wire (Mod Only)		203
ETM8WVOD	Monitor with - 8 wire (Mod Only)		220
ETM10WVOD	Monitor with - 10 wire (Mod Only)		237
			254

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETM2WHVOD	Monitor with - 2 wire (Mod Only) (2-18ga) E-LP	Magnetic Monitor Brass Base Only	246
ETM4WHVOD	Monitor with - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP		262
ETM6WHVOD	Monitor with - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP		279
ETM8WHVOD	Monitor with - 8 wire (Mod Only) (2-20 ga + 6-28 ga) E-LP		296

3 Knuckle Standard Weight Hinge - (Stainless Steel)

Monitor Only	Monitor Only (Mod Only)	Magnetic Monitor Only	LIST
ETM2WVOD/4WVOD	Monitor with - 2 wire or 4 wire (Mod Only)		169
ETM6WVOD	Monitor with - 6 wire (Mod Only)		254
ETM8WVOD	Monitor with - 8 wire (Mod Only)		271
ETM10WVOD	Monitor with - 10 wire (Mod Only)		288
			305

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETM2WHVOD	Monitor with - 2 wire (Mod Only) (2-18ga) E-LP	Magnetic Monitor Only	296
ETM4WHVOD	Monitor with - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP		313
ETM6WHVOD	Monitor with - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP		330
ETM8WHVOD	Monitor with - 8 wire (Mod Only) (2-20 ga + 6-28 ga) E-LP		347

3 Knuckle Heavy Weight Hinge - (Steel or Brass Base)

Monitor Only	Monitor Only (Mod Only)	Magnetic Monitor Only	LIST
			135

ETM2WVMOD/4WVMOD	Monitor with - 2 wire or 4 wire (Mod Only)	Magne Monit Brass Bass O	222
ETM6WVMOD	Monitor with - 6 wire (Mod Only)		239
ETM8WVMOD	Monitor with t- 8 wire (Mod Only)		256
ETM10WVMOD	Monitor with - 10 wire (Mod Only)		273

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETM2WHMOD	Monitor with - 2 wire (Mod Only) (2-18ga) E-LP	Magnetic Monitor Brass Bass Only	265
ETM4WHMOD	Monitor with - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP		281
ETM6WHMOD	Monitor with - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP		298
ETM8WHMOD	Monitor with - 8 wire (Mod Only) (2-20 ga + 6-28 ga) E-LP		315

3 Knuckle Heavy Weight Hinge - (Stainless Steel)

Monitor Only	Monitor Only (Mod Only)	Magnetic Monitor Only	LIST
ETM2WVMOD/4WVMOD	Monitor with - 2 wire or 4 wire (Mod Only)		186
ETM6WVMOD	Monitor with - 6 wire (Mod Only)		271
ETM8WVMOD	Monitor with t- 8 wire (Mod Only)		288
ETM10WVMOD	Monitor with - 10 wire (Mod Only)		305
			322

HEAVY GAUGE WIRE FOR LATCH RETRACTION

ETM2WHMOD	Monitor with - 2 wire (Mod Only) (2-18ga) E-LP	Magnetic Monitor Only	313
ETM4WHMOD	Monitor with - 4 wire (Mod Only) (2-18 ga + 2-26 ga) E-LP		341
ETM6WHMOD	Monitor with - 6 wire (Mod Only) (2-18 ga + 4-28 ga) E-LP		358
ETM8WHMOD	Monitor with - 8 wire (Mod Only) (2-20 ga + 6-28 ga) E-LP		375

DOOR LOOPS

CONCEALED DOOR LOOPS - for Continuous and Butt Hinges

		LIST
CDL-AL	CDL, Aluminum finish (6" Length)	45
CDL-BLK	CDL, Black finish (6" length)	45
CDL-AL-FX	CDL, AL Finish, (6" length) 1 side fixed	50
CDL-BLK-FX	CDL, Black Finish, (6" length) 1 side fixed	50

CONCEALED DOOR LOOPS - For 3/4" Offset Pivots

		LIST
CDL-AL-EXT	CDL, AL Finish, (12" length) (1 side fixed, 1 side extended)	60
CDL-BLK-EXT	CDL, Black Finish, (12" length) (1 side fixed, 1 side extended)	60
CDL-AL-EXT2	CDL, AL Finish, (18" length) (1 side fixed, both sides extended)	76
CDL-BLK-EXT2	CDL, Blk Finish,(18" length) (1 side fixed, both sides extended)	76

SURFACE DOOR LOOPS

		LIST
DL-20A	20" Door loop, aluminum finish (Can be cut in the field to length)	42
DL-20D	20" Door loop, duro finish (Can be cut in the field to length)	42

\$2.00 cutting charge for Door Loops. **No CDL will work with Wide Throw Continuous Hinge