

# Exit Devices

**PRICE LIST 71PHI**

EFFECTIVE: MAY 3, 2021



# Contents

## General Information

Terms and Conditions of Sale	4
Limited Warranty	6
How to Order	7

## Wide Stile Devices

2100 – Apex Rim – Reversible, Wide Stile	8
2200 – Apex Surface Vertical Rod – Reversible, Wide Stile	9
2300 – Apex Mortise - Handed, Wide Stile	10

## Narrow Stile Devices

2400 – Apex Rim - Non Handed, Narrow Stile	11
2600 – Apex Concealed Vertical Rod - Non Handed, Narrow Stile	12

## Wide Stile Devices

2700 – Apex Wood Door Concealed Vertical Rod - Reversible, Wide Stile	13
2800 – Apex Concealed Vertical Rod - Reversible, Wide Stile	14

## Decorative Levers list Price

2900/4900 Series Trims	15
------------------------	----

## Reliant Series

5100 – Reliant Rim - Non Handed	16
5200 – Reliant Surface Vertical Rod - Reversible	17

## Olympian Series

100 – Olympian Rim - 100 Handed, R100 Reversible, Crossbar	18
200 – Olympian Surface Vertical Rod - Non Handed, Crossbar	19
300 – Olympian Mortise - Handed, Crossbar	20

## Arm-A-Dor®

7R0 – Arm-A-Dor® – Security Exit Hardware	21
---	----

## Trims

Apex Wide & Narrow Stile, Olympian Trim	22
---	----

## Mullions

Mullions	23
Strikes	24

## Strikes & Accessories

Accessories	24
Electrical Products	25

## Component Assemblies

Apex Component Assemblies - Wide Stile	27
Apex Component Assemblies - Narrow Stile	29
Reliant Component Assemblies	30
Olympian Component Assemblies - Crossbar	31
Olympian Component Assemblies - Crossbar	32
Trim Components Assemblies	32

## Miscellaneous

Weight Chart	33
Quoting & Ordering	34
BEST Cylinder and Precision Exit Device Orders	35
Returned Authorization (RA) Non-Warranty	36

Fulfillment Issues	36
--------------------	----

## Forms

Order Form	37
Return Authorization Form Request	38

**Acceptance.** The following Terms and Conditions of sale are applicable to all Quotations, Contract, Purchase Orders, Order Acknowledgement Forms, and sales of Seller's services and products, and are the only applicable terms and conditions thereto, except for terms establishing prices, quantities, delivery schedules, terms of payment, invoicing, shipping instructions, and the identification of the products associated with each transaction. If any conflict exists between the Terms and Conditions and a Quotation, Purchase Order, Order Acknowledgment form, or sale, these Terms and Conditions shall prevail BY REQUESTING A QUOTATION OF ORDERING ANY PRODUCTS OR SERVICES FROM SELLER, BUYER AGREES TO ALL THE FOLLOWING TERMS AND CONDITIONS. If a written contract signed by both parties is in existence covering the sale of the goods and services, the terms and conditions of the contract shall control to the extent they are inconsistent with these Terms and Conditions.

**1. Order Procedure.** Buyer may or may not request the preparation of a Quotation prior to ordering any products or services from Seller. Buyer then shall place a Purchase Order with Seller. By placing a Purchase Order, Buyer makes an offer to purchase products or services from Seller pursuant to these Terms and Conditions. Seller, in its discretion, may accept or reject the Purchase Order. If Seller accepts the Purchase Order, Seller shall issue an Order Acknowledgement Form confirming Buyer's order. No Purchase Order is binding on Seller unless accepted by Seller as provided in these Terms and Conditions.

**2. Quotations.** All Quotations by Seller are subject to change or withdrawal without prior notice to Buyer unless otherwise specifically stated in the Quotation. All resulting Purchase Orders become effective only if and when approved and accepted in writing by Seller by the issuance of its Order Acknowledgement Form. Seller reserves the right to discontinue manufacture of any products or change products materials, design, or specifications without notice.

### 3. Site Requirements.

a. The Quotation is contingent upon all work being performed during normal business hours unless otherwise negotiated and a mutually agreeable schedule. The Quotation is calculated on one continuous installation engagement based on acceptable site conditions where other dependent scopes have completed preparation for proposed materials [i.e. electrical work, floor work, adjacent construction]. When Buyer has given authorization for work to begin, no other scopes may impede Seller's ability to complete installation in agreed upon area. Seller reserves the right to invoice for costs that are incurred due to unacceptable site conditions or delays by others resulting in additional installation visits.

b. Signed acceptance by Buyer of shop drawings and/or submittals shall be interpreted as acceptance that proposed scope is the correct interpretation of construction documents. Any field verification and/or work required by others as detailed in the submittal will be provided and coordinated by Buyer. Work shall not begin nor shall orders be placed for any projects until all shop drawings and submittals have been approved in writing by Buyer.

**4. Warranty.** For a period of twelve (12) months from the date of delivery, Seller warrants only that all products sold pursuant to a Quotation or Purchase Order will conform to the description in this Price Book and will be free from defects in workmanship and materials. Extended warranties are available for an additional cost. Seller is not responsible for defects or damages caused by wear and tear, consumable materials, vandalism, fires, storms, floods, acts of God, misuse, abuse or alteration by any company other than Seller. Seller further warrants that Buyer will receive good and valid title to the products. Any claim on account of nonconforming or defective products or for any other cause whatsoever shall conclusively be deemed waived by Buyer unless written notice thereof is given to Seller promptly after discovery but no later than sixty (60) days from date of shipment. Seller shall have the right either to replace or repair any nonconforming or defective products, to refund the purchase price upon return of the products, or to grant a reasonable allowance on account of such nonconformance or defect Seller's liability and Buyer's exclusive remedy for nonconforming or defective products shall be limited solely to replacement, repair, refund, or allowance as Seller may elect. Seller shall be given reasonable opportunity to

investigate all claims and no materials shall be returned to Seller until after inspection and approval by Seller and receipt by Buyer of written shipping instructions from Seller. Buyer acknowledges and agrees that the remedies set forth in this paragraph are Buyer's exclusive remedies for the delivery of nonconforming or defective products.

### Additional Warranties

- a) No credit will be provided for any work completed by others during warranty term.
- b) Warranty work will be performed during normal business hours with our standard response times. Any warranty work taking place beyond normal business hours or with expedited response time may be billable.
- c) Products repaired or replaced under the warranty are warranted only through the remainder of the original warranty period.

**Disclaimer of Further Warranties.** Except as set forth above, there is no warranty, representation, or condition of any kind, express or implied (including no warranty of merchantability or fitness of the products for any use contemplated by Buyer) concerning Seller's products or services and none shall be implied by law. 5. Limitation of Liability and Remedies. Seller shall not be liable, and Buyer waives all claims against Seller for any incidental, consequential, or special damages, including without limitation, lost revenues and profits even if Seller has been advised of the possibility of such damages. Buyer's exclusive remedy for any cause of action under these Terms and Conditions is a claim for damages and in no event will damages or any other recovery of any kind against Seller exceed the purchase price of the specific products or services as to which the claim is made. Seller will not be liable to Buyer for any loss, damage, or injury to persons or property resulting from the handling, storage, transportation, resale, or use of the products in manufacturing processes, or in combination with other substances, or otherwise.

**6. Intellectual Property Indemnification.** (a) Seller agrees to defend, indemnify and hold Buyer harmless against any claims, costs, damages, liability and expenses resulting from actual or alleged patent, trademark, or copyright infringement, misappropriation of confidential information, or violation of any other intellectual property right, domestic or foreign, in the selling or use of any part or product that is owned by Seller and that pertains to the subject matter of a Quotation, Purchase Order, or sale of products or services (provided that the product is not modified in anyway by Buyer or any other party, and that the product is used in the manner intended by Seller). If a suit or claim results in any injunction or any other order that would prevent Seller from supplying any product falling under a Quotation, Purchase Order, or sale, or if the result of such a suit or claim would, in the reasonable opinion of Seller, otherwise cause Seller to be unable

to supply such products, Seller shall have the right, at its option, if it so chooses, to do one or more of the following: (i) secure an appropriate license to permit Seller to continue supplying the products to Buyer; (ii) modify the relevant product so that it becomes non-infringing, provided that any modification does not cause any material change to the operation or performance of the product; or (iii) replace the relevant product with a non-infringing but practically equivalent product. (b) Buyer agrees to defend, indemnify, and hold Seller harmless against any claims, costs, damages, liability and expenses resulting from actual or alleged patent, trademark, or copyright infringement, misappropriation of confidential information, or violation of any other intellectual property right, domestic or foreign, in the making, using or selling of any product or using any process that is owned by Buyer or is designed or specified by Buyer and that pertains to the subject matter of a Quotation, Purchase Order, or sale.

**7. Ownership of Inventions.** All drawings, know-how, designs, confidential information, and the like disclosed to Buyer by Seller and all rights therein will remain the property of Seller. Buyer shall have no claim to, ownership interest in, no license to, or no rights to any information provided or communicated by Seller.

**8. Lead Times.** If applicable, lead times are based on standard requirements by factory to provide materials proposed. Ship dates will be

provided as estimate only once order is placed with the factory. Adequate packaging will be provided for any normal shipping circumstance such that materials will be protected and labeled as required. Special packaging may be provided for an additional expense. Shipping will be cost effective unless expedited fees are accepted by Buyer. If materials are to be provided to job site or Buyer location, dormakaba will make an informed decision as to the best instruction to provide the shipping company. If materials are not required to have direct delivery, materials will be brought to branch for pickup by Buyer. All freight terms shall be FOB. Any claims for damage in transit or lost freight, receiving, and inspection of materials is the responsibility of Buyer. It is a requirement of Buyer to inspect and review all materials prior to accepting shipment.

9. **Title/Risk of Loss.** All products shall be shipped FOB Seller's manufacturing facility to Buyer's designated delivery location. Unless otherwise agreed by the parties, Seller shall select the method of and carrier for the products. Seller reserves the right to ship items in a single or in multiple shipments. Title and risk of loss to products ordered passes to Buyer upon delivery of the products to the freight carrier. Unless mutually agreed upon in writing, shipping dates are approximate and are based upon prompt receipt of all necessary information.

10. **Prices.** Quoted price is valid for 90 days. Seller reserve the right to revise quotations after the 90 days. All accepted Purchase Orders are subject to Seller's price in effect at time of shipment. Buyer shall be responsible for any increase in freight rates or transportation charges occurring after Seller prepared the Order Acknowledgment Form. on the Order Acknowledgment Form. Buyer shall pay to Seller in addition to the purchase price the amount of all fees, duties, licenses, and all sales, use, privilege, occupation, excise, or other taxes, federal, state, local, or foreign which Seller is required to pay or collect in connection with products or services sold to Buyer.

11. **Payments.** Unless otherwise agreed in writing between the parties, all Seller's invoices are payable within thirty (30) days of their date. Time is of the essence. Interest on past due amounts will be assessed at the rate of 1.5% per month (18% per annum), or the maximum allowable by law.

Seller reserves the right to full payment upon completion of work unless credit is pre-established. For any work requiring materials purchase or scheduling, a 50% deposit is due at time of proposal acceptance. Twenty percent (20%) of the Quotation, Purchase Order value may be billed after job award. Joint check agreements may be requested at the discretion of Seller. If payment is outstanding for any one account, work may be stopped and outstanding orders cancelled until account is restored. Should Seller require the use of collection, attorney's fees, or fees for insufficient funds, Buyer agrees that these funds will be repaid to Seller. Seller retains the right to file a lien against all or part of the property being improved. Seller reserves the right to add a 2.5% charge if invoice becomes delinquent beyond terms.

12. **Cancellation.** In the event a Buyer's Purchase Order and the issuance of an Order Acceptance Form is cancelled, it will be subject to standard 20% restocking fees, cancellation fees, engineering fees, materials & freight costs incurred, and administrative fees. Standard cancellation is 20% of order as long as no materials have been ordered. Should Buyer release material orders, Buyer will be liable for that portion of the job and 20% of the remaining amount of work unperformed/unordered.

13. **Storage.** If applicable, Seller reserves the right to implement a storage fee if delivery is delayed after agreed upon date. Should project timeline require storage of materials, Seller reserves the right to bill for those materials at the time they have been received at a Seller location, Buyer location, or at job site. Certificate of insurance for stored materials can be provided to Buyer upon request. Signed acceptance by Buyer of shop drawings and/or submittals shall be interpreted as acceptance that proposed scope is the correct interpretation of construction documents. Any field verification and/or work required by others as detailed in the submittal will be provided and coordinated by Buyer.

14. **Insolvency.** Seller may, at any time or times, suspend performance of any order or require payment in cash, security, or other adequate assurance satisfactory to Seller when, in Seller's opinion, the financial condition of Buyer or other grounds for insecurity, including the filing of a petition for bankruptcy, warrant such action.

15. **Force Majeure.** Seller shall not be liable for any delay in fulfilling any order due to (a) fires, floods, strikes, or other labor disputes, accidents to machinery, acts of sabotage, riots, precedence or priorities granted at the request or for the benefit, directly or indirectly, of the federal or any state government or any subdivision or agency thereof, delays in transportation or lack of transportation facilities, restrictions imposed by federal or state legislation or rules of regulations thereunder; or (b) any cause beyond the control of Seller.

16. **Ownership of Equipment.** Unless otherwise agreed in a writing, all material, equipment, facilities, and special tooling, which term includes but is not limited to jigs, dies, fixtures, molds, patterns, special taps, special gauges, special test equipment, and manufacturing aids and replacements thereof, used in the manufacture of the products covered by any order shall remain the property of Seller. Any material, tooling, and equipment furnished to Seller by Buyer shall be and remain the personal property of Buyer with the title to and right of possession remaining in Buyer.

17. **Confidential Information.** All information furnished or made available by Seller to Buyer in connection with a transaction shall be held in confidence by Buyer. Buyer agrees not to use such information or disclose such information to others without Seller's prior written consent. The obligations of this paragraph does not apply to any information which (a) at the time of disclosure was, or thereafter becomes, generally available to the public by publication or otherwise through no breach by Buyer of any obligation herein, (b) Buyer can show by written records was in Buyer's possession prior to disclosure by the disclosing party, (c) is legally made available to Buyer by or through a third party having no direct or indirect confidentiality obligation to Seller with respect to such information, (d) was independently developed by Buyer without use of any of Seller's confidential information, or (e) is required to be disclosed pursuant to applicable law.

18. **Waiver.** No waiver by Seller of any of these Terms and Conditions shall be effective unless explicitly set forth in writing and signed by Seller. No failure to exercise, or delay in exercising, any rights, remedy, power, or privilege arising from these Terms and Conditions shall operate or be construed as a waiver thereof, nor shall any single or partial exercise of any right, remedy, power, or privilege hereunder preclude any other or further exercise thereof or the exercise of any other right, remedy, power or privilege.

19. **Assignment.** No assignment of any right or interest or delegation of any obligation or performance of Buyer under this order may be made without the prior written consent of Seller. Any attempted assignment or delegation will be wholly void and totally ineffective for all purposes.

20. **Choice of Law.** All sales, agreements for sale, offers to sell, proposals, acknowledgments and contracts of sale, including, but not limited to, Purchase Orders accepted by Seller, shall be considered a contract under the laws of the State of Delaware, and the rights and duties of all persons, and the construction and effect of all provisions hereof, shall be governed by and construed according to the laws of the State of Delaware.

21. **Integration Clause.** These Terms and Conditions constitute the entirety of terms and conditions, except as set forth in paragraph one, governing the sale and purchase of products and services sold by Seller. No modification of these Terms and Conditions shall be of any force or effect unless in writing and signed Seller and Buyer. Buyer may desire to utilize its own form of acknowledgment or acceptance of these Terms and Conditions. However, the use of any such form shall be for convenience only. No modification of these Terms and Conditions shall be affected by the acknowledgment or acceptance of purchase orders, shipping instruction forms, bills of lading or any other document containing terms or conditions at variance with or in addition to those set forth herein, all such varying or additional terms being hereby objected to and rejected by Seller and deemed to be waived by Buyer.

**What is Covered:** dormakaba USA Inc. ("dormakaba USA") warrants that all Products manufactured by dormakaba USA and sold under its trade name "PRECISION HARDWARE" are free of defects in materials and workmanship as outlined below. The sole and exclusive liability of dormakaba USA under this warranty is limited to the repair or replacement of any Product or component part covered by the warranty at the sole discretion of dormakaba USA.

**Who is Covered:** This warranty is extended only to Seller's distributors of products and the end user who purchases products for purposes other than resale (collectively, "Purchaser").

**Hardware Warranty Period:**

- Apex, Arm-A-Door, Reliant, Olympian Series (3, 4, 5R Exit Devices) mechanical products shall be warranted for five (5) years from the date of sale.
- Apex, Arm-A-Door, Reliant, Olympian Series (3, 4, 5R Exit Devices) electrical products shall be warranted for one (1) year from the date of sale.
- RM Mullions (811 & 822 Series) shall be warranted for five (5) years from date of sale.
- Finishes shall be warranted for three (3) years from the date of sale excluding US10B/613 "Oil Rubbed Bronze" finish.

**Wi-Q™ Technology and Offline Series:**

- dormakaba USA warrants that all software shall be free from defects in materials and workmanship and will function in substantial accordance to the specifications for a period of one (1) year from the date of installation.
- Specific Limitations: This warranty does not cover any post-sales technical support under the following circumstances:
  - Problems caused by misuse of software or hardware
  - Failure to provide a network connection or site phone line for a modem connection, if deemed necessary by dormakaba USA
  - Technical support for network software products
  - Technical support for software installed on computer hardware or computer operating system that is no longer commercially available for purchase.

**Warranty Claims:** Any Products believed to be defective as covered by this warranty may not be returned without prior written Returned Materials Authorization (RMA) from dormakaba USA Product Support (855) 365-2407 covering specific items and quantities within thirty (30) days from the discovery of the alleged defect(s). dormakaba USA will inform the purchaser where to ship said Product(s), shipping charges prepaid by you, for examination. In the event such examination reveals a defect covered by this warranty; dormakaba USA will, at its sole option, repair or replace the Product, and return it or its replacement to the purchaser, with charges only for shipping.

Exclusions: This warranty specifically excludes, and dormakaba USA shall not be held responsible for the following:

- a) **COSTS ASSOCIATED WITH INSTALLING, REMOVING OR REINSTALLATION OF THE PRODUCT.**
- b) Damage caused by Product malfunction or failure attributable to acts of God.
- c) Improper use or installation.
- d) Poor or no maintenance.
- e) Work performed by someone other than an Authorized dormakaba USA technician.
- f) Failure to follow dormakaba USA's operating instructions or environmental specifications.
- g) Incorrect application, modification, vandalism, erosion or corrosion, shipping and/or handling, improper storage, accident, misuse, abuse or any other cause not within the control of dormakaba USA.
- h) This warranty is void if any modification is made to the warranted product, regardless of whether the modification causes or contributes to the alleged defect. All modifications are made at the risk and expense of the party making the modifications.
- i) dormakaba USA shall not be liable for any repairs, replacements, or adjustments to the product or any costs of labor performed by the Purchaser or others without dormakaba USA's prior written approval.
- j) dormakaba USA provides no warranty or guarantee that its cores and/or cylinders will function properly or be mechanically compatible with products not manufactured by dormakaba USA.
- k) The US10B/613 finish is considered to be a living finish that will change over time with use and age and is expressly excluded from this warranty. The finish changes that occur are indicative of normal wear and tear and reflect the essence of a living finish. The finish changes are not considered manufacturing defects and are not covered by this warranty.


**Third Party Warranty:** Except as otherwise provided above, dormakaba USA makes no warranty, express or implied, with regard to third party hardware or software and expressly disclaims the implied warranties or conditions of merchantability or merchantable quality, fitness for a particular purpose, title, infringement and those arising by statute or otherwise in law. Customer's sole recourse for warranty claims is with the manufacturer of the Product. However, dormakaba USA agrees to pass through any third party warranty that dormakaba USA receives from the manufacturer of the Products to Purchaser. The extent of any third party warranty details, terms and conditions, remedies and procedures may be expressly stated on, or packaged with, or otherwise accompanying the Products.

**LIMITATION OF WARRANTIES:** THIS WARRANTY IS GIVEN EXPRESSLY AND IN PLACE OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE. THERE ARE NO UNDERSTANDINGS, AGREEMENTS, REPRESENTATIONS, OR WARRANTIES NOT SPECIFIED HEREIN.

dormakaba USA SHALL NOT, IN ANY EVENT, BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, INDIRECT, SPECIAL OR PUNITIVE DAMAGES SUFFERED BY PURCHASER OR ANYONE CLAIMING BY, THROUGH OR UNDER PURCHASER, AS A RESULT OF THE CONDITION OF THIS PRODUCT, OR ANY PART OR PORTION THEREOF.

SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR PROHIBIT THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION AND EXCLUSIONS MAY NOT APPLY IN YOUR STATE.

THIS WARRANTY IS GOVERNED BY THE LAW OF THE STATE OF INDIANA WITHOUT REGARD TO ITS CONFLICTS OF LAW PRINCIPLES. dormakaba USA AND PURCHASER AGREE THAT THE UNITED NATIONS CONVENTION ON CONTRACTS FOR THE INTERNATIONAL SALE OF GOODS SHALL NOT APPLY TO SALE OF THE PRODUCTS COVERED BY THIS WARRANTY.



**DEVICE ONLY:** List quantity, device model w/function, hand, finish, strike, and door size including thickness.

Note: For greater exit device mounting heights, see extended bottom rods (pages 35, 36, 37 & 38)

**FINISHES**

For standard finishes in each series, see individual product pages.  
For other finishes, consult factory.

BHMA	US	DESCRIPTION
600*	USP	Primed for Paint
605	US3	Bright Brass, Clear Coated
606	US4	Satin Brass, Clear Coated
612	US10	Satin Bronze, Clear Coated
613	US10B	Satin Bronze, Oxidized, Oil Rubbed
622		Powder Coat Black
625	US26	Bright Chrome Plated
626W		Weatherized Satin Chrome
628	US28	Satin Aluminum, Clear Anodized
630	US32D	Satin Stainless Steel
630AM		Satin Stainless Steel with UltraShield™ Antimicrobial coating
689*	---	Aluminum Paint / Powder Coat
690		Powder Coat Dark Bronze
695*	---	Dark Bronze Paint / Powder Coat

UltraShield™ Antimicrobial finish coating option available to Apex & Olympian Exit Devices & Trims. 630AM list price add \$68.00 Exit Devices, \$27.00 Trims

**SPLIT FINISHES**

When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price (see specific device page), to appropriate "Trim" price (pag. 22).  
\*Mullion finishes 689 & 695 finishes for Reliant series exit devices.

**DEVICES FOR DOOR WIDTHS**

Stock Size for 3'-0" or 4'-0" wide door is available for all series of devices. Stock Size for 2'-0" to 2'-6" wide door is also available

for Apex wide stile only. For factory cutting add \$17 list per device cutting charge (FC). Please provide cut required details. Factory cuts limit product option capability.

**DOOR THICKNESS**

Rim and Surface Vertical Rod exit device accommodates doors ranging from 1-3/4" – 2-1/4" Mortise and Concealed Vertical Rod exit devices accommodate 1-3/4" thick doors. For applications exceeding the door thickness referenced above, please consult Product Support. Additional charges will apply.

**FASTENERS**

Furnished standard with machine screws and full thread wood/sheet metal screws. Specify Sex Nuts and Bolts "SNB" where recommended or required by the door manufacturer.

**SEX NUTS & BOLTS** (Not furnished standard)

**1/4-20 Thread** – When used with top & bottom surface vertical rod latches: (Part # 02399-91 x Finish).

**10-24 Thread** – When used with end cap bracket, active case and rod guides: (Part # 02408-91 x Finish). If Sex Nuts and Bolts are required, see individual device pages for quantity required and pricing. To order separately, specify "SNB" x Finish. See exit device page for sex bolt pricing.

**SECURITY SCREWS**

All exposed screws will be Torx® pin tamper resistant machine screws. Specify "SEC" Security Screws. If Security Screws are specified see individual device pages for the price.

# 2100 – Apex Rim – Reversible, Wide Stile

Wide Stile Devices



Pull Trim



Lever/Knob Trim

Outside Function		Device × Trim	628	606, 612 613, 622, 630, 690	626W Weatherized	605, 625
<b>Pull Trim:</b>						
01	Exit only, cover plate	2101 × 1701	1,575.00	1,816.00	1,986.00	2,029.00
02	Exit only, dummy trim	2102 × 1702A	1,754.00	1,995.00	2,165.00	2,216.00
03	Key retracts latchbolt	2103 × 1703A				
05	Key controls thumb piece	2105 × 1705A	1,875.00	2,116.00	2,286.00	2,339.00
15	Thumb piece always active	2115 × 1715A				

(Devices with 2000C Series Trim are the same price)

<b>Lever/Knob Trim:</b>						
01	Exit only, cover plate	2101 × 4901	1,627.00	1,868.00	2,038.00	2,079.00
02	Exit only, dummy trim	2102 × 4902A	1,982.00	2,223.00	2,393.00	2,526.00
03	Key retracts latchbolt	2103 × 4903A				
08	Key controls lever/knob	2108 × 4908A	2,115.00	2,356.00	2,526.00	2,660.00
08	Key controls lever	2108 × V4908A				
14	Lever/knob always active	2114 × 4914A				
10	Inside key controls lever/knob Outside key retracts latchbolt	2110 × 4908A 2110 × V4908A	2,482.00	2,725.00	2,924.00	3,058.00
10VI	Inside key controls lever/knob, Includes Visual Lock/Unlock Indicator, Outside key retracts latchbolt	2110VI x 4908A or V4908A	2,578.00	2,804.00	2,990.00	3,115.00

Lock/Unlock Indicator, Outside key retracts latchbolt

<b>Device Only:</b>						
	01, 02, 03, 05, 08, 14, 15	21, 2101, 2102, 2103*, 2105, 2108, 2114, 2115	1,450.00	1,691.00	1,861.00	1,861.00

\*2103 Device × Cylinder Only Application includes Cylinder Attachment Kit "CA-03"

E	Elec. Device Electric Lock/Unlock Outside Trim	E2103 × 4908A E2103 × V4908A	2,771.00	3,012.00	3,182.00	3,316.00
---	---	---------------------------------	----------	----------	----------	----------

FL	<b>Fire Rated Hardware Specify prefix "FL" (e.g. FL2103) Dogging option NOT available</b>					<b>Add 193.00</b>
----	---	--	--	--	--	-------------------

## Options

Prefix	(add to device #)	Add	Suffix	(add to device #)	Add
C	Pre-Terminated Quick Connect Plug **	N/C	ALK	Exit Alarm: battery operated kit (9V battery included)	641.00
DE	Delayed Egress: REQUIRES PSI161-6 Power Supply (pg. 31)	1,787.00	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	641.00
E	Electric Lock/Unlock with Lock/Unlock monitoring (see above)	-	BRL	Braille Touchbar	108.00
ELR	Electric Latch Retraction: REQUIRES ELR150 Series Power Supply (pg. 32)	894.00	CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included	97.00
HC	Hurricane Code Device	42.00	DS	Door Position Monitoring Switch	135.00
LDS	Latchbolt Monitoring Double Switch	301.00	FC	Factory Cut	17.00
LS	Latchbolt Monitoring Switch	247.00	LD	Less Dogging	44.00
MLR	Motorized Latch Retraction	965.00	SEC	Security Screws	56.00
O	Wireless Access Management System	541.00	SNB	Sex Nut and Bolt (6 req'd) without Trim	78.00
TDS	Touchbar Monitoring Double Switch	311.00	SNB	Sex Nut and Bolt (2 req'd) with Trim	26.00
TS	Touchbar Monitoring Switch	255.00	WALW	Weatherized Exit Alarm: Remote power (24 VDC)	833.00
WTDS	Weatherized Touchbar Monitoring Double Switch	450.00			
WTS	Weatherized Touchbar Monitoring Switch	360.00			

**NOTES:** · UltraShield™ Antimicrobial finish coating option available to Apex Exit Devices & Trims.  
 - 630AM list price for Exit Devices Add 68.00  
 - 630AM list price for Trims Add 27.00

· Devices for Retrofit Applications prefix Trim with the letter "R" (e.g. R4908A)  
 · Devices are priced less cylinders. If cylinder is required please see cylinders on pg. 35.  
 · Devices for 3'-0" door are furnished standard.  
 · Devices for 2'-6" & 4'-0" doors are available at **no extra charge**  
 \*\* See Hinges & Door Accessories price book for Wire Harness product

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

**To Order:** Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.



# 2200 – Apex Surface Vertical Rod – Reversible, Wide Stile

Wide Stile Devices



Pull Trim



Lever/Knob Trim

Outside Function		Device × Trim	628	606, 612 613, 622, 630, 690	626W Weatherized	605, 625	
<b>Pull Trim:</b>							
01	Exit only, cover plate	2201 × 1701	2,212.00	2,465.00	2,660.00	2,703.00	
02	Exit only, dummy trim	2202 × 1702A	2,391.00	2,644.00	2,839.00	2,890.00	
03	Key retracts latchbolt	2203 × 1703A					
05	Key controls thumb piece	2205 × 1705A	2,512.00	2,765.00	2,960.00	3,013.00	
15	Thumb piece always active	2215 × 1715A					
(Devices with 2000C Series Trim are the same price)							
<b>Lever/Knob Trim:</b>							
01	Exit only, cover plate	2201 × 4901	2,264.00	2,517.00	2,712.00	2,753.00	
02	Exit only, dummy trim	2202 × 4902A	2,619.00	2,872.00	3,067.00	3,200.00	
03	Key retracts latchbolt	2203 × 4903A					
08	Key controls lever/knob	2208 × 4908A	2,752.00	3,005.00	3,200.00	3,334.00	
08	Key controls lever	2208 × V4908A					
14	Lever/knob always active	2214 × 4914A					
<b>Device Only:</b>							
	01, 02, 03, 05, 08, 14, 15	21, 2101, 2102, 2103*, 2105, 2108, 2114, 2115	2,087.00	2,340.00	2,535.00	2,535.00	
*2203 Device × Cylinder Only Application includes Cylinder Attachment Kit "CA-03"							
E	Elec. Device [see above]	E2203 × 4908A	3,663.00	3,916.00	4,111.00	4,245.00	
FL	<b>Fire Rated Hardware Specify prefix "FL" (e.g. FL2103) Dogging option NOT available</b>					<b>Add 193.00</b>	

## Options

Prefix	(add to device #)	Add	Suffix	(add to device #)	Add
C	Pre-Terminated Quick Connect Plug **	N/C	ALK	Exit Alarm: battery operated kit (9V battery included)	641.00
DE	Delayed Egress: REQUIRES PS161-6 Power Supply (pg. 31)	1,787.00	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	641.00
ELR	Electric Latch Retraction: REQUIRES ELR150 Series Power Supply (pg. 32)	894.00	BRL	Braille Touchbar	108.00
HC	Hurricane Code Device	42.00	CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included	97.00
LS	Latchbolt Monitoring Switch	247.00	DS	Door Position Monitoring Switch	135.00
MLR	Motorized Latch Retraction	965.00	FC	Factory Cut	17.00
Q	Wireless Access Management System	541.00	LBR	Less Bottom Rod ( <b>no extra charge</b> )	-
TDS	Touchbar Monitoring Double Switch	311.00	LD	Less Dogging	44.00
TS	Touchbar Monitoring Switch	255.00	SEC	Security Screws	56.00
WTDS	Weatherized Touchbar Monitoring Double Switch	450.00	SNB	SNB Sex Nut and Bolt (10 req'd - not including rod guides) without Trim	130.00
WTS	Weatherized Touchbar Monitoring Switch	360.00	SNB	SNB Sex Nut and Bolt (8 req'd - not including rod guides) LBR Device without Trim	104.00
			SNB	SNB Sex Nut and Bolt (6 req'd - not including rod guides) with Trim	78.00
			SNB	SNB Sex Nut and Bolt (4 req'd - not including rod guides) LBR Device with Trim	52.00
			TMB	Transom Bracket	69.00
			WALW	Weatherized Exit Alarm: remote power (24 VDC)	833.00

**NOTES:**

- UltraShield™ Antimicrobial finish coating option available to Apex Exit Devices & Trims.
  - 630AM list price for Exit Devices Add 68.00
  - 630AM list price for Trims Add 27.00
- Devices for Retrofit Applications prefix Trim with the letter "R" (e.g. R4908A)
- Devices are priced less cylinders. If cylinder is required please see cylinders on pg. 35.
- Devices for 3'-0" door are furnished standard.
- Devices for 2'-6" & 4'-0" doors are available at **no extra charge**
- Top Rod for 7'-0" high door is furnished standard.
- Top Rod for 8'-0" to 12'-0" high door is available at **no extra charge**. [See catalog for fire rating].


\* Rod and Latch Guards provided by others  
 \*\* See Hinges & Door Accessories price book for Wire Harness product

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

**To Order:** Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

# 2300 – Apex Mortise - Handed, Wide Stile

Wide Stile Devices



Pull Trim



Lever/Knob Trim

Outside Function		Device × Trim	628	606, 612 613, 622, 630, 690	626W Weatherized	605, 625
<b>Pull Trim:</b>						
01	Exit only, cover plate	2301 × 1701	2,176.00	2,430.00	2,619.00	2,662.00
02	Exit only, dummy trim	2302 × 1702A	2,355.00	2,609.00	2,798.00	2,849.00
03	Key retracts latchbolt	2303 × 1703A				
05	Key controls thumb piece	2305 × M1705A	2,476.00	2,730.00	2,919.00	2,972.00
15	Thumb piece always active	2315 × M1715A				
(Devices with M2000C Series Trim are the same price)						
<b>Lever/Knob Trim:</b>						
01	Exit only, cover plate	2301 × 4901	2,228.00	2,482.00	2,671.00	2,712.00
02	Exit only, dummy trim	2302 × 4902A	2,583.00	2,837.00	3,026.00	3,159.00
03	Key retracts latchbolt	2303 × M4903A				
08	Key controls lever/knob	2308 × M4908A	2,716.00	2,970.00	3,159.00	3,293.00
08	Key controls lever	2308 × VM4908A				
14	Lever/knob always active	2314 × M4914A	3,083.00	3,339.00	3,557.00	3,691.00
10	Inside key controls lever/knob Outside key retracts latchbolt	2310 × M4908A 2310 × VM4908A				
10	Inside key controls lever/knob	2310 × M4914A				
<b>Device Only:</b>						
	01, 02, 03, 05, 08, 14, 15	2301, 2302, 2303, 2305, 2308, 2314, 2315	2,051.00	2,305.00	2,494.00	2,494.00
*2103 Device × Cylinder Only Application includes Cylinder Attachment Kit "CA-03"						
E	Elec. Device Electric Lock/Unlock Outside Trim	E2303 × M4908A E2303 × VM4908A	3,414.00	3,668.00	3,857.00	3,991.00
FL	<b>Fire Rated Hardware</b> Specify prefix "FL" (e.g FL2303) Dogging option NOT available					<b>Add 193.00</b>

## Options

Prefix	(add to device #)	Add	Suffix	(add to device #)	Add
C	Pre-Terminated Quick Connect Plug**	N/C	ALK	Exit Alarm: battery operated kit (9V battery included)	641.00
DE	Delayed Egress: REQUIRES PSI61-6 Power Supply (pg. 31)	1,787.00	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	641.00
E	Electric Lock/Unlock with Lock/Unlock monitoring (see above)	-	BRL	Braille Touchbar	108.00
ELR	Electric Latch Retraction: REQUIRES ELR150 Series Power Supply (pg. 32)	894.00	CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included	97.00
HC	Hurricane Code Device	42.00	DS	Door Position Monitoring Switch	135.00
LS	Latchbolt Monitoring Switch	247.00	FC	Factory Cut	17.00
MLR	Motorized Latch Retraction	965.00	LD	Less Dogging	44.00
TDS	Touchbar Monitoring Double Switch	311.00	SEC	Security Screws	56.00
TS	Touchbar Monitoring Switch	255.00	SNB	Sex Nut and Bolt (6 req'd) without Trim	78.00
WTDS	Weatherized Touchbar Monitoring Double Switch	450.00	SNB	Sex Nut and Bolt (2 req'd) with Trim	26.00
WTS	Weatherized Touchbar Monitoring Switch	360.00	WALW	Weatherized Exit Alarm: Remote power (24 VDC)	833.00

**NOTES:**

- UltraShield™ Antimicrobial finish coating option available to Apex Exit Devices & Trims.
  - 630AM list price for Exit Devices Add 68.00
  - 630AM list price for Trims Add 27.00
- Devices are priced less cylinders. If cylinder is required please see cylinders on pg. 35
- Devices for 3'-0" door are furnished standard.


- For mortise lock body ONLY see page 24.
- For 2'-6" & 4'-0" doors are available at **no extra charge**
- \*\* See Hinges & Door Accessories price book for Wire Harness product

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

**To Order:** Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

# 2400 – Apex Rim - Non Handed, Narrow Stile

## Narrow Stile Devices



Pull Trim



Lever/Knob Trim

Outside Function	Device × Trim	628	606, 612 613, 622, 630, 690	626W Weatherized	605, 625
<b>Pull Trim:</b>					
01 Exit only, cover plate	2401 × 2001	1,760.00	2,010.00	2,191.00	2,234.00
02 Exit only, dummy trim	2402 × 2002C	1,939.00	2,189.00	2,370.00	2,421.00
03 Key retracts latchbolt	2403 × 2003C				
<b>Lever/Knob Trim:</b>					
01 Exit only, cover plate	2401 × 2901	1,812.00	2,062.00	2,243.00	2,284.00
02 Exit only, dummy trim	2402 × 2902A	2,167.00	2,417.00	2,598.00	2,731.00
03 Key retracts latchbolt	2403 × 2903A				
08 Key controls lever	2408 × 2908A	2,300.00	2,550.00	2,731.00	2,865.00
14 Lever always active	2414 × 2914A				
<b>Device Only:</b>					
01, 02, 03, 08, 14	2401, 2402, 2403*, 2408, 2414	1,635.00	1,885.00	2,066.00	2,066.00
*2403 Device × Cylinder Only Application includes Cylinder Attachment Kit "NCA-03".					
FL	<b>Fire Rated Hardware</b> Specify prefix "FL" (e.g. FL2403) Dogging option NOT available				<b>Add 193.00</b>

### Options

Prefix	(add to device #)	Add	Suffix	(add to device #)	Add
C	Pre-Terminated Quick Connect Plug **	N/C	ALK	Exit Alarm: battery operated kit (9V battery included)	641.00
DE	Delayed Egress: REQUIRES PS161-6 Power Supply (pg. 31)	1,787.00	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	641.00
ELR	Electric Latch Retraction: REQUIRES ELR150 Series Power Supply (pg. 32)	894.00	BRL	Braille Touchbar	108.00
MLR	Motorized Latch Retraction	965.00	CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included	97.00
TDS	Touchbar Monitoring Double Switch	311.00	DS	Door Position Monitoring Switch	135.00
TS	Touchbar Monitoring Switch	255.00	FC	Factory Cut	17.00
WTDS	Weatherized Touchbar Monitoring Double Switch	450.00	LD	Less Dogging	44.00
WTS	Weatherized Touchbar Monitoring Switch	360.00	SEC	Security Screws	56.00
<b>NOTES:</b>			SNB	SNB Sex Nut and Bolt [4 reqd] without Trim	52.00
			SNB	SNB Sex Nut and Bolt [2 reqd] with Trim	26.00
			WALW	Weatherized Exit Alarm: Remote power (24 VDC)	833.00

- UltraShield™ Antimicrobial finish coating option available to Apex Exit Devices & Trims.
  - 630AM list price for Exit Devices Add 68.00
  - 630AM list price for Trims Add 27.00
- Devices are priced less cylinders. If cylinder is required please see cylinders on pg. 35.
- 2403 × 2903A Device uses Rim Cylinder, 2408 × 2908A Device uses Mortise Cylinder.
- Devices for 3'-0" door are furnished standard.
- Devices for 4'-0" doors are available at **no extra charge**.


\*\* See Hinges & Door Accessories price book for Wire Harness product

**SPLIT FINISHES:** When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

**To Order:** Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

# 2600 – Apex Concealed Vertical Rod - Non Handed, Narrow Stile

Narrow Stile Devices



Pull Trim

Outside Function	Device × Trim	628	606, 612 613, 622, 630, 690	626W Weatherized	605, 625
<b>Pull Trim:</b>					
01 Exit only, cover plate	2601 × 2901	2,585.00	2,851.00	3,051.00	3,092.00
02 Exit only, dummy trim	2602 × 2902A	2,940.00	3,206.00	3,406.00	3,539.00
03 Key retracts latchbolt	2603 × 2903A				
08 Key controls lever	2608 × 2908A	3,073.00	3,339.00	3,539.00	3,673.00
14 Lever always active	2614 × 2914A				
<b>Device Only:</b>					
	01, 02, 03, 08, 14	2601, 2602, 2603*, 2608, 2614	2,408.00	2,674.00	2,874.00

\*2603 Device × Cylinder Only Application includes Cylinder Attachment Kit "NCA-03"

FL **Fire Rated Hardware** Specify prefix "FL" (e.g. FL2603) Dogging option NOT available **Add 193.00**

## Options

Prefix	(add to device #)	Add	Suffix	(add to device #)	Add
C	Pre-Terminated Quick Connect Plug **	N/C	ALK	Exit Alarm: battery operated kit (9V battery included)	641.00
DE	Delayed Egress: REQUIRES PSI61-6 Power Supply (pg. 31)	1,787.00	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	641.00
ELR	Electric Latch Retraction: REQUIRES ELR150 Series Power Supply (pg. 32)	894.00	BRL	Braille Touchbar	108.00
MLR	Motorized Latch Retraction	965.00	CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included	97.00
TDS	Touchbar Monitoring Double Switch	311.00	DS	Door Position Monitoring Switch	135.00
TS	Touchbar Monitoring Switch	255.00	FC	Factory Cut	17.00
WTDS	Weatherized Touchbar Monitoring Double Switch	450.00	LBR	Less Bottom Rod (no extra charge)	-
WTS	Weatherized Touchbar Monitoring Switch	360.00	LD	Less Dogging	44.00
<b>NOTES:</b>	• UltraShield™ Antimicrobial finish coating option available to Apex Exit Devices & Trims.		SEC	Security Screws	56.00
	- 630AM list price for Exit Devices Add 68.00		SNB	SNB Sex Nut and Bolt (4 req'd) without Trim	52.00
	- 630AM list price for Trims Add 27.00		SNB	SNB Sex Nut and Bolt (2 req'd) with Trim	26.00
	• Devices are priced less cylinders. If cylinder is required please see cylinders on pg. 35.		WALW	Weatherized Exit Alarm: Remote power (24 VDC)	833.00
	• 2603 × 2903A Device uses Rim Cylinder, 2608 × 2908A Device uses Mortise Cylinder.			• Top Rod for 6'-8" to 8'-0" high door is furnished standard.	
	• Devices for 3'-0" door are furnished standard.			• Top Rod for 8'-0" to 10'-0" high door is available at <b>no extra charge</b> (See catalog for fire rating).	
	• Devices for 4'-0" doors are available at <b>no extra charge</b> .			** See Hinges & Door Accessories price book for Wire Harness product	

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

**To Order:** Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

# 2700 – Apex Wood Door Concealed Vertical Rod - Reversible, Wide Stile

Wide Stile Devices



Pull Trim



Lever/Kno Trim

Outside Function		Device × Trim	628	606, 612 613, 622, 630, 690	626W Weatherized	605, 625
<b>Pull Trim:</b>						
01	Exit only, cover plate	2701 × 1701	2,707.00	2,972.00	3,184.00	3,227.00
02	Exit only, dummy trim	2702 × 1702A	2,886.00	3,151.00	3,363.00	3,414.00
03	Key retracts latchbolt	2703 × 1703A				
05	Key controls thumb piece	2705 × 1705A	3,007.00	3,272.00	3,484.00	3,537.00
15	Thumb piece always active	2715 × 1715A				
<b>Lever/Knob Trim:</b>						
01	Exit only, cover plate	2701 × 4901	2,759.00	3,024.00	3,236.00	3,277.00
02	Exit only, dummy trim	2702 × 4902A	3,114.00	3,379.00	3,591.00	3,724.00
03	Key retracts latchbolt	2703 × 4903A				
08	Key controls lever/knob	2708 × 4908A	3,247.00	3,512.00	3,724.00	3,858.00
08	Key controls lever	2708 × V4908A				
14	Lever/knob always active	2714 × 4914A				
<b>Device Only:</b>						
	01, 02, 05, 08, 14, 15 For best possible structural support on wood door applications use of Precision outside trim is recommended	2701, 2702, 2705, 2708, 2714, 2715	2,582.00	2,847.00	3,059.00	3,059.00
*2103 Device × Cylinder Only Application includes Cylinder Attachment Kit "CA-03"						
E	Elec. Device Electric Lock/Unlock Outside Trim	E2703 × 4908A E2703 × V4908A	4,150.00	4,415.00	4,627.00	4,761.00
FL	<b>Fire Rated Hardware</b> Specify prefix "FL" [e.g. FL2703] Dogging option NOT available					<b>Add 193.00</b>

## Options

Prefix	(add to device #)	Add	Suffix	(add to device #)	Add
C	Pre-Terminated Quick Connect Plug **	N/C	ALK	Exit Alarm: battery operated kit (9V battery included)	641.00
DE	Delayed Egress: REQUIRES PS161-6 Power Supply (pg. 31)	1,787.00	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	641.00
ELR	Electric Latch Retraction: REQUIRES ELR150 Series Power Supply (pg. 32)	894.00	BRL	Braille Touchbar	108.00
LS	Latchbolt Monitoring Switch	247.00	CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included	97.00
MLR	Motorized Latch Retraction	965.00	DS	Door Position Monitoring Switch	135.00
Q	Wireless Access Management System	541.00	FC	Factory Cut	17.00
TDS	Touchbar Monitoring Double Switch	311.00	LBR	Less Bottom Rod <b>(no extra charge)</b>	-
TS	Touchbar Monitoring Switch	255.00	LD	Less Dogging	44.00
WTDS	Weatherized Touchbar Monitoring Double Switch	450.00	SEC	Security Screws	56.00
WTS	Weatherized Touchbar Monitoring Switch	360.00	SNB	Sex Nut and Bolt (6 req'd) without Trim	78.00
			SNB	Sex Nut and Bolt (2 req'd) with Trim	26.00
			WALW	Weatherized Exit Alarm: Remote power (24 VDC)	833.00

- NOTES:**
- UltraShield™ Antimicrobial finish coating option available to Apex Exit Devices & Trims
    - 630AM list price for Exit Devices Add 68.00
    - 630AM list price for Trims Add 27.00
  - Devices for Retrofit Applications prefix Trim with the letter "R" e.g. R4908A.
  - Devices are priced less cylinders. If cylinder is required please see cylinders on pg. 30
  - Devices for 3'-0" door are furnished standard.
  - Devices for 2'-6" & 4'-0" doors are available at **no extra charge**

- Top Rod for 6'-8" to 8'-0" high door is furnished standard.
- Top Rod for 8'-1" to 10'-0" high door is available at **no extra charge**. [See catalog for fire rating].
- \*\* See Hinges & Door Accessories price book for Wire Harness product

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

**To Order:** Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

# 2800 – Apex Concealed Vertical Rod - Reversible, Wide Stile

Wide Stile Devices



Pull Trim



Lever/Knob Trim



Cast Plate

Outside Function		Device × Trim	628	606, 612 613, 622, 630, 690	626W Weatherized	605, 625
<b>Pull Trim:</b>						
01	Exit only, cover plate	2801 × 1701	2,394.00	2,656.00	2,856.00	2,899.00
02	Exit only, dummy trim	2802 × C1702A	2,573.00	2,835.00	3,035.00	3,086.00
03	Key retracts latchbolt	2803 × C1703A				
05	Key controls thumb piece	2805 × C1705A	2,694.00	2,956.00	3,156.00	3,209.00
15	Thumb piece always active	2815 × C1715A				
<b>Lever/Knob Trim:</b>						
01	Exit only, cover plate	2801 × 4901	2,446.00	2,708.00	2,908.00	2,949.00
02	Exit only, dummy trim	2802 × 4902A	2,801.00	3,063.00	3,263.00	3,396.00
03	Key retracts latchbolt	2803 × 4903A				
08	Key controls lever/knob	2808 × 4908A	2,934.00	3,196.00	3,396.00	3,530.00
08	Key controls lever	2808 × V4908A				
14	Lever/knob always active	2814 × 4914A				
<b>Cast Plate:</b>						
03	Key Retracts Latch Bolt (pull by others)	2803 × C03	2,502.00	2,764.00	2,964.00	2,964.00
<b>Device Only:</b>						
	01, 02, 03, 05, 08, 14, 15	2801, 2802, 2803*, 2805, 2808, 2814, 2810	2,269.00	2,531.00	2,731.00	2,731.00
*2803 Device x Cylinder Only Application requires C03 Trim, see page 22						
E	Elec. Device Electric Lock/Unlock Outside Trim	E2803 x 4908A E2803 x V4908A	3,837.00	4,099.00	4,299.00	4,433.00
FL	<b>Fire Rated Hardware</b> Specify prefix "FL" (e.g. FL2803) Dogging option NOT available					<b>Add 193.00</b>

## Options

Prefix	(add to device #)	Add	Suffix	(add to device #)	Add
C	Pre-Terminated Quick Connect Plug **	N/C	ALK	Exit Alarm: battery operated kit (9V battery included)	641.00
DE	Delayed Egress: REQUIRES PSI61-6 Power Supply (pg. 32)	1,787.00	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	641.00
ELR	Electric Latch Retraction: REQUIRES ELR150 Series Power Supply (pg. 32)	894.00	BRL	Braille Touchbar	108.00
HC	Hurricane Code Device	42.00	CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included	97.00
LS	Latchbolt Monitoring Switch	247.00	DS	Door Position Monitoring Switch	135.00
MLR	Motorized Latch Retraction	965.00	FC	Factory Cut	17.00
TDS	Touchbar Monitoring Double Switch	311.00	LBR	Less Bottom Rod (no extra charge)	0.00
TS	Touchbar Monitoring Switch	255.00	LD	Less Dogging	44.00
WTDS	Weatherized Touchbar Monitoring Double Switch	450.00	SEC	Security Screws	56.00
WTS	Weatherized Touchbar Monitoring Switch	360.00	SNB	SNB Sex Nut and Bolt (6 req'd) without Trim	78.00
			SNB	SNB Sex Nut and Bolt (2 req'd) with Trim	26.00
			WALW	Weatherized Exit Alarm: remote power (24 VDC)	833.00

- NOTES:**
- UltraShield™ Antimicrobial finish coating option available to Apex Exit Devices & Trims.
    - 630AM list price for Exit Devices Add 68.00
    - 630AM list price for Trims Add 27.00
  - Devices for Retrofit Applications prefix Trim with the letter "R" e.g. R4908A).
  - Devices are priced less cylinders. If cylinder is required please see cylinders on pg. 35.
  - Devices for 3'-0" door are furnished standard.
  - Devices for 2'-6" & 4'-0" doors are available at **no extra charge**.

- Top Rod for 6'-8" to 8'-0" high door is furnished standard.
- Top Rod for 8'-1" to 10'-0" high door is available at **no extra charge**. [See catalog for fire rating].
- \*\* See Stanley Hinges & Door Accessories price book for Wire Harness product

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

**To Order:** Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

# 2900/4900 Series Trims

\$101 Per Trim (One Lever)

Decorative Levers List Price



Lever Styles	List Price Add
--------------	----------------

12	122.00
----	--------



17	122.00
----	--------



51	122.00
----	--------



52	122.00
----	--------



60	122.00
----	--------



62	122.00
----	--------



Lever Styles	List Price Add
--------------	----------------

65	122.00
----	--------




69	122.00
----	--------



75	122.00
----	--------



79	122.00
----	--------



89	122.00
----	--------



92 Lever option also available

**To Order:** Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

# 5100 – Reliant Rim - Non Handed

Reliant Series



Plate



Pull Trim



Lever Trim

Outside Function		Device × Trim	689, 695	689, 695 Trim Only
<b>Plate:</b>				
01	Exit only, cover plate	5101 × 501	610.00	61.00
<b>Pull Trim:</b>				
02	Exit only, dummy trim	5102 × 602	630.00	81.00
03	Key retracts latchbolt	5103 × 603		
02	Exit only, dummy trim	5102 × 702A	689.00	140.00
03	Key retracts latchbolt	5103 × 703A		
<b>Lever Trim:</b>				
08	Key controls lever	5108 × 808A	861.00	312.00
14	Lever always active	5114 × 814A		
<b>Device Only:</b>				
	01, 02, 03, 08, 14	5101, 5102, 5103*, 5108, 5114	549.00	-
*5103 Device × Cylinder Only Application includes Cylinder Attachment Kit "CA-03"				
<b>FL</b>	<b>Fire Rated Hardware</b> Specify prefix "FL" (e.g. FL5103) Dogging option NOT available			<b>Add 193.00</b>

## Options

Prefix	[add to device #]	Add	Suffix	[add to device #]	Add
TDS	Touchbar Monitoring Double Switch	311.00	ALK	Exit Alarm: battery operated kit (9V battery included)	641.00
TS	Touchbar Monitoring Switch	255.00	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	641.00
WTDS	Weatherized Touchbar Monitoring Double Switch	450.00	CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included	97.00
WTS	Weatherized Touchbar Monitoring Switch	360.00	LD	Less Dogging	44.00
<b>NOTES:</b>	• Devices are priced less cylinders. If cylinder is required please see cylinders on pg. 35		SNB	SNB Sex Nut and Bolt (4 req'd) without Trim	52.00
	• Devices for 3'-0" door are furnished standard.		SNB	SNB Sex Nut and Bolt (2 req'd) with Trim	26.00
	• Weatherized Exit Alarm: remote power (24 VDC)		WALW	Weatherized Exit Alarm: remote power (12 or 24 VDC)	833.00
	• Devices for 4'-0" doors are available at <b>no extra charge</b>				
• 603 and 703 Trims use a Rim Cylinder, 808A Trims use a Mortise Cylinder.					
• Factory cutting of custom sizes for Reliant series exit devices not available.					

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

**To Order:** Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.



# 5200 – Reliant Surface Vertical Rod - Reversible

Reliant Series



Plate



Pull Trim



Lever Trim

Outside Function		Device × Trim	689, 695	689, 695 Trim Only
<b>Plate:</b>				
01	Exit only, cover plate	5201 × 501	1,006.00	61.00
<b>Pull Trim:</b>				
02	Exit only, dummy trim	5202 × 602	1,026.00	81.00
03	Key retracts latchbolt	5203 × 603		
02	Exit only, dummy trim	5202 × 702A	1,085.00	140.00
03	Key retracts latchbolt	5203 × 703A		
<b>Lever Trim:</b>				
08	Key controls lever	5208 × 808A	1,257.00	312.00
14	Lever always active	5214 × 814A		
<b>Device Only:</b>				
	01, 02, 03, 08, 14	5201, 5202, 5203*, 5208, 5214	945.00	–
*5103 Device × Cylinder Only Application includes Cylinder Attachment Kit "CA-03"				
<b>FL</b>	<b>Fire Rated Hardware</b> Specify prefix "FL" (e.g. FL5103) Dogging option NOT available			<b>Add 193.00</b>

## Options

Prefix	[add to device #]	Add	Suffix	[add to device #]	Add
TDS	Touchbar Monitoring Double Switch	311.00	ALK	Exit Alarm: battery operated kit (9V battery included)	641.00
TS	Touchbar Monitoring Switch	255.00	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	641.00
WTDS	Weatherized Touchbar Monitoring Double Switch	450.00	CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included	97.00
WTS	Weatherized Touchbar Monitoring Switch	360.00	LBR	Less Bottom Rod <b>(no extra charge)</b>	–
<b>NOTES:</b>	• Devices are priced less cylinders. If cylinder is required please see cylinders on pg. 35.		LD	Less Dogging	44.00
	• Devices for 3'-0" door are furnished standard.		SNB	SNB Sex Nut and Bolt (8 req'd - not including rod guides) without Trim	104.00
	• Devices for 4'-0" doors are available at <b>no extra charge</b> .		SNB	SNB Sex Nut and Bolt (6 req'd - not including rod guides) LBR Device w/o Trim.	78.00
	• 603 and 703 Trims use a Rim Cylinder, 808A Trims use a Mortise Cylinder		SNB	SNB Sex Nut and Bolt (6 req'd - not including rod guides) with Trim	78.00
	• Top Rod for 7'-0" high door is furnished standard.		SNB	SNB Sex Nut and Bolt (4 req'd - not including rod guides) LBR Device with Trim	52.00
	• Top Rod for 8'-0" to 10'-0" high door is available at <b>no extra charge</b> . [See catalog for fire rating].		WALW	Weatherized Exit Alarm: remote power (24 VDC)	833.00
	• Factory cutting of custom sizes for Reliant series exit devices not available.				

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

**To Order:** Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

# 100 – Olympian Rim - 100 Handed, R100 Reversible, Crossbar

Olympian Series



Pull Trim:



Lever/Knob Trim:

Outside Function		Device × Trim	606, 612, 613, 630	605, 625
<b>Pull Trim:</b>				
01	Exit only, cover plate	101, R101 × 1701	1,820.00	2,037.00
02	Exit only, dummy trim	102, R102 × 1702A	1,999.00	2,224.00
03	Key retracts latchbolt	103, R103 × 1703A		
05	Key controls thumb piece	105, R105 × Y1705A	2,120.00	2,347.00
15	Thumb piece always active (Devices with 2000C Series Trim are the same price)	115, R115 × Y1715A		
<b>Lever/Knob Trim:</b>				
01	Exit only, cover plate	101, R101 × 4901	1,872.00	2,087.00
02	Exit only, dummy trim	102, R102 × 4902A	2,227.00	2,534.00
03	Key retracts latchbolt	103, R103 × 4903A		
08	Key controls lever/knob	108, R108 × Y4908A	2,360.00	2,668.00
08	Key controls lever	108, R108 × VY4908A		
14	Lever/knob always active	114, R114 × Y4914A		
<b>Device Only:</b>				
	01, 02, 03, 05, 08, 14, 15	101, R101, 102, R102, 103*, R103*, 105, R105, 108, R108, 114, R114, 115, R115	1,695.00	1,869.00
<small>*103 or R103 Device × Cylinder Only Application includes Cylinder Attachment Kit "CA-03"                      UltraShield™ Antimicrobial finish coating option available Olympian Exit Devices &amp; Trims. 630AM list price add \$68.00 Exit Devices, \$27.00 Trims</small>				
<b>FL</b>	<b>Fire Rated Hardware</b> Specify prefix "FL" (e.g. FL203) Dogging option NOT available			<b>Add 193.00</b>

## Options

Suffix	(add to device #)	Add
CBR	Reinforced Crossbar	62.00
FC	Factory Cut	17.00
LD	Less Dogging	44.00
SEC	Security Screws (crossbar arm screws are hex socket head)	56.00
SNB	SNB Sex Nut and Bolt (8 req'd) without Trim	104.00
SNB	SNB Sex Nut and Bolt (4 req'd) with Trim	52.00

- NOTES:**
- Devices are priced less cylinders. If cylinder is required please see cylinders on pg. 35.
  - Devices for 3'-0" door are furnished standard.
  - Devices for 4'-0" doors are available at no extra charge.
  - Trim No. with prefix "Y" is for Olympian Device only.

**SPLIT FINISHES:** When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

**To Order:** Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

# 200 – Olympian Surface Vertical Rod - Non Handed, Crossbar

Olympian Series



Pull Trim:



Lever/Knob Trim:

outside function		Device × Trim	606, 612, 613, 630	605, 625
<b>Pull Trim:</b>				
01	Exit only, cover plate	201 × 1701	2,485.00	2,720.00
02	Exit only, dummy trim	202 × 1702A	2,664.00	2,907.00
03	Key retracts latchbolt	203 × 1703A		
05	Key controls thumb piece	205 × Y1705A	2,785.00	3,030.00
15	Thumb piece always active (Devices with 2000C Series Trim are the same price)	215 × Y1715A		
<b>Lever/Knob Trim:</b>				
01	Exit only, cover plate	201 × 4901	2,537.00	2,770.00
02	Exit only, dummy trim	202 × 4902A	2,892.00	3,217.00
03	Key retracts latchbolt	203 × 4903A		
08	Key controls lever/knob	208 × Y4908A	3,025.00	3,351.00
08	Key controls lever	208 × VY4908A		
14	Lever/knob always active	214 × Y4914A		
<b>Device Only:</b>				
	01, 02, 03, 05, 08, 14, 15	201, 202, 203*, 205, 208, 214, 215	2,360.00	2,552.00
*203 Device × Cylinder Only Application includes Cylinder Attachment Kit "CA-03" UltraShield™ Antimicrobial finish coating option available Olympian Exit Devices & Trims. 630AM list price add \$68.00 Exit Devices, \$27.00 Trims				
<b>FL</b>	<b>Fire Rated Hardware</b> Specify prefix "FL" [e.g. FL203] Dogging option NOT available			<b>Add 193.00</b>

## Options

Suffix	[add to device #]	Add
CBR	Reinforced Crossbar	62.00
FC	Factory Cut	17.00
LBR	Less Bottom Rod <b>(no extra charge)</b>	-
LD	Less Dogging	44.00
SEC	Security Screws (crossbar arm screws are hex socket head)	56.00
SNB	SNB Sex Nut and Bolt (12 req'd - not including rod guides) without Trim	156.00
SNB	SNB Sex Nut and Bolt (10 req'd - not including rod guides) LBR Device without Trim	130.00
SNB	SNB Sex Nut and Bolt (8 req'd - not including rod guides) with Trim	104.00
SNB	SNB Sex Nut and Bolt (6 req'd - not including rod guides) LBR Device with Trim	78.00
TMB	Transom Bracket	69.00

- NOTES:**
- Devices are priced less cylinders. If cylinder is required please see cylinders on pg. 35.
  - Devices for 3'-0" door are furnished standard.
  - Devices for 4'-0" doors are available at **no extra charge**.
  - Top Rod for 7'-0" high door is furnished standard.
  - Top Rod for 8'-0" to 12'-0" high door is available at **no extra charge**. (See catalog for fire rating).
  - Trim No. with prefix "Y" is for Olympian Device only.

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

**To Order:** Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

# 300 – Olympian Mortise - Handed, Crossbar

Olympian Series



Pull Trim:



Lever/Knob Trim:

Outside Function		Device × Trim	606, 612, 613, 630	605, 625
<b>Pull Trim:</b>				
01	Exit only, cover plate	301 × 1701	2,448.00	2,684.00
02	Exit only, dummy trim	302 × 1702A	2,627.00	2,871.00
03	Key retracts latchbolt	303 × 1703A		
05	Key controls thumb piece	305 × M1705A	2,748.00	2,994.00
15	Thumb piece always active (Devices with M2000C Series Trim are the same price)	315 × M1715A		
<b>Lever/Knob Trim:</b>				
01	Exit only, cover plate	301 × 4901	2,500.00	2,734.00
02	Exit only, dummy trim	302 × 4902A	2,855.00	3,181.00
03	Key retracts latchbolt	303 × M4903A		
08	Key controls lever/knob	308 × M4908A	2,988.00	3,315.00
08	Key controls lever	308 × VM4908A		
14	Lever/knob always active	314 × M4914A		
<b>Device Only:</b>				
	01, 02, 03, 05, 08, 14, 15	301, 302, 303, 305, 308, 314, 315	2,323.00	2,516.00
FL	<b>Fire Rated Hardware</b> Specify prefix "FL" [eg FL203] Dogging option NOT available			<b>Add 193.00</b>

UltraShield™ Antimicrobial finish coating option available Olympian Exit Devices & Trims. 630AM list price add \$68.00 Exit Devices, \$27.00 Trims

## Options

Suffix	(add to device #)	Add
CBR	Reinforced Crossbar	62.00
FC	Factory Cut	17.00
LD	Less Dogging	44.00
SEC	Security Screws (crossbar arm screws are hex socket head)	56.00
SNB	SNB Sex Nut and Bolt (8 req'd) without Trim	104.00
SNB	SNB Sex Nut and Bolt (4 req'd) with Trim	52.00

- NOTES:**
- Devices are priced less cylinders. If cylinder is required please see cylinders on pg. 35.
  - Devices for 3'-0" door are furnished standard
  - Devices for 4'-0" doors are available at no extra charge
  - For mortise lock body ONLY see pg. 30.

**SPLIT FINISHES:** When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

**To Order:** Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

# 7R0 – Arm-A-Dor<sup>®</sup> – Security Exit Hardware

Arm-A Dor<sup>®</sup>



## Complete Product Assemblies

Product Number	Description	Alarm	Fits Door Widths	Fits Jambes Up To	US28/628
A101-001	Automatic Relock	No	3' TO 4'	6 3/4"	1,498.00
A101-002	Automatic Relock	Yes*	3' TO 4'	6 3/4"	1,671.00
A101-012	Automatic Relock	No	3' ONLY	5 1/4" - 5 3/4"	1,321.00
A101-013	Automatic Relock	Yes*	3' ONLY	5 1/4" - 5 3/4"	1,498.00
A101-014	Automatic Relock	No	4' ONLY	5 1/4" - 5 3/4"	1,444.00
A101-015	Automatic Relock	Yes*	4' ONLY	5 1/4" - 5 3/4"	1,617.00
A102-001	Manual Relock	No	3' TO 4'	6 3/4"	1,444.00
A102-002	Manual Relock	Yes*	3' TO 4'	6 3/4"	1,617.00
A101-F01	Automatic-Fire Rated	No	3' TO 4'	6 3/4"	1,671.00
A101-F02	Automatic-Fire Rated	Yes*	3' TO 4'	6 3/4"	1,845.00

\* ALARM MODELS A101-002, A101-013, and A101-F02 require two 9 volt batteries (INCLUDED) and a standard 1-1/8" mortise cylinder (NOT INCLUDED).

## Optional Kits: (A/C Adapter, Alarm, Double Door, Low Profile)

Kit Number	Description	US28/628
A103-002	Switch - For wiring to existing system (one individual kit)	80.00
A103-003	Alarm Sub - Assembly	685.00
A104-001	Low Profile Installation Kit - For door jambes greater than 6 3/4"	206.00
A106-001	Standard Double Door Kit - For all models	307.00
A106-002	Low Profile Installation Kit - For jamb depths greater than 6 3/4"	328.00
A107-001	A/C Adapter Kit - For plug in battery back-up	349.00
A107-002	A/C Adapter Hard Wire Kit - Wiring to electrical system w/battery back-up	482.00
DROP SHIP	Drop Ship Fee For Items Shipped Under \$300	80.00

## Deadbolts (Required) For Double Door Applications:

Model	Description	US28/628
1881-003	Sliding Deadbolt w/Padlock locking Hasp & Strike	219.00
1883-003	Sliding Deadbolt Keylocking with Strike	250.00

NOTES: • Prepaid Freight on all shipments of 30 or more units.  
• Express Program (ship within 48 hours) available for up to 10 units for extra 20% limited to models A101-002, 101-013, A101-015.

**To Order:** Specify: 7R-A101-001 x US28/628.

# Apex Wide & Narrow Stile, Olympian Trim


Trims



Trim Number	606, 612, 613, 622, 630, 690	605, 625	Trim Number	606, 612, 613, 622, 630, 690	605, 625
1701, R1701, 2001 (cover plate)	125.00	168.00	4901, R4901, 2901 (cover plate)	177.00	218.00
1702A, R1702A, 1703A, R1703A, C1702A, C1703A, 2002C, 2003C	304.00	355.00	4902A, R4902A, 4903A, R4903A, M4903A, RM4903A, 2902A, 2903A	532.00	665.00
1705A, R1705A, 1715A, R1715A, C1705A, C1715A, Y1705A, Y1715A, M1705A, M1715A, RM1705A, RM1715A, 2005C, 2015C, Y2005C, Y2015C, M2005C, M2015C	425.00	478.00	4908A, R4908A, 4914A, R4914A, Y4908A, Y4914A, M4908A, M4914A, RM4908A, RM4914A, 2908A, 2914A	665.00	799.00
			V4908A, RV4908A, VM4908A, VY4908A, RVM4908A	665.00	799.00

- NOTES:**
- 630 Trim furnished for 628 Devices. Grip Style "A" and "B" are furnished 626 for 630 Trim.
  - Specify No. C03 Cylinder Attachment Trim for 2803 Device when Pull by Others is specified.
  - Available in 605, 606, 612, 613, 625 and 626 finishes.
  - Add \$233.00 to the price of the device
  - Lever Trims are shipped handed. Specify Hand.
  - 626 Trim is furnished for 628 and 630 Devices.
  - 2900 Series Trims are available for Apex Narrow Stile only.
  - Knurled Knob/Lever, Grip "KNR" add \$103.00

**How to Order:**



- NOTES:**
- UltraShield™ Antimicrobial finish coating option available to Apex Trims.
  - 630AM list price for Trims      Add 27.00
  - For pricing on trims for the 5100 and 5200 series devices, see pages 16 & 17.
  - Devices are priced less cylinders. If cylinder is required please see cylinders on pg. 35.
  - Trims with "M" prefix require 1-1/4" Mortise Type Cylinder on page 30.
  - 2900 Series Trim - Rim Type Cylinder for "03" function and Mortise Type Cylinder for "08" function, not furnished standard. Use 1-1/4" long standard Mortise Cylinder. Specify when required.
  - All other Trims require Rim Type Cylinder.
  - Trim No. with prefix "Y" is for Olympian Device only.
  - **No extra charge** for different Lever or Grip styles. A Lever/Grip Standard.

Description	Product No.	Primer 600	Aluminum 689 or Dark Bronze 695
<b>Complete Mullion Assemblies</b>			
<b>Removable Mullion - 2" x 2" x 8'-0"</b>			
Standard	811	584.00	691.00
<b>Removable Mullion - 2" x 3" x 8'-0"</b>			
Standard	822	746.00	850.00
Fire Labeled (Includes Stabilizers)	FL822	958.00	1,062.00
Hurricane Code	HC822	1,062.00	1,166.00
Fire Labeled Hurricane Code	FLC822	1,276.00	1,380.00
<b>Key Removable Mullion - 2" x 3" x 8'-0"</b>			
Standard	KR822	1,276.00	1,433.00
Fire Labeled (Includes Stabilizers)	FLKR822	1,535.00	1,643.00
Hurricane Code	HCKR822	1,643.00	1,752.00
Fire Labeled Hurricane Code (Includes Stabilizers)	FLHCKR822	1,791.00	1,858.00
<b>*Key Removable Mullion Storage Kit</b>			
Storage solution for all KR mullions Note: Kit includes (1) KMC822 Top Fitting, (1) MB822 Bottom Fitting and (1) AB822SK Angle Bracket	KMCB822SK	830.00	883.00
<b>Individual Mullion Fittings</b>			
Mullion Cap	MC811	122.00	140.00
Bottom Fitting-flat sill	MB811	88.00	114.00
Mullion Cap	MC822	198.00	216.00
Bottom Fitting-flat sill	MB822	160.00	186.00
<b>Mullion Storage Kit Individual Angle Bracket</b>			
Storage Kit Angle Bracket	AB822SK	86.00	86.00
<b>Key Removable Mullion Cap Kit</b>			
Mullion Cap Assembly	KMC822	584.00	611.00
Fire Labeled Mullion Cap Assembly	KMC822F	843.00	821.00
<b>Mullion Fitting Combination Kits</b>			
811 Mullion Top & Bottom Fitting Kit (MC811 & MB811)	MCB811	210.00	254.00
822 Mullion Top & Bottom Fitting Kit (MC822 & MB822)	MCB822	358.00	402.00
FL 822 Mullion Top & Bottom Fitting Kit (MC822 & MB822)	MCB822F	358.00	402.00
KR 822 Mullion Top & Bottom Fitting Kit (KMC822 & MB822)	KMCB822	744.00	797.00
FL KR 822 Mullion Top & Bottom Fitting Kit (MB822 & KMC822F)	KMCB822F	1,003.00	1,007.00
HC 822 Mullion Top & Bottom Fitting Kit (MB822 & MC822 & Mullion adapters (A,B,D))	MCB822HC	632.00	676.00
FL HC 822 Mullion Top & Bottom Fitting Kit (MB822 & MC822 & Mullion adapters (A,B,D))	MCB822HCF	632.00	676.00
HC KR 822 Mullion Top & Bottom Fitting Kit (KMC822 & MB822 & mullion adapter)	KMCB822HC	1,018.00	1,071.00
FL HC KR 822 Mullion Top & Bottom Fitting Kit (KMC822F & MB822 & mullion adapter)	KMCB822HCF	1,277.00	1,281.00
<b>822 Mullion Accessories</b>			
**Mullion Cap Spacer	MCS822	86.00	104.00
Stabilizers (2 per mullion) - Dull Black	ST989	96.00 <b>Dull Black</b>	
Interlock - Dull Black	SI447	75.00 <b>Dull Black</b>	

- NOTES:**
- For greater heights add \$19 for each additional 12" or less
  - Removable Mullion and Key Removable Mullion prices include top and bottom Fittings.
  - Fire Labeled (FL) and Hurricane Code (HC) mullions 8'0" high maximum
  - For individual kit or combination kits please see sections above
  - \*Rim Cylinder not included
  - \*\*MCS822 mullion cap spacer available as suffix option for 822 series mullions (e.g. 822MCS x 600 x 8')

# Strikes

## Strikes & Accessories

Description	Series	Strike No.	Dull Black	605, 606, 612 613, 625, 626W, 630
<b>Strikes - Rim Devices</b>				
Standard	2100, 5100, 100, R100, FL2100, FL5100, FL100, FR100	S300	80.00	-
	2400, FL2400-Pair of Doors with Mullion			
	2400, FL2400-Single Door (Roller Strike)	S988	101.00	-
Optional	2100, 2400, 5100, 100, R100, FL2100, FL2400, FL5100, FL100, FLR100 (Roller Strike)	S301	101.00	-
	2100, 2400, 5100, 100, R100, FL2100, FL2400, FL5100, FL100, FLR100 (Roller Strike)	S458	101.00	-
	2100, 5100, 100, R100 (Roller Strike)	S988	101.00	-
	2100 x 2200, 5100 x 5200, 100 x 200	S459	56.00	-
<b>Strikes - Vertical Rod Devices</b>				
Top Strike	2200, FL2200, 5200, FL5200, 200, FL200	S300	80.00	-
Optional	2200, FL2200, 5200, FL5200, 200, FL200	S301	101.00	-
Bottom Strike	2200, FL2200, 5200, FL5200, 200, FL200	S460	67.00	-
<b>Strikes - Mortise Devices</b>				
Standard	Std Curved Lip Single Door ANSI (handed)	S982	-	80.00
	Flat 7/8" Lip ANSI (handed)	S983	-	80.00
Optional	Open Back ANSI (handed)	S984	-	150.00
	Open Back 8" x 1-1/4" (handed)	S985	-	158.00
<b>Strikes - Concealed Vertical Rod Devices</b>				
Top Strike	2700, FL2700, 2800, FL2800, 2600, FL2600	S519	80.00	-
Bottom Strike	2700, FL2700, 2800, FL2800, 2600, FL2600	S460	67.00	-

# Accessories

Series	Description	Product No.	628	606, 612, 613 622, 630, 690	626W, 605, 625
<b>Rigid Dummy Touchbar</b>					
Apex	Wide Stile Rigid	671DR-3, 671DR-4	750.00	947.00	1,095.00
	Narrow Stile Rigid	N673DR-3, N673DR-4			
<b>Active Dummy Touchbar With Micro Switch</b>					
Apex	Wide Stile Active	TS672DA-3, TS672DA-4	1,273.00	1,291.00	1,444.00
	Narrow Stile Active	TSN674DA-3, TSN674DA-4			
<b>Options For Active Dummy Touchbar</b>					
ALK	Exit Alarm: battery operated kit (9V battery included)				641.00
ALW	Exit Alarm: remote power kit (12 or 24 VDC)				641.00
CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included				97.00
DS	Door Position Monitoring Switch				135.00
TDS	Touchbar Monitoring Double Switch				311.00

Series	Description	Product No.	All Finishes
<b>Mortise Lock - Handed</b>			
Apex & Olympian	Functions 01, 02, 03	M303, M303F	739.00
	Functions 05, 08, 14, 15	M308, M308F	
	Functions 10	M310, M310F	

**NOTES:** • For Electric Mortise Lock see page 26.

• 1-1/4" mortise cylinder not included. If cylinder is required please see cylinders below.

• Lock front furnished beveled.

• Available in 605, 606, 612, 613, 625, 630 Finishes.

• When ordering specify: model no., hand and finish. (e.g. M303 x RHRB x 630)

<b>Fire Bolt Assembly</b>			
Apex & Olympian	Fire Bolt Assembly	FB277	182.00
<b>Transom Bracket</b>			
Apex & Olympian	Transom Bracket	TMB453 (Use Strike No. S300, see pg. 31)	78.00



## Accessories (continued)

## Strikes & Accessories

Series	Description	Product No.	628	606, 612, 613 622, 630, 690	626W, 605, 625
<b>Tools</b>					
All Devices	7/32" Dogging Key	DK220	2200	-	-
	5/32" Hex Wrench*	HW996			
<b>Cylinders</b>					
	Rim Cylinder	IE72	See BEST Price Book for more detail		
	Mortise Cylinder	IE74 C4			

**NOTE:** Rim and mortise cylinders ( housings) as well as interchangeable cores are available from our BEST product line. Please ask your local BEST sales representative about the many options available to fit your specific requirements including patented keying systems such as BEST CORMAX™.

## Electrical Products

Description	Product No.	List Price
<b>Power Supply - Series ELR150 (Required For ELR Devices)</b>		
Power Supply including (1) control module for (1) device	ELR151	786.00
Power Supply including (2) control modules for (2) devices	ELR152	1,072.00
Power Supply including (3) control modules for (3) devices	ELR153	1,363.00
Power Supply including (4) control modules for (4) devices	ELR154	1,651.00
Power Supply, no control modules	ELR150	499.00
<b>Control Module</b>		
Control Module card (on/off adjustable Time Delay standard)	CM150-08	294.00
<b>Battery Back-Up</b>		
Battery back-up card (batteries not included)	BT150-07	537.00
<b>Power Supply - Series PS160-6 (Required For DE Devices)</b>		
Power Supply (6 amp) operates up to (4) DE Devices (wire run permitting)	PS161-6	818.00
<b>Power Supply - RPSMLR (RPSMLR Models Can Power Up To (2) Two MLR Exit Devices)</b>		
Small enclosure, no battery storage	RPSMLR2	527.00
Large enclosure for battery storage (Batteries not included)	RPSMLR2BB	621.00

### Conversion Kits

Description	Product No.	List Price
<b>Electric Latch Retraction*</b>		
For 3'-0", 4'-0" Apex Wide Stile Device	ELRK-3, ELRK-4, ELRKF-3, ELRKF-4	988.00
For 3'-0", 4'-0" Apex Narrow Stile Device	NELRK-3, NELRK-4, NELRKF-3, NELRKF-4	988.00

**NOTES:** • ELR Conversion Kits are ONLY available for Apex 2000 Series Devices.

\* Requires PHI ELR150 Power Supply (see above).

<b>Motorized Latch Retraction</b>		
Motorized Latch Retraction Retrofit Kit	RPMLR-K	1,054.00

**NOTE:** When RPMLR-K is ordered for existing exit devices using Hex or Cylinder Dogging, it is recommended to include a blank hinge filler. See PRECISION Apex 2000 illustrated parts catalog [www.precisionhardware.com](http://www.precisionhardware.com)

<b>Monitoring</b>			
All Apex Devices	Touchbar Monitoring Switch	TSK309	255.00
All Apex Devices	Touchbar Monitoring Double Switch	TDSK310	311.00
Apex Wide Rim Device Only	Latchbolt Monitoring Switch	LSRK298	247.00
Apex Wide Rim Device Only	Latchbolt Monitoring Double Switch	LDSRK299	301.00
Apex Wide SVR or CVR Devices Only	Latchbolt Monitoring Switch	LSVK910	247.00

Description	Product No.	List Price
<b>Q Option Retrofit Kits</b>		
Wireless Access Management System	OSRK5267 – 2103 Rim OSVK5268 – 2203, 2703 Surface and Concealed Vertical Rod Surface and Concealed Vertical Rod	597.00

**NOTES:** · For additional product details see Apex 2000 series catalog section.  
· Latchbolt Monitoring for Apex Mortise Devices, specify LSM303 or LSM308 Electric Mortise Lock, see pg. 32.

<b>Electric Rim Device</b>			
2103, FL2103 Rim Devices	Electric Lock/Unlock Outside Trim	E2103K	656.00

Description	Product No.	All Finishes
<b>Electric Mortise Lock</b>		
Latchbolt monitoring, "03" Function	LSM303, LSM303F	985.00
Latchbolt monitoring, "08" Function	LSM308, LSM308F	
Electric lock/unlock with switch to monitor outside trim (locked/unlocked)	EM303, EM303F	1375.00
Electric lock/unlock with switches to monitor the outside trim (locked or unlocked) and to monitor the latchbolt	LSEM303, LSEM303F	1437.00

**NOTES:** · Fail Secure "FSE" is furnished standard. When Fail Safe is required specify "FS".  
· Electric lock/unlock option specify 24V.  
· Price does not include 1-1/4" mortise cylinder. If cylinder is required please see cylinders on pg. 30.  
· Lock front furnished beveled.  
· When ordering specify: model no., voltage [24V], Fail Safe/Fail Secure, hand and finish. [e.g. EM303 x 24V x FS x RHRB x 630]

Device Series	Description	Device Size	Kit No.	All Finishes
<b>Exit Alarm Kit</b>				
Apex Wide Stile	Battery Operated*	3'-0"	ALK-3	680.00
		4'-0"	ALK-4	
	Remote Power	3'-0"	ALW-3	
		4'-0"	ALW-4	
Apex Narrow Stile	Battery Operated*	3'-0"	NALK-3	680.00
		4'-0"	NALK-4	
	Remote Power	3'-0"	NALW-3	
		4'-0"	NALW-4	
Reliant**	Battery Operated*	3'-0"	RALK-3	621.00
		4'-0"	RALK-4	
	Remote Power	3'-0"	RALW-3	
		4'-0"	RALW-4	
WH495 Wiring Harness - Required for Remote Arming/Disarming the Alarm				46.00

**NOTES:** · Narrow and Wide Stile, kits are available in 605, 606, 612, 613, 625, 628, 630 Finishes.  
· To order specify Kit No. and Finish [e.g. ALK-3 x 630].  
\* For Battery operated kits a 9 Volt Battery is included.  
\*\* Reliant Series, kits are available in 689 or 695 Finishes.

Device Series	Description	Device Size	Kit No.	All Finishes
<b>Door Position Monitoring Switch*</b>				
Apex Wide Stile	Door Position Switch Kit	All	DS880	145.00
Apex Narrow Stile	Door Position Switch Kit	All	NDS986	

\* Kit includes Endcap and Endcap Mounting Bracket, specify finish.

<b>Power Transfer</b>			
Conc Power Transfer - accepts 5/16" wire bundle - max. 120° degree swing	EPT-5		257.00
Door Loop - Armored Flex Conduit (less wires) 18" long - max. 120° degree swing	EPT-2		77.00
Electric Power Transfer	EPT-12C		577.00

# Apex Component Assemblies - Wide Stile

# Component Assemblies

Description	Function/ Device Type	Assembly No.	Steel Plated	628	606, 612, 613, 622 630, 690	626W, 605, 625
<b>Active Case (Includes Lock Side Filler)</b>						
Rim - Reversible	01, 02, 03	A2103	-	654.00	652.00	693.00
	05, 08, 14, 15	A2108				
Rim - Reversible (Fire Rated)	01, 02, 03	A2103F	-	816.00	811.00	862.00
	05, 08, 14, 15	A2108F				
Surface Vertical Rod - Reversible	01, 02, 03	A2203, A2203F	-	654.00	652.00	693.00
	05, 08, 14, 15	A2208, A2208F				
Mortise - Reversible	01, 02, 03, 05	A2303	-	654.00	652.00	693.00
	08, 14, 15	A2303F				
Concealed Vertical Rod (metal) - Reversible	01, 02, 03	A2803, A2803F	-	654.00	652.00	693.00
	05, 08, 14, 15	A2808, A2808F				
Concealed Vertical Rod (wood) - Reversible	01, 02, 03	A2703, A2703F	-	654.00	652.00	693.00
	05, 08, 14, 15	A2708, A2708F				
<b>Top Latch</b>						
Surface Vertical Rod (630 furnished for 628, includes Latch Cover)	2200, FL2200	TL22, TL22F	-	-	387.00	439.00
Concealed Vertical Rod (metal, includes Top Latch & Rod Assembly)	2800, FL2800	TL28-8, TL28-10, TL28F-8, TL28F-10	265.00	-	-	-
Concealed Vertical Rod (wood, includes Top Latch & Rod Assembly)	2700, FL2700	TL27-8, TL27-10, TL27F-8	405.00	-	-	-
<b>Bottom Latch</b>						
Surface Vertical Rod (630 furnished for 628, includes Latch Cover)	2200, FL2200	BL22, BL22F	-	-	344.00	395.00
Concealed Vertical Rod (metal, includes Top Latch & Rod Assembly)"	2800, FL2800	BL28, BL28F	187.00	-	-	-
Concealed Vertical Rod (wood, includes Top Latch & Rod Assembly)	2700, FL2700	BL27, BL27F	315.00	-	-	-
<b>Covers</b>						
<b>Active Case</b>						
Rim	2100, FL2100	AC21	-	133.00	187.00	245.00
Rim "10" Function - Handed	2110, FL2110	AC2110				
Surface Vertical Rod	2200, FL2200	AC22				
Mortise	2300, FL2300	AC23				
Mortise "10" Function - Handed	2310, FL2310	AC2310				
Concealed Vertical Rod	2700, FL2700, 2800, FL2800	AC23	-	-	-	-
Rim "10VI" Function With Visual Lock/Unlock Indicator Window	2110VI, FL2110VI	AC2110VI	-	155.00	218.00	250.00
<b>SVR Latch Case</b>						
(Top or Bottom) (630 furnished for 628)	2200, FL2200	LC22	-	-	168.00	205.00

**NOTES:** · Assembly Nos. with Suffix "F" designate Assemblies for Fire Exit Hardware.  
· Specify Hand for all reversible Active Case Assemblies.

Description	Function/ Device Type	Assembly No.	Steel Plated	628	606, 612, 613, 622 630, 690	626W, 605, 625
<b>Touchbar Components</b>						
Touchbar Assembly (less active case, end cap & brkt.)	All Devices	TBA-3,FLTBA-3, TBA-4,FLTBA-4, TBA-26,FLTBA-26	-	978.00	1,130.00	1,259.00
<b>Device Endcap</b>						
Endcap	All Devices	EC992	-	-	89.00	117.00
Mounting Bracket	All Devices	MB305	62.00	-	-	-
<b>Center Chassis</b>						
Concealed Vertical Rod (metal)	2800,FL2800	CCH344	394.00	-	-	-
<b>Top Rod</b>						
Surface Vertical Rod (Includes Rod Pin, Clip & Rod Guide)	7'-0" 8'-0"	TR1854 TR1855	-	-	102.00	133.00
[630 furnished for 626 and 628]	10'-0"	TR1857				
[12'-0" is not available on Fire Rated Devices]	12'-0"	TR5197				
Concealed Vertical Rod (metal)	6'-8" to 8'-0" 8'-1" to 10'-0"	TR551 TR552				
Concealed Vertical Rod (wood)	6'-8" to 8'-0" 8'-1" to 10'-0"	TR554 TR555	240.00	-	-	-
<b>Bottom Rod</b>						
Surface Vertical Rod (Includes Rod Pin, Clip & Rod Guide) [630 furnished for 626 and 628]	All Devices	BR1859	-	-	102.00	133.00
Concealed Vertical Rod (metal) (Includes Bottom bolt)	All Devices	BR553	147.00	-	-	-
Concealed Vertical Rod (wood) (Includes Bottom bolt)	All Devices	BR556	240.00	-	-	-
<b>Extended Bottom Rod</b>						
Surface Vertical Rod	All Devices	BR5247-09	-	-	168.00	205.00
Concealed Vertical Rod (metal) (Bottom bolt NOT included)	All Devices	BR5244-09	123.00	-	-	-
Concealed Vertical Rod (wood) (Bottom bolt NOT included)	All Devices	BR5246-09	123.00	-	-	-
<b>Rod Guide, Pin &amp; Clip</b>						
Surface Vertical Rod	2200,FL2200	RG124	-	-	53.00	54.00
<b>Cylinder Dogging Kit</b>						
Cylinder Dogging Kit (1-1/4" Mortise Cylinder not included, see pg.30)	All Devices	CDK-3,CDK-4	-	182.00	182.00	187.00
<b>Double Cylinder Kit - "10" Function - Handed</b> (Cylinders not included, see pg.30)						
Rim Device (Includes locking/cylinder assy, cylinder collar and active case cover)		RDC-10	-	500.00	556.00	643.00
<b>Double Cylinder With Visual Lock/Unlock Indicator Kit - "10VI" Function - Handed</b>						
Rim Device (Includes locking cylinder assy, cylinder collar, flag assembly and active case cover)		RDC-10VI	-	726.00	779.00	860.00
Fire Rated Rim Device (Includes locking cylinder assy, cylinder collar, flag assembly and FL active case cover)		FRDC-10VI	-	906.00	959.00	1,040.00
Mortise Device (Includes M310 Mortise Lock, extension assy, cylinder bracket/collar and active case cover)		MDC-10	-	1,239.00	1,295.00	1,382.00
<b>Shim Kit</b>						
One set of 1/8" shims	All Devices	SMK994 (Dull Black)	74.00	-	-	-
<b>Back Plate</b>						
Access Control Trim Center Driven Cam	All Devices	BP21	71.00	-	-	-

NOTE: Converts 2101, 2102, 2103, 2108 to 21 Center driven cam exit device

# Apex Component Assemblies - Narrow Stile

## Component Assemblies

Description	Function/ Device Type	Assembly No.	Steel Plated	628	606, 612, 613, 622 630, 690	626W, 605, 625
<b>Active Case (Includes Lock Side Filler)</b>						
Rim - Non Handed	All Functions	A24	-	720.00	717.00	716.00
		A24F	-	880.00	877.00	931.00
Concealed Vertical Rod (metal) - Non Handed	All Functions	A26, A26F	--	720.00	717.00	765.00
<b>Cover</b>						
<b>Active Case</b>						
Rim	2400, FL2400	AC24	-	133.00	187.00	245.00
Concealed Vertical Rod	2600, FL2600	AC26				
<b>Touchbar Components</b>						
Touchbar Assembly (less active case, end cap & bracket)	All Devices	NTBA-3, FLNTBA-3, NTBA-4, FLNTBA-4	-	979.00	1,139.00	1,259.00
<b>Device Endcap</b>						
Endcap	All Devices	NEC993	-	-	89.00	117.00
Mounting Bracket	All Devices	NMB591	62.00	-	-	-
<b>Center Chassis</b>						
Concealed Vertical Rod (metal)	2600, FL2600	CCH343	427.00	-	-	-
<b>Top Latch</b>						
Concealed Vertical Rod (metal, includes Top Latch & Rod Assembly)	2600	TL28-8, TL28-10	265.00	-	-	-
	FL2600	TL28F-8, TL28F-10				
<b>Bottom Latch</b>						
Concealed Vertical Rod (metal, includes Bottom Bolt & Rod Assembly)	2600	BL28	187.00	-	-	-
	FL2600	BL28F				
<b>Top Rod</b>						
Concealed Vertical Rod (metal)	6'-8" to 8'-0"	TR551	147.00	-	-	-
	8'-1" to 10'-0"	TR552				
<b>Bottom Rod</b>						
Concealed Vertical Rod (metal) (Includes Bottom Bolt)	All Devices	BR553	147.00	-	-	-
<b>Extended Bottom Rod</b>						
Concealed Vertical Rod (metal) (Bottom bolt NOT included)	All Devices	BR5244-09	123.00	-	-	-
<b>Cylinder Dogging Kit</b>						
Narrow Cylinder Dogging Kit (1-1/4" Mortise Cylinder Not Included, see pg.30)	All Devices	NCDK-3, NCDK-4	-	182.00	182.00	187.00
<b>Shim Kit</b>						
Kit consists of: one set of 1/8" shims	All Devices	NSMK995 (Dull Black)	74.00	-	-	-

**NOTE:** Assembly Nos. with Suffix "F" designate Assemblies for Fire Exit Hardware.

Description	Device Type	Assembly No.	Steel Plated	689, 695	Black
<b>Covers</b>					
<b>Active Case</b>					
Rim	5100, FL5100	AC5100	-	-	95.00
Surface Vertical Rod	5200, FL5200	AC5200	-	-	-
SVR Latch Case (Top or Bottom)	5200, FL5200	LC5200	-	-	71.00
<b>Device Endcap</b>					
Endcap	All Devices	REC999	61.00	-	42.00
Mounting Bracket	All Devices	MB305			
<b>Top Latch</b>					
Surface Vertical Rod (Includes Latch Cover)	5200, FL5200	TL52, TL52F	-	-	264.00
<b>Bottom Latch</b>					
Surface Vertical Rod (Includes Latch Cover)	5200, FL5200	BL52, BL52F	-	-	220.00
<b>Top Rod</b>					
Surface Vertical Rod (Includes Rod Pin, Clip & Rod Guide)	7'-0"	RTR1860	-	74.00	-
	8'-0"	RTR1861			
	10'-0"	RTR1863			
<b>Bottom Rod</b>					
Surface Vertical Rod (metal) (Includes Rod Pin, Clip & Rod Guide)	All Devices	RBRI864	-	74.00	-
<b>Extended Bottom Rod</b>					
Surface Vertical Rod	All Devices	BR5248-09	-	122.00	-
<b>Rod Guide, Pin &amp; Clip</b>					
Surface Vertical Rod	5200, FL5200	RRG123	-	-	42.00
<b>Cylinder Dogging Kit</b>					
Reliant Cylinder Dogging Kit (1-1/4" Mortise Cylinder Not Included)		RCDK-3, RCDK-4	-	147.00	-

**NOTES:** • Assembly Nos. with Suffix "F" designate Assemblies for Fire Exit Hardware.  
 • Top and Bottom Latch assemblies are priced with covers, deduct cover price if not required.

# Olympian Component Assemblies - Crossbar

## Component Assemblies

Description	Function/Device Type	Assembly No.	606, 612 613, 630	605, 625
<b>Active Case</b>				
Rim - Handed	01, 02, 03	A103	911.00	1,018.00
	05, 08, 14, 15	A108		
Rim - Reversible	01, 02, 03	ARI03	911.00	1,018.00
	05, 08, 14, 15	ARI08		
Rim - Handed	01, 02, 03	A103F	1,074.00	1,183.00
	05, 08, 14, 15	A108F		
Rim - Reversible	01, 02, 03	ARI03F	1,074.00	1,183.00
	05, 08, 14, 15	ARI08F		
Surface Vertical Rod - Reversible	01, 02, 03	A203, A203F	911.00	1,018.00
	05, 08, 14, 15	A208, A208F		
Mortise - Handed	All Functions	A303, A303F	911.00	1,018.00
<b>Inactive Case</b>				
All - Reversible	All Devices	BI23, BI23F	657.00	758.00
<b>Top Latch</b>				
Surface Vertical Rod	200	TL22	387.00	439.00
	FL200	TL22F		
<b>Bottom Latch</b>				
Surface Vertical Rod	200	BL22	344.00	395.00
	FL200	BL22F		
<b>Covers</b>				
<b>Active Case</b>				
Rim - Handed	100, FL100	AC10, AC10F	188.00	247.00
Rim - Reversible	R100, FLR100	ACR10, ACR10F		
Surface Vertical Rod	200, FL200	AC20, AC20F		
Mortise	300, FL300	AC30, AC30F		
<b>Inactive Case</b>				
Panic Exit Hardware	All Devices	HSI23	188.00	247.00
Fire Exit Hardware	All Devices	HSI23F		
<b>SVR Latch Case</b>				
(Top or Bottom)	200, FL200	LC22	168.00	205.00

- NOTES:**
- Assembly Nos. with Suffix "F" designate Assemblies for Fire Exit Hardware.
  - Assemblies are priced with covers, deduct cover price if not required.
  - \* Specify Hand for all reversible or handed Active Case Assemblies.

# Olympian Component Assemblies - Crossbar

## Component Assemblies

Description	Function/ Device	Assembly No.		Steel Plated	606, 612 613, 630	605, 625
		3' Door	4' Door			
<b>Crossbar*</b>						
Standard	All Devices	CB123-3	CB123-4	--	129.00	157.00
Reinforced	All Devices	CBR123-3	CBR123-4	--	153.00	181.00
Knurled	All Devices	CBK123-3	CBK123-4	--	317.00	348.00
<b>Crossbar Plug</b>						
	All Devices	CPI23		--	32.00	36.00
<b>Top Rod*</b>						
Surface Vert Rod	7'-0"	TR1854		--	102.00	133.00
	8'-0"	TR1855				
	10'-0"	TR1857				
	12'-0"	TR5197				
<b>Bottom Rod*</b>						
Surface Vertical Rod	All Devices	BRI859		--	102.00	133.00
<b>Extended Bottom Rod</b>						
Surface Vertical Rod	All Devices	BR5247-09		--	168.00	205.00
<b>Rod Guide, Pin &amp; Clip</b>						
Surface Vertical Rod	200, FL200	RG124		--	53.00	54.00
<b>Back Plate Assemblies - Rim Devices</b>						
Rim	01, 02, 03	BP103		74.00	--	--
	05, 08, 14, 15	BP108				
Surface Vert Rod	01, 02, 03	BP203		74.00	--	--
	05, 08, 14, 15	BP208				

\* 630 furnished for 626

## Trim Components Assemblies

Series	Description	Kit No.			
<b>Trim Function Conversion Kits</b>					
4900 Trim	From "03" to "08" or "02" to "14"	FC-08	YFC-08	Olympian	182.00
V4900 Trim	From "03" to "08" or "02" to "14"	VFC-08	YVFC-08	Olympian	182.00
	From 4900 Trim to V4900 Trim	B-49-01	YB-49-01	Olympian	
M4900 Trim	From "03" to "08" or "02" to "14"	MFC-08	MYFC-08	Olympian	
2900 Trim	From "08" to "03" (**specify Lever Style and finish)	NFC-03			182.00
	From "03" to "08" (**specify Lever Style and finish)	NFC-08			
<b>Cylinder Attachment Kits (Cylinders not included)</b>					
Wide Stile	1700, 2000, 4900, V4900, 603 and 703A Series Trim	CA-03T			40.00
	Device, "03" function, no outside Trim	CA-03			22.00
Narrow Stile	Device, "03" function, no outside Trim	NCA-03			38.00
	2900 Trim - for "03" function	CA-2903			44.00
	2900 Trim - for "08" function	CA-2908			44.00
Reliant	808A Trim (specify finish 689 or 695)	RCA-08			44.00

\*\* Please see specific catalog pages for finish designation.



# Weight Chart

Miscellaneous

Weights are to the nearest 0.25 Lb. and for estimating purposes only.	628		605, 606, 612, 613, 622, 625, 626W, 630, 690			689, 695 Reliant
	Wide	Narrow	Wide	Narrow	Olympian	
<b>Devices - Less Trim</b>						
Rim	15.00	14.25	18.50	18.00	14.00	15.00
Surface Vertical Rod	18.00	–	23.25	–	19.00	18.50
Less Bottom Rod	17.25	–	21.25	–	18.00	16.75
Mortise	17.00	–	20.00	–	16.00	–
Concealed Vertical Rod (metal)	19.25	18.75	22.50	22.00	–	–
Less Bottom Rod	18.25	17.50	21.50	21.00	–	–
Concealed Vertical Rod (wood)	18.75	–	22.50	–	–	–
Less Bottom Rod	17.00	–	21.00	–	–	–
Device with DE option: <b>add 13.00</b>						
<b>Trims</b>						
1700A	3.00	–	3.00	–	3.00	–
2000A	3.25	–	3.25	–	3.25	–
2900A	–	3.00	–	3.00	–	–
4900A, 4900K	5.50	–	5.50	–	5.50	–
V4908A	6.00	–	6.00	–	6.00	–
C03	2.00	–	2.00	–	2.00	–
501	–	–	–	–	–	0.75
602, 603	–	–	–	–	–	1.00
702, 703	–	–	–	–	–	1.75
808A, 814A	–	–	–	–	–	3.25
<b>Active Case Assembly</b>						
Rim Device	2.50	2.00	2.50	2.00	6.00	1.25
Vertical Rod Device	3.00	–	3.00	–	6.00	1.25
Mortise Device	2.25	–	2.25	–	5.50	–
Concealed Vertical Rod (metal)	3.00	1.75	3.00	1.75	–	–
Concealed Vertical Rod (wood)	3.00	–	3.00	–	–	–
<b>Touchbar Assembly</b>						
3'- 0" Device	10.25	10.25	13.75	13.75	–	10.25
4'- 0" Device	11.50	11.50	15.00	15.00	–	11.00
ELR Device	12.50	12.50	15.00	15.00	–	–
Dummy Touchbar	8.75	8.75	14.50	14.50	–	–
<b>Inactive Case Assembly</b>						
3'- 0" Device	–	–	–	–	3.00	–
<b>Top Latch Assembly</b>						
Surface Vertical Rod	2.50	–	2.50	–	2.50	2.00
Concealed Vertical Rod	2.75	2.75	2.75	2.75	–	–
<b>Bottom Latch Assembly</b>						
Surface Vertical Rod	2.00	–	2.00	–	2.00	1.75
Concealed Vertical Rod	2.50	2.50	2.50	2.50	–	–

\* 630 furnished for 626

<b>Mullions</b>	
811	24.00
<b>Mullion Fittings</b>	
MC811	0.50
MB811	0.50
MB822	1.00
<b>Mortise Lock</b>	
M303, M308, M310	2.75
<b>Low Energy Operator</b>	
D-4990	40.00
D-4990T	40.00

<b>Electronics</b>	
PS-161	100
EPT-5	100
822	30.00
MC822	2.25
MC822F	2.25
FL822	30.00
KMC822	3.75
KMC822F	3.75

## Quoting & Ordering

Price quotations are based on one (1) shipment to one (1) location, and are valid as identified in the quote but in no case longer than one year from the date of the quote. All exceptions will be evaluated on an individual basis.

All quotation requests will be provided by the dormakaba USA Inc. ("dormakaba USA") Representative where the project is located.

**QUOTING PROCESS AND PROCEDURES:** The following information is necessary to secure a price quotation from dormakaba USA.

- Distributor Name
- Distributor Location
- Distributor Contact Name and Phone Number
- Distributor e-mail contact
- Project Name
- Project Location
- Bid Date
- Architects Name, Phone Number and Architects Location
- Specification Writer Name, Phone Number and Location
- Competitive Influence / Specification

List of materials to be quoted Every attempt will be made by dormakaba USA to provide the price quotation in a timely manner. Upon completion, you will receive a copy of the quotation which will also include a valid quotation number. Once the project is secured, a copy of the quotation must accompany your purchase order and be forwarded to dormakaba USA Customer Service Department in Indianapolis for processing.

**NON-STANDARD PRODUCT REQUEST:** Please contact your dormakaba USA Representative to complete a Non-Standard Product Request Form.

All requests should be submitted to the following email address:  
**Email: [product.request.us@dormakaba.com](mailto:product.request.us@dormakaba.com)**

Upon receipt of a special order request, dormakaba USA will review the configuration and determine if dormakaba USA is capable of making the special order product and will provide a response to the customer. If dormakaba USA is able to make the special order product, dormakaba USA will provide a specific sku/configuration to the customer for the special order product. This sku/configuration must be identified on all Purchase Orders. In addition, the Purchase Order must be marked as a "Special Order".

**ORDERING:** The following information is required for dormakaba USA to successfully process any order:

- Itemized Purchase Order (PO)
- dormakaba USA Approved Quote

Please send all orders to [BAS-orderentry.us@dormakaba.com](mailto:BAS-orderentry.us@dormakaba.com) or by fax to 877-835-1030

**NOTE:** For detailed information on how to place an order for dormakaba USA products as well as BEST masterkey services please see the detailed section regarding "Best Ordering".

**ADD ON ORDERS FOR QUOTED PROJECTS:** To place an add-on order from a quoted project the Distributor must include the original quote, PO number and/or dormakaba USA's original order number. Add-On orders will be accepted for a period one (1) year from the original order date. Add-On orders received that are outside of the aforementioned period will be forwarded to the dormakaba USA Representative for re-quote.

**STOCKING ORDERS:** All orders for stock replenishment should be marked as "Stock" and indicate a "Ship To" address that coincides with the stocking Distributor warehouse location.

**INCOMPLETE ORDER PROCESS:** All orders are screened upon receipt for complete information. If an order is received incomplete, dormakaba USA Customer Service will make one (1) attempt to contact a Distributor directly for the missing requirements. If the information is not made available to dormakaba USA at that time the order will be referred to the local dormakaba USA Representative for resolution. All incomplete orders will be cancelled if not resolved after fourteen (14) calendar days.

**PRICE DISCREPANCY PROCESS:** All entered orders are reviewed by dormakaba USA Customer Service for accuracy and pricing consistency between the Distributor and dormakaba USA. Any order determined by dormakaba USA, in its sole and absolute discretion, to have a value greater than the Total Price shown on the Distributor purchase order will be held by dormakaba USA for a Price Discrepancy. dormakaba USA quotes are also reviewed to ensure that they are complete, approved, and match the PO. Due to pricing sensitivity, all price discrepancies must be resolved exclusively by your dormakaba USA Representative.

**ORDER CANCELLATION/CHANGES:** All requests for Order Cancellations and Changes (Quantity, Shipping, Finish, Function, etc) should be sent directly to dormakaba USA Customer Service. Requests via phone will be accepted, but must be accompanied by a written request. Factory Order Number, PO Number, Account Info, and Detailed Changes must be clearly indicated. Change requests can be submitted via the following methods:

**Email: [BAS-cshelp.us@dormakaba.com](mailto:BAS-cshelp.us@dormakaba.com)**  
**Fax: 1-877-835-1030**

All order cancellations or changes will be subject to a cancellation fee as defined in dormakaba USA's Terms and Conditions of Sale.

**PRODUCTION SCHEDULING AND "DO NOT SHIP BEFORE" REQUESTS:** All orders are scheduled for production and shipping based on current production lead times and availability. Scheduling is completed only when an order is released from both credit and pricing review.

Exceptions to this policy are made only when the PO is clearly marked: "Do Not Ship Before" followed by the date. (Required Date, Expected Date, etc. do not apply) These orders will be scheduled to ship on or after the date listed.

Changes to "Do Not Ship Before" dates are required in writing and should be sent to: [BAS-cshelp.us@dormakaba.com](mailto:BAS-cshelp.us@dormakaba.com).

Be advised, orders not clearly marked with a "Do Not Ship Before" designation will be payable within normal terms from the actual shipment date.

**EXPEDITE REQUESTS:**

- Expedite requests will be reviewed and accommodated by dormakaba USA based on production lead times and availability.  
**Email: [BAS-expediterequest.us@dormakaba.com](mailto:BAS-expediterequest.us@dormakaba.com)**
- See the then current dormakaba USA Quick Ship Program for details.

**WHOLESALE PURCHASE:** Distributors are also free to utilize dormakaba USA's Authorized Wholesalers to purchase product. dormakaba USA does not make any guarantee of availability or pricing for purchases from an Authorized Wholesaler and the discounts afforded to Distributor by dormakaba USA shall not apply to purchases from an Authorized Wholesaler. The terms and conditions and price of product shall be as mutually agreed between Distributor and Wholesaler.

## BEST Cylinder and Precision Exit Device Orders

For current pricing and ordering information associated with Best cylinders please see the Best Price Catalog.

## Returned Authorization (RA) Non-Warranty

**RA POLICY:** A Return Authorization Form ("RA") must be utilized to return products that are not defective and otherwise in a resalable condition. Only goods with an invoice date of less than one (1) year will be considered for a non-warranty related return. All materials returned to dormakaba USA Inc. ("dormakaba USA") for any reason (other than warranty), must have a correct RA number applied to the outside of the shipping carton. A thirty percent (30%) re-stocking charge (of the purchase price) will be applied to the Distributor's account for orders returned, including orders that were placed by customer in error. Transportation charges of returned goods must be prepaid by the Distributor. All goods must be returned within sixty (60) calendar days of RA issue date. All goods must be returned in original packaging and be in resalable condition. Product not returned in saleable condition is subject to disposal by dormakaba USA with no credit issued. Commercial Hardware items that are special made to order items will not be returned under any circumstances.

**RA PROCESS:** Requests for non-warranty related returns can be initiated by submitting an e-mail to

**BAS-rgacreditgrp.us@dormakaba.com.**

The RA Request Form must be completed entirely to process an RA. The following information will be needed:

- Company Name
  - Account Number
  - Contact Name
  - Purchaser Order Number
  - Sales Order Number
  - Item Number
  - Item Quantity
  - Phone Number
  - Description of the Problem
1. Upon review and approval of the submitted RA request, a claim number is logged and provided back to the requestor by a dormakaba USA Team member:
  2. Once a claim number is issued, this number should be noted on all references and communications concerning said RA.
  3. Product should be returned to the address below. The shipment must be marked with the approved RA claim number to ensure prompt processing and attention. All shipping charges prepaid by customer.  
dormakaba USA Inc.  
Attn: Returns Department  
6161 East 75th Street  
Indianapolis, IN 46250
  4. The RA will be processed once material is received at dormakaba USA's factory provided it is received in its original packaging and is in saleable condition.
  5. Credit is issued to the Distributor account and a credit memo is mailed to the Distributor.

## Fulfillment Issues

Any quality issues (missing parts, wrong parts, handling, finish, etc) should be submitted electronically to: BAS-rgacreditgrp.us@dormakaba.com or your Local dormakaba USA Representative.

Please reference your original Purchase Order (PO) Number, Factory Order Number, Distributor Account, Contact Information (E-mail/Fax), and include a detailed description of the issue.

**1) ITEMS MISSING FROM A SHIPMENT:** If you have signed your shipment short, dormakaba USA Customer Service will promptly issue a No Charge replacement order for the missing products.

If the shipment was not signed short but after review, dormakaba USA Customer Service determines (based on shipping weights, packing lists, etc) that the order was indeed shipped short, a No Charge replacement will be issued.

If dormakaba USA Customer Service cannot verify a shipping error, an advance replacement order will be entered, charged, and expedited to the Distributor. The quality issue will be forwarded to the Return Authorization Credit Group for resolution.

If it is determined that the item was omitted from the order due to a dormakaba USA order entry error, a change order will be entered and expedited for the missing products.

Please see price book for further detail.

**2) WRONG ITEMS RECEIVED** (parts, handling, function, finish, etc):

Advanced replacements will be issued for any wrong items received. **Such orders will be charged based on pricing/discounts from the original order.** The issue will be forwarded to dormakaba USA's Return Authorization Credit Group for resolution.

Any quality issue that is determined to be either a dormakaba USA order entry and/or manufacturing error will have an advanced replacement order entered and will be expedited. An RA will be issued to return the incorrect products. No re-stock fee will apply for dormakaba USA order entry and/or manufacturing errors.

# Order Form

dormakaba USA Inc.  
Attn: Precision Hardware  
6161 East 75th Street  
Indianapolis, IN 46250

Order Form: \_\_\_\_\_

P.O. #: \_\_\_\_\_

Date: \_\_\_\_\_

Ship to: \_\_\_\_\_

Sold to: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Phone number: \_\_\_\_\_

Date required \_\_\_\_\_

Placed by: \_\_\_\_\_

Job name: \_\_\_\_\_

Entered by: \_\_\_\_\_

Salesperson: \_\_\_\_\_

Ship via: \_\_\_\_\_

Quantity	Product Description	Handing	Finish	Door Size

# Return Authorization Form Request

- Return for Replacement
- Return for Credit

Date of Request: \_\_\_\_\_

Original Order: \_\_\_\_\_

Date of Request: \_\_\_\_\_

Original P.O.: \_\_\_\_\_

Invoice #: \_\_\_\_\_

Customer Name: \_\_\_\_\_

Account Number: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_ Zip: \_\_\_\_\_

Contact Name: \_\_\_\_\_

E-mail: \_\_\_\_\_

Phone: \_\_\_\_\_

## NATURE OF PROBLEM

- Manufacturing Defect
- Warranty Evaluation
- Missing Parts
- Wrong Material Received
- Wrong Material Ordered
- Wrong Quantity
- Return Inventory
- Other: \_\_\_\_\_

NOTE: All returns shall be subject to dormakaba USA Inc.'s current Terms of Sale and Warranty as outlined in the price catalog.

- Ship Replacement Material to Address Above
- Ship Replacement Material to Address on Order

### DETAILED DESCRIPTION OF DEFECT OR REASON FOR RETURN

---



---



---

RETURN MATERAIL			
Line Item #	Quantity	Product Nomenclature	Product Description
Please e-mail completed form to <a href="mailto:BAS-rgacreditgrp.us@dormakaba.com">BAS-rgacreditgrp.us@dormakaba.com</a> or Fax to 1-877-835-1030			











PRECISION

6161 East 75th Street  
Indianapolis, IN 46250 USA

Phone 855-365-2407

[precisionhardware.com](http://precisionhardware.com)