

SECO-LARM®

Commercial/Residential Security Systems and Accessories

Address: 16842 Millikan Avenue, Irvine, California 92606
Telephone: (800) 662-0800, (949) 261-2999
Fax: (949) 261-7326
E-mail: sales@seco-larm.com
Internet: www.seco-larm.com

Effective Date: 11/11/2022

Note: Minimum order quantities apply to some products.

Models are priced individually, even when sold in multiples.

Models which end in 'Q' are RoHS-compliant.

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs/ Carton
AD-DBO-HL951X-EA	Countertop Display (8-1/4" x 11-3/4") for HL Series RF Transmitters and Receivers.	\$29.00	\$44.60	1	1
AD-DBO-SD927P-EC	Countertop Display (8-1/4" x 11-3/4") for SK-B241-PQ Bluetooth Mullion Keypad.	\$39.00	\$60.00	1	1
AD-DBO-SKB241-EB	Countertop Display (8-1/4" x 11-3/4") for SD-927-PKCQ series Wave-To-Open (WTO) Sensors.	\$29.00	\$44.60	1	1
AS-6111Q	Motion Entry Alert, provides approximately 4 seconds of audible alert (doorbell sound) when triggered, sensor range 10ft (3m), battery operated (3 AAA batteries, not included).	\$4.95	\$7.60	1	40
AS-7021	Stand-Alone Parking Alert, Ultrasonic sensor allows precise parking in a garage or parking lot, adjustable sensing distance, simple traffic light colors indicate distance, battery operated with low-battery indicator	\$9.95	\$15.30	1	64
BD-T100Q	Dummy Dual Photoelectric Beam Sensor with flashing red LEDs.	\$9.95	\$15.30	10	20
CA-1510-3FLQ	Illuminated Power Connector. Female DC jack with 3ft wire leads. Sold in multiples of 10 (price is for 1 pc).	\$2.20	\$3.40	10	500
CA-1515Q	Female DC Jack to female DC jack adapter. Sold in multiples of 10 (price is for 1 pc).	\$0.85	\$1.30	10	100
CA-151T	Power Connector. Female DC jack with terminal block. Sold in multiples of 10 (price is for 1 pc).	\$0.41	\$0.65	10	100
CA-1610-3FLQ	Illuminated Power Connector. Male DC plug with 3ft wire leads. Sold in multiples of 10 (price is for 1 pc).	\$2.20	\$3.40	10	500
CA-1616Q	DC Plug-to-plug Adapter. Male DC plug to male DC plug adapter. Sold in multiples of 10 (price is for 1 pc).	\$0.80	\$1.25	10	100
CA-161P	2.1mm DC Plug to screwless terminal block. Sold in multiples of 10 (price is for 1 pc).	\$0.60	\$0.90	10	100
CA-161T	Power connector. Male DC plug with terminal block. Sold in multiples of 10 (price is for 1 pc). Minimum order quantity of 50pcs.	\$0.39	\$0.60	50	100
CL-210M-U3BQ	Motorized Cabinet Lock, 12-28VAC/VDC operation, lock status, door status.	\$29.50	\$45.40	1	50
CS-PD115-PAQ	Photoelectric proximity sensor. Diffused type, plastic cylindrical threaded case 15cm max. sensing range, pigtail	\$21.50	\$33.10	1	100
CS-PD419-PQ	Photoelectric proximity sensor. Diffused type, 19mm metal cylindrical threaded case 15cm max. sensing range, pigtail	\$26.50	\$40.75	5	100
CS-PD422-PQ	Photoelectric proximity sensor. Diffused type, metal cylindrical threaded case 15cm max. sensing range, pigtail, 22mm body	\$28.50	\$43.85	5	100
CS-PD438-PQ	Photoelectric proximity sensor. Diffused type, metal cylindrical threaded case 15cm max. sensing range, pigtail, 38mm body	\$33.00	\$50.75	2	100
CS-PD535-TAQ	Photoelectric proximity sensor. Diffused type, square plastic housing, terminal blocks (Red/Green)	\$19.80	\$30.45	1	100
CS-PD535-TBQ	Photoelectric proximity sensor. Diffused type, square plastic housing, terminal blocks (Blue/Green)	Special Order Item Only. Contact SECO-LARM for details.			
DG-311BQ	Safety door latch, patented anti-pick swing latch design, easy to install and use, Brass	Available Spring 2023			
DG-311CQ	Safety door latch, patented anti-pick swing latch design, easy to install and use, Satin Chrome	Available Spring 2023			
DG-311NQ	Safety door latch, patented anti-pick swing latch design, easy to install and use, Nickel	Available Spring 2023			
DH-100A-01SQ	Door Holder Armature Plate for DH-151SQ and DH-171SQ	\$16.00	\$24.60	1	1
DH-100E-07SQ	3/4" Door Holder Extension Bar for DH-151, DH-171	\$2.00	\$3.10	1	1
DH-100E-10SQ	1" Door Holder Extension Bar for DH-151, DH-171	\$2.00	\$3.10	1	1
DH-100E-40SQ	4" Door Holder Extension Bar for DH-151, DH-171	\$4.50	\$6.90	1	1
DH-100E-70SQ	7" Door Holder Extension Bar for DH-151, DH-171	\$7.75	\$11.90	1	1
DH-151SQ	Magnetic Door Holder, Surface-mount with backbox, UL listed, adjustable armature plate, fail-safe operation, holding force 33-lbs (15kg), three voltages: 12VAC/VDC, 24VAC/VDC, 120VAC, extension bars available: 1/2", 3/4", 1", 2"... cast aluminum faceplate, built-in voltage spike suppressor.	\$39.55	\$60.85	1	20

SECO-LARM®

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs/ Carton
DH-171SQ	Magnetic Door Holder, Flush-mount, UL listed, adjustable armature plate, fail-safe operation, holding force 33-lbs (15kg), three voltages: 12VAC/VDC, 24VAC/VDC, 120VAC, extension bars available: ½", ¾", 1", 2"... cast aluminum faceplate, built-in voltage spike suppressor.	\$35.90	\$55.25	1	20
DP-264-1C7Q	Hands-Free Color Video Door Phone. Includes color CMOS camera with 700 TV lines, 2.1mm lens, and monitor with 7-inch TFT display. Four LEDs for Day/Night use. Simple 2-wire connection. Optional secondary monitor available DP-264-M7Q, and secondary camera DP-264-CQ.	\$165.00	\$253.85	1	4
DP-264-CQ	Additional Camera for DP-264Q.	\$80.00	\$123.10	1	4
DP-264-M7Q	Additional Monitor for DP-264Q.	\$97.00	\$149.25	1	4
DP-264-MSQ	Monitor Stand for Hands Free Video Door Phone DP-264-M7Q and DP-264-1C7Q	\$20.00	\$30.75	1	18
DP-266-1C7Q	Wireless Color Video Door Phone. Range: Up to 492ft (150m), 9~16 VAC/VDC operating voltage. Adjustable viewing angle. Handheld monitor is portable. Unlock doors or gates via the monitor. Camera has built in PIR sensor for taking photos. Can have up to 2 cameras and 3 monitors.	\$179.00	\$275.40	1	10
DP-266-BC7	Replacement battery for the DP-266-CQ	\$11.00	\$16.90	1	1
DP-266-BM7	Replacement battery for the DP-266-M3Q	\$8.00	\$12.30	1	1
DP-266-CAQ	Additional Color Video Door Phone Camera for DP-266-1C3Q. 2mm lens and 480 TV Line resolution.	\$85.00	\$130.75	1	10
DP-266-M7Q	Additional 3" Wireless Color Video Door Phone Monitor for DP-266-1C3Q	\$105.00	\$161.55	1	10
DP-T100-1Q	Additional intercom for the DP-T100-2Q.	\$41.00	\$63.10	1	20
DP-T100-2Q	Wireless Intercom Kit - Two Intercoms. 902~928 MHz (Frequency Hopping). Range up to 1,000ft (300m). Connect up to 16 intercoms together for a fast, simple, and secure communication system. Four selectable channels, as well as a broadcast-to-all-channel mode. Powered by 4 AA batteries or power adapter	\$79.00	\$121.55	1	20
E-37ANT	Optional external antenna for use with E-37EV when no existing AM or CB antenna is available.	\$9.95	\$15.30	1	100
E-37EV	3-Zone alarm pager system. Includes E-37RV vibrating receiver. (Not compatible with E-35EV or E-35RV.)	\$71.00	\$109.25	1	20
E-37RV	Spare receiver for use with E-37EV with built-in audible or vibrating function for silent paging. (Not compatible with E-35EV or E-35RV.)	\$45.00	\$69.25	1	20
E-922CPQ	3 Channel Voice Dialer, listen-in with built-in relay, 3 NO/NC triggers, automatically calls up to 6 phone/cellphone/pager numbers (maximum 14 digits per number)	\$71.00	\$109.25	1	50
E-931ACC-BLS6Q	Single-gang flush-mount bracket for the E-931-S35RRQ and the E-931-S45RRQ.	\$5.75	\$8.85	1	1
E-931ACC-BLS7Q	"L" bracket for mounting the E-931-S35RRQ and the E-931-S45RRQ.	\$4.90	\$7.55	1	1
E-931ACC-BLS8Q	Wall/door frame bracket for the E-931CS22RRCQ, E-931CS22RRCQ, E-931-S35RRQ and E-931-S45RRQ.	\$2.60	\$4.00	1	1
E-931ACC-CQ	Counter for E-931CS22RRCQ (tracks how often triggered).	\$22.00	\$33.85	1	20
E-931ACC-HR1Q	Hood/cover for E-931ACC-RQ and E-931ACC-RC1Q.	\$5.30	\$8.15	1	20
E-931ACC-R2Q	Replacement Reflector (2" square) for E-931-S33PRQ, E-931-S35RRQ, E-931-S45RRQ, and E-931CS22RRCQ.	\$5.30	\$8.15	1	100
E-931ACC-RC1Q	Round Reflector (3" diameter) for E-931-S33PRQ, E-931-S35RRQ, E-931-S45RRQ, and E-931CS22RRCQ.	\$6.95	\$10.70	1	100
E-931ACC-RLQ	Large Reflector for Reflective Beam Sensors	\$39.20	\$60.30	1	1
E-931ACC-SFQ	Optional Wireless Speaker with Power Adapter for E-931CS22RRCQ.	\$44.10	\$67.85	1	50
E-931ACC-SQ	Additional Siren/chime for E-931CS22RRCQ.	\$18.75	\$28.85	1	50
E-931CS22RRCQ	Wireless Entry Alert System, 433MHz, Wireless Speaker and Sensor	\$74.55	\$114.70	1	20
E-931CS22RRCQ	Entry Alert System. Reflective beam sensor with chime for door entry indication. "Ding-dong" or siren sounds. Range: Up to 22ft.	\$40.25	\$61.90	1	20
E-931-S33PRGQ	Polarized Reflective Photobeam Sensor, range: up to 33ft (10m), polarized sensor is immune to shiny objects: triggers only when correctly reflected light is detected, 12-30VDC/VAC 60Hz 100mA, Monitored output: N.C./10kΩ Resistor, Form C relay: 500mA@30VAC/VDC, dual-color LED for beam alignment, N.C. tamper circuit, weatherproof for indoor/outdoor use (IP55), Light-On Operation. ETL UL325-2018 Compliant on August 1st.	\$54.65	\$84.10	1	30
E-931-S35RRQ	35ft Reflective Photoelectric Beam Sensor. Range: Up to 35ft. 12~240 VDC or 24~240 VAC. 1A Relay output, NO/NC/COM.	\$40.00	\$61.55	1	40
E-931-S45RRQ	45ft Reflective Photoelectric Beam Sensor. Range: Up to 45ft. 12~250 VAC/VDC. 3A Relay output, NO/NC/COM. Adjustable response time. Includes round reflector, mounting brackets and hardware, and reflector hood.	\$47.00	\$72.30	1	30
E-931-S50RRGQ	Reflective Photobeam Sensor, range: up to 50ft (15m), 12-30VDC/VAC 60Hz 100mA, Monitored output: N.C./10kΩ Resistor, Form C relay: 500mA@30VAC/VDC, dual-color LED for beam alignment, for outdoor gates/ garage doors/ etc, N.C. tamper circuit, weatherproof for indoor/outdoor use (IP55), Light-On Operation. ETL UL325-2018 Compliant on August 1st.	\$55.00	\$84.60	1	30
E-931-S50RRLQ	50ft Large Reflective Sensor. Range: Up to 50 ft. 12~250 VAC/VDC. Larger sensor and reflector for more convenient alignment and adjustment. Wall or pole-mountable. Includes hood for sensor and reflector.	\$108.00	\$166.15	1	10

SECO-LARM®

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs/ Carton
E-936-S45RRGQ	Reflective Photobeam Sensor, range: up to 45ft (14m), 12-30VDC/VAC 60Hz 100mA, monitored output: N.C./10kΩ Resistor, adjustable sensor range, includes 3" round reflector & hood, Form C relay: NO/NC/COM 2A@30VAC/VDC, dual-color LED alignment, pre-wired 6ft (1.8m) cord, weatherproof for indoor and outdoor use (IP66), light-on operation) ETL UL325-2018 Compliant on August 1st.	\$49.75	\$76.55	1	30
E-941D-1K2/P	¼" Plate Spacer for 1,200-lb double-door maglocks.	\$15.00	\$23.10	1	50
E-941D-600/PQ	3/16" Plate Spacer for 600-lb double-door maglocks.	\$14.00	\$21.55	1	100
E-941DA-1K2Q	Double-door electromagnetic lock with 1,200-lb (545kg) holding force per door. 12 or 24 VDC operation. UL, CUL listed. Sold in multiples of 2 (price is for 1 pc).	\$149.75	\$230.40	2	2
E-941DA-1K2P	Double-door Electromagnetic lock with 1,200-lb (545kg) holding force per door. 12 or 24 VDC operation. Bond Sensor& LED. UL, CUL listed. Sold in multiples of 2 (price is for 1 pc).	\$175.00	\$269.25	2	2
E-941DB-1K2P	Black Double-door Electromagnetic lock with 1,200-lb (545kg) holding force per door. 12 or 24 VDC operation. Bond Sensor & LED. UL, CUL listed. Sold in multiples of 2 (price is for 1 pc). Available November 2022	\$220.00	\$338.45	1	1
E-941DA-600Q	Double-door Electromagnetic Lock with 600-lb (272kg) holding force per door. 12 or 24 VDC operation. UL, CUL listed. Sold in multiples of 2 (price is for 1 pc).	\$124.00	\$190.75	1	5
E-941DA-600PQ	Double-door Electromagnetic Lock with 600-lb (272kg) holding force per door. 12 or 24 VDC operation. Bond Sensor & LED. UL, CUL listed. Sold in multiples of 2 (price is for 1 pc).	\$135.00	\$207.70	1	5
E-941DB-600PQ	Black Double-door Electromagnetic Lock with 600-lb (272kg) holding force per door. 12 or 24 VDC operation. Bond Sensor & LED. UL, CUL listed. Sold in multiples of 2 (price is for 1 pc). Available November 2022	\$172.00	\$264.60	1	1
E-941S-1K2/AP	Armature Plate for E-941SA-1200, E-941SA-1K2PD, E-941SA-1K2PQ, E-941DA-1K2Q, E-941DA-1K2P, E-942FC-1300, and E-946FC-1K2Q.	\$20.00	\$30.75	1	1
E-941S-1K2/F43Q	1/2" Filler Plate for indoor 600-lb and 1,200-lb maglocks	\$10.00	\$15.40	1	100
E-941S-1K2/F53Q	5/8" Filler Plate for indoor 600lb and 1,200lb maglocks	\$12.50	\$19.25	1	100
E-941S-1K2/HP	Header Plate for E-941SA-1200, E-941SA-1K2PQ and E-941SA-1K2PD.	\$8.00	\$12.30	1	10
E-941S-1K2B/HP	Black Header Plate/Plate Spacer for E-941SB-1200, E-941SB-1K2PQ. Available November 2022	\$16.60	\$25.55	1	10
E-941S-1K2/HQ	Armature Plate Holder for E-941SA-1200, E-941SA-1K2PD, E-941SA-1K2PQ, E-941DA-1K2Q and E-941DA-1K2P.	\$18.50	\$28.45	1	10
E-941S-1K2/LQ	"L" Bracket for mounting E-941SA-1200, E-941SA-1K2PD, E-941SA-1K2PQ, E-941DA-1K2Q and E-941DA-1K2P.	\$16.75	\$25.75	1	50
E-941S-1K2B/LQ	Black "L" Bracket for mounting E-941SB-1200, E-941SB-1K2PQ, E-941DB-1K2PQ. Available November 2022	\$18.25	\$28.10	1	1
E-941S-1K2/PQ	¼" Plate Spacer for E-941SA-1200, E-941SA-1K2PQ and E-941SA-1K2PD. Sold in multiples of 10 (price is for 1 pc).	\$9.15	\$14.10	10	100
E-941S-1K2/UQ	"U" Bracket for glass (9~13 mm) doors. For use with E-941SA-1200, E-941SA-1K2PD, E-941SA-1K2PQ, E-941DA-1K2Q and E-941DA-1K2P.	\$37.00	\$56.90	1	10
E-941S-1K2/ZQ	"Z" Bracket for mounting E-941SA-1200, E-941SA-1K2PD, E-941SA-1K2PQ, E-941DA-1K2Q and E-941DA-1K2P. For left or right in-swinging doors. Includes "L" and "Z" brackets.	\$43.50	\$66.90	1	10
E-941S-1K2B/ZQ	Black "Z" Bracket for mounting E-941SB-1200, E-941SB-1K2PQ, E-941DB-1K2PQ. For left or right in-swinging doors. Includes "L" and "Z" brackets. Available November 2022	\$51.45	\$79.15	1	1
E-941S-1K5/LQ	"L" Bracket for mounting E-941SA-1K5Q.	\$18.00	\$27.70	1	20
E-941S-1K5/PQ	Plate Spacer for E-941SA-1K5Q	\$10.00	\$15.40	1	30
E-941S-1K5/ZQ	"Z" Bracket for mounting E-941SA-1K5Q. For left or right in-swinging doors.	\$39.00	\$60.00	1	4
E-941S-300/AP	Armature plate for E-941SA-300 and E-941SA-300RQ.	\$12.00	\$18.45	1	1
E-941S300R/LQ	"L" Bracket for mounting E-941SA-300RQ. (Not compatible with E-941SA-300.)	\$13.00	\$20.00	1	10
E-941S300R/UQ	"U" Bracket for glass (9~13 mm) doors, for use with E-941SA-300RQ. Includes "L", "Z" and "U" brackets. (Not compatible with E-941SA-300.)	\$52.00	\$80.00	1	10
E-941S300R/ZQ	"Z" Bracket for mounting E-941SA-300RQ. Includes "L" and "Z" brackets. ("Z" Bracket is also compatible with E-941SA-300, but the "L" bracket is not.)	\$32.00	\$49.25	1	10
E-941S-600/AP	Armature Plate for E-941SA-600, E-941SA-600Q, E-941DA-600Q and E-941DA-600PQ.	\$19.00	\$29.25	1	1
E-941S-600/HP	Header Plate for E-941SA-600 and E-941SA-600PQ.	\$8.00	\$12.30	1	10
E-941S-600B/HP	Black Header Plate/ Plate Spacer for E-941SA-600 and E-941SA-600PQ. Available November 2022	\$13.35	\$20.55	1	10
E-941S-600/HQ	Armature Plate Holder for E-941SA-600, E-941SA-600PQ, E-941DA-600Q and E-941DA-600PQ.	\$16.50	\$25.40	1	25
E-941S-600/LQ	"L" Bracket for mounting E-941SA-600, E-941SA-600PQ, E-941DA-600Q and E-941DA-600PQ.	\$13.50	\$20.75	1	50
E-941S-600B/LQ	Black "L" Bracket for mounting E-941SB-600, E-941SB-600PQ, E-941DB-600PQ. Available November 2022	\$14.70	\$22.60	1	1
E-941S-600/PQ	3/16" Plate Spacer for E-941SA-600 and E-941SA-600PQ. Sold in multiples of 10 (price is for 1 pc).	\$8.05	\$12.40	10	100
E-941S-600/UQ	"U" Bracket for glass (9~13 mm) doors, for use with E-941SA-600, E-941SA-600PQ, E-941DA-600Q and E-941DA-600PQ.	\$27.00	\$41.55	1	25

SECO-LARM®

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs/ Carton
E-941S-600/ZQ	"Z" Bracket for mounting E-941SA-600, E-941SA-600PQ, E-941DA-600Q and E-941DA-600PQ. For left or right in-swinging doors. Includes "L" and "Z" brackets.	\$35.50	\$54.60	1	10
E-941S-600B/ZQ	Black "Z" Bracket for mounting E-941SB-600, E-941SB-600PQ, E-941DB-600PQ. For left or right in-swinging doors. Includes "L" and "Z" brackets. Available November 2022	\$37.90	\$58.30	1	1
E-941SA-1200	Single-door Electromagnetic Lock with 1,200-lb (545kg) holding force. 12 or 24 VDC operation. UL, CUL listed.	\$75.50	\$116.15	1	5
E-941SB-1200	Black Single-door Electromagnetic Lock with 1,200-lb (545kg) holding force. 12 or 24 VDC operation. UL, CUL listed. Available November 2022	\$96.00	\$147.70	1	1
E-941SA-1K2PQ	Single-door Electromagnetic Lock with 1,200-lb (545kg) holding force. 12 or 24 VDC operation. Bond Sensor & LED. UL, CUL listed.	\$90.75	\$139.60	1	5
E-941SB-1K2PQ	Black Single-door Electromagnetic Lock with 1,200-lb (545kg) holding force. 12 or 24 VDC operation. Bond Sensor & LED. UL, CUL listed. Available November 2022	\$112.00	\$172.30	1	1
E-941SA-1K2PD	Single-door Electromagnetic Lock with 1,200-lb (545kg) holding force. Two-colored LED, status sensor relay output, delay timer (1-78 sec).	\$101.00	\$155.40	1	5
E-941SA-1K2DPSQ	1200 Pound Electromagnetic Lock with DPS	\$129.00	\$198.45	1	5
E-941SA-1K5Q	Single-door Electromagnetic Lock with 1,500-lb (680kg) holding force. 12 or 24 VDC operation.	\$89.70	\$138.00	1	4
E-941SA-300	Electromagnetic Lock with 300-lb (136kg) holding force. 12VDC Operation. Indoor & outdoor use.	\$59.00	\$90.75	1	10
E-941SA-300RQ	Electromagnetic Lock with 300-lb (136kg) holding force. 12 or 24 VDC operation. For indoor use only.	\$54.00	\$83.10	1	10
E-941SA-600	Single-door Electromagnetic Lock with 600-lb (272kg) holding force. 12 or 24 VDC operation. UL, CUL listed.	\$61.50	\$94.60	1	10
E-941SB-600	Black Single-door Electromagnetic Lock with 600-lb (272kg) holding force. 12 or 24 VDC operation. UL, CUL listed. Available November 2022	\$76.50	\$117.70	1	1
E-941SA-600PQ	Single-door Electromagnetic Lock with 600-lb (272kg) holding force. 12 or 24 VDC operation. Bond Sensor & LED. UL, CUL listed.	\$71.50	\$110.00	1	10
E-941SB-600PQ	Black Single-door Electromagnetic Lock with 600-lb (272kg) holding force. 12 or 24 VDC operation. Bond Sensor & LED. UL, CUL listed. Available November 2022	\$86.30	\$132.75	1	1
E-941SA-600DPSQ	600 Pound Electromagnetic Lock with DPS	\$109.00	\$167.70	1	10
E-941SA-80Q	Miniature Electromagnetic Lock. 80-lb (36kg) holding force, 12 or 24 VDC.	\$30.45	\$46.85	1	50
E-942F-1300/L	"L" Bracket for mounting E-942FC-1300, E-942FC-1K3SQ (2 pcs included). One bracket for armature plate, one bracket for magnet. For use with sliding gates.	\$48.00	\$73.85	1	10
E-942F1300/ZQ	"Z" Bracket for mounting E-942FC-1300, E-946FC-1K2Q, E-942FC-1K3SQ. Mounts to armature plate. For use with swinging gates.	\$41.00	\$63.10	1	10
E-942F-600/AP	Armature Plate for E-942FC-600, E-946FC-600Q, and E-942FC-600SQ.	\$19.00	\$29.25	1	1
E-942F-600/L	"L" Bracket for mounting E-942FC-600 (2 pcs included). One bracket for the armature plate, one bracket for maglock. For use with sliding gates.	\$41.00	\$63.10	1	10
E-942F-600/Z	"Z" Bracket for mounting E-942FC-600, E-946FC-600, E-942FC-600SQ. Mounts to armature plate. For use with swinging gates.	\$38.00	\$58.45	1	10
E-942FC-1300	Electromagnetic Gate Lock with 1,200-lb (544kg) holding force. 12 or 24 VDC operation. Indoor & outdoor use. UL, CUL listed. Face mount.	\$108.50	\$166.90	1	5
E-942FC-1K3SQ	Electromagnetic Gate Lock with 1,200-lb (544kg) holding force. 12 or 24 VDC operation with weldable brackets for armature plate and magnet. Indoor & outdoor use. UL, CUL listed (gate lock portion only). Weld or bolt brackets directly to gate. Sold in multiples of 2 (price is for 1 pc).	\$179.70	\$276.45	2	2
E-942FC-600	Electromagnetic Gate Lock with 600-lb (272kg) holding force. 12 or 24 VDC operation. Indoor and outdoor use. UL, CUL listed. Face mount.	\$98.50	\$151.55	1	5
E-942FC-600SQ	Electromagnetic Gate Lock with 600-lb (272kg) holding force with weldable brackets for armature plate and magnet. 12 or 24 VDC operation. Indoor and outdoor use. UL, CUL listed (gate lock portion only). Weld or bolt brackets directly to gate. Sold in multiples of 2 (price is for 1 pc).	\$162.25	\$249.60	2	2
E-946F-1K2/LQ	"L" Bracket for mounting E-946FC-1K2Q, E-946FC-1K2SQ (1 pc. Included). Use for mounting to armature plate or magnet as necessary. For use with sliding gates.	\$48.00	\$73.85	1	5
E-946FC-1K2Q	Electromagnetic Gate Lock with 1,200-lb (544kg) holding force. 12 or 24 VDC operation. Indoor & outdoor use. UL, CUL listed. Face or surface mount.	\$108.50	\$166.90	1	5
E-946FC-1K2SQ	Electromagnetic Gate Lock with 1,200-lb (544kg) holding force. Face/ Surface mount. 12 or 24 VDC operation with weldable brackets for armature plate and magnet. Indoor & outdoor use. UL, CUL listed (gate lock portion only). Weld or bolt brackets directly to gate.	\$188.70	\$290.30	1	2
E-946FC-600Q	Electromagnetic Gate Lock with 600-lb (272kg) holding force. 12 or 24 VDC operation. Indoor and outdoor use. UL, CUL listed. Face or surface mount.	\$98.50	\$151.55	1	5
E-960ACC-CVR	Cover for E-960 Series Twin Photobeam Detectors	\$15.00	\$23.10	1	50
E-960-D190Q	Twin Photobeam Detector for interior or exterior use. Range: up to 190ft (60 meters) outdoor and 390ft (120 meters) indoor. Weatherproof, sunlight-filtering enclosure. Laser beam alignment system. 10-30 VAC/VDC.	\$69.50	\$106.90	1	10

SECO-LARM®

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs/ Carton
E-960-D290Q	Twin Photobeam Detector for interior or exterior use. Range: up to 290ft (90 meters) outdoor and 590ft (180 meters) indoor. Weatherproof, sunlight-filtering enclosure. Laser beam alignment system. 10~30 VAC/VDC.	\$88.30	\$135.85	1	10
E-960-D90GQ	Similar to E-960-D90Q but ETL listed (UL325-2016) 12-30VAC/VDC, response time less than 10mS. ETL UL325-2018 Compliant on August 1st.	\$64.50	\$99.25	1	10
E-960-D90Q	Twin Photobeam Detector for interior or exterior use. Range: Up to 90ft (30 meters) outdoor and 190ft (60 meters) indoor. Weatherproof, sunlight-filtering enclosure. Laser beam alignment system. 10~30 VAC/VDC.	\$58.50	\$90.00	1	10
E-9622-4B25	Curtain Sensor. Length: 22½", with four photoelectric beams. Range: Up to 25ft outdoor and 50ft indoor. NO/NC relay output, anti-tamper circuit, and LED alignment indicator. Black enclosure.	\$63.00	\$96.90	1	20
E-9643-4B190Q	Long-Range Barrier Sensor. Four pairs of beams, black enclosure. Range: Up to 190ft (60m) outdoor, NO or NC alarm output, adjustable interruption time, 1 Amp relay output, four frequencies.	\$386.40	\$594.45	1	5
E-9644-6B25	Curtain Sensor. Length: 44½", with six photoelectric beams. Range: Up to 25ft outdoor and 50ft indoor. NO/NC relay output, anti-tamper circuit, and LED alignment indicator. Black enclosure.	\$79.00	\$121.55	1	10
E-964-D390Q	Twin Photobeam Detector for interior or exterior use. Range: up to 390ft (120 meters) outdoor and 790ft (240 meters) indoor. Weatherproof, sunlight-filtering enclosure. Laser beam alignment system. 4 Programmable frequencies. 10~30 VAC/VDC.	\$127.20	\$195.70	1	10
E-964-Q330Q	Quad-Photobeam Detector for indoor or outdoor use. Range: Up to 330ft (100m) outdoor and 660ft (200m) indoors. Multi-frequency, laser alignment, built-in heater, IP66 weatherproof, environmental output, 12~24 VAC/VDC.	\$219.45	\$337.60	1	5
E-964-Q660Q	Quad-Photobeam Detector for indoor or outdoor use. Range: Up to 660ft (200m) outdoors and 1,320ft (400m) indoors. Multi-frequency, laser beam alignment, built-in heater, IP66 weatherproof, environmental output, 12~24 VAC/VDC.	\$250.50	\$385.40	1	5
E-964-S50TB	Miniature Single Photobeam, range: up to 50ft (15m), 10~24VDC operation, built-in AGC control to filter out lighting disturbances, LED indicators for power/signal strength and alarm, weatherproof for indoor and outdoor use (IP65), 4 selectable frequencies to reduce interference.	\$17.50	\$26.90	1	81
E-9660-8B25	Curtain Sensor. Length: 60½", with 8 photoelectric beams. Range: Up to 25ft outdoor and 50ft indoor. NO/NC relay output, anti-tamper circuit, and LED alignment indicator. Black enclosure.	\$115.00	\$176.90	1	10
E-9679-8B190Q	Long-Range Barrier Sensor. Eight pairs of beams, black enclosure. Range: Up to 190ft (60m) outdoor, NO or NC alarm output, adjustable interruption time, 1 Amp relay output, four frequencies.	\$594.75	\$915.00	1	5
E-9680-10B25	Curtain Sensor. Length: 79", with 10 photoelectric beams. Range: Up to 25ft outdoor and 50ft indoor. NO/NC relay output, anti-tamper circuit, and LED alignment indicator. Black enclosure.	\$149.00	\$229.25	1	10
EAP-1D1Q	Access Control Power Supply in enclosure. 12 or 24 VDC output voltage. 1 Output, 1A@12VDC (1A@24VDC). Heavy-duty steel case.	\$69.00	\$106.15	1	4
EAP-3D1Q	Access Control Power Supply in enclosure. 12 or 24 VDC output voltage. 1 Output, 3A@12VDC (3A@24VDC). Heavy-duty steel case.	\$89.00	\$136.90	2	2
EAP-3D5Q	Access Control Power Supply in enclosure. 12 or 24 VDC output voltage. 5 Outputs, 3A@12VDC (3A@24VDC). Heavy-duty steel case.	\$112.00	\$172.30	2	2
EAP-5D1MQ	Access Control Power Supply. AC power failure supervision relay. Battery failure supervision relay. Over-current fuse-protected AC input. Dimensions: 7"x4 1/16"x1 1/16" (180x120x45 mm).	\$50.00	\$76.90	1	10
EAP-5D1Q	Access Control Power Supply. 12 or 24 VDC output voltage. 1 Output, 5A@12VDC (2.5A@24VDC). Heavy-duty steel case. Sold in multiples of 2 (price is for 1 pc).	\$112.00	\$172.30	2	2
EAP-5D5Q	Access Control Power Supply. 12 or 24 VDC output voltage. 5 Outputs, 5A@12VDC (2.5A@24VDC). Heavy-duty steel case. Sold in multiples of 2 (price is for 1 pc).	\$135.00	\$207.70	2	2
EB-C304-01EQ	4-Channel, end-point 24VAC. For use with VPD baluns such as EB-P101-20VQ. Transmits power and data to the camera while receiving video from the camera. All-in-one solution: Built-in power supply (1 Amp/channel) to power CCTV cameras	\$42.00	\$64.60	1	1
EB-P101-01HQ	Standard Balun, Range over 1080p: HD-TVI – 623ft (190m) HD-CVI – 720ft (220m) HD-AHD – 720ft (220m), 3-in-1 HD-AHD/TVI/CVI, real-time transmission over UTP Cat5e/6, PAL/NTSC/SECAM compatible, anti-static and wave filter, lightning protection – Grade III, 60dB crosstalk & noise immunity, exceptional interference rejection, operating temperature: -4~158F (-20~70C). Sold in multiples of 10 pairs (price is for 1 pair).	\$4.75	\$7.30	10	240
EB-P101-20HQ	Balun with 6" Pigtail, Range over 1080p: HD-TVI – 623ft (190m) HD-CVI – 720ft (220m) HD-AHD – 720ft (220m), 3-in-1 HD-AHD/TVI/CVI, real-time transmission over UTP Cat5e/6, PAL/NTSC/SECAM compatible, anti-static and wave filter, lightning protection – Grade III, 60dB crosstalk & noise immunity, exceptional interference rejection, operating temperature: -4~158F (-20~70C). Sold in multiples of 10 pairs (price is for 1 pair).	\$4.95	\$7.60	10	100
EB-P101-20PHQ	4-in-1 HD Passive Power Video Balun, transmits video and power over Cat5e/6, pigtails for flexible installation. Sold in pairs (price is for 1 pair).	\$8.95	\$13.75	1	100

SECO-LARM®

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs/ Carton
EB-P304-01MQ	4-Channel, mid-point. For use with VPD baluns such as EB-P101-20VQ. Transmits power and data to the camera while receiving video from the camera. Placed at midpoint between cameras and DVR.	\$11.55	\$17.75	1	1
EB-P316-60MQ	16-Channel, mid-point, rack-mount. For use with VPD baluns such as EB-P101-20VQ. Transmits power and data to the camera while receiving video from the camera. Placed at midpoint between cameras and DVR.	\$32.00	\$49.25	1	1
EB-P501-02HQ	4-in-1 HD Passive Video Balun with pass-through, patented ergonomic design, includes built-in terminals for power or data pass-through. Sold in multiples of 10pcs (price is for 1 pc).	\$6.00	\$9.25	10	800
ENFORCER 190	Glass-Break Detector, Audio. Compact, with built-in tamper switch, red trigger LED, and patented yellow "turbulence" LED for easy sensitivity setting. Protects within a 25ft radius.	\$20.00	\$30.75	1	50
ENFORCER 295	Alarm Control Panel, 5 zone shunting switches correspond to 5 separate zone inputs (super-high-transient protected), 3 adjustable timers, 9 status LEDs (all visible when cabinet is closed), 2 alert signals for entry and exit delay, multi-remote arm/disarm with report output, tamper and dry relay contact panic output (C-N.O.), positive voltage (3 Amp) relay alarm output, regulated power supply and recharger, heavy-duty beige colored steel cabinet, 2 tamper switches included.	Special Order Item Only. Contact SECO-LARM for details.			
EVA-CB0R1Q	BNC-to-RCA Connector, gold-plated.	\$0.70	\$1.10	1	1000
EVA-F5521-3Q	Pigtail Connector, female DC plug with 3ft wire leads. Connects 12VDC CCTV devices such as dome or bullet cameras to CCTV power supplies. Sold in multiples of 10 (price is for 1 pc). Minimum order quantity of 50pcs.	\$0.51	\$0.80	50	500
EVA-M5521-3Q	Pigtail Connector, male DC jack with 3ft wire leads. Sold in multiples of 10 (price is for 1 pc). Sold in multiples of 10 (price is for 1 pc).	\$0.61	\$0.95	10	500
EV-N1506-2W4Q	IP Fixed Bullet Camera, 5MP, 2.8mm, H.264/MJPEG, Dual Stream. ONVIF Profile S, 12VDC, PoE	\$69.50	\$106.90	1	30
EV-N2506-2W4Q	IP Fixed Turret Camera, 5MP, 2.8mm, H.264/MJPEG, Dual Stream. ONVIF Profile S, 12VDC, PoE	\$71.50	\$110.00	1	24
EV-N4506-2S4Q	IP Corner Mount Camera, 1/2.9" Sony 5 megapixel CMOS, 1440p resolution, H.265/MJPEG, Dual Stream. ONVIF Profile S, 12VDC, PoE	\$266.00	\$409.25	1	10
EV-N5205-3S4Q	IP Wall-Plate Camera, 1/2.9" Sony 2.43 megapixel CMOS, 1080p resolution, H.264/MJPEG, Dual Stream. ONVIF Profile S, 12VDC, PoE	\$235.00	\$361.55	1	10
EV-N6506-3W4Q	5MP IP Covert PIR Camera, 3.7mm pinhole lens, 2D digital noise reduction, digital wide dynamic range, 1/2.8" 5MP Sony CMOS, 1440p resolution, H.265/MJPEG, Dual Stream. ONVIF Profile S, 12VDC, PoE, low-profile design, 18 covert IR LEDs for discreet monitoring, white	\$79.50	\$122.30	1	60
EV-SBWQ	Conduit Box Bullet (White), fits EV-Y1501-A2WQ and EV-Y1501-AMWQ	\$11.50	\$17.70	1	20
EV-SLGQ	Conduit Box Large Turret (Gray), fits EV-Y2501-AMGQ	\$8.35	\$12.85	1	45
EV-SLWQ	Conduit Box Large Turret (White), fits EV-Y2251-AMWQ and EV-Y2501-AMWQ	\$7.30	\$11.25	1	45
EV-SSGQ	Conduit Box Small Turret (Gray), fits EV-Y2501-A2GQ	\$7.30	\$11.25	1	18
EV-SSWQ	Conduit Box Small Turret (White), fits EV-Y2251-A2WQ and EV-Y2501-A2WQ	\$6.25	\$9.60	1	18
EV-SVWQ	Conduit Box Vandal Dome (White), fits EV-Y2501-AMWAQ	\$9.40	\$14.45	1	45
EVT-AH16-VT2Q	1U 16-Channel Active Balun Hub. Allows up to 16 CCTV cameras to be connected via inexpensive Cat5e/6 UTP cable. Rack mount or stackable. 16 Video inputs (terminal block). 32 Video outputs (2 per channel). Dual voltage: 12/24 VAC/VDC. Built-in surge protection and ground loop isolation at each channel.	\$695.00	\$1,069.25	1	4
EV-Y1501-A2WQ	5MP 4-in-1 HD Fixed Bullet Camera, 2.8mm lens, 2592x1944 resolution, 1/2.7" 5MP CMOS, DWDR/2D-NR, TVI/CVI/AHD/Analog format, up to 50' illumination, 18 SMT IR LEDs, Joystick OSD Control, 121° viewing angle, 12VDC, weather-resistant (IP66), cables concealed in bracket to prevent tampering, white housing	\$32.60	\$50.15	1	30
EV-Y1501-AMWQ	5MP 4-in-1 HD Varifocal Bullet Camera, 2.8-12mm lens, 2592x1944 resolution, 1/2.7" 5MP CMOS, DWDR/2D-NR, TVI/CVI/AHD/Analog format, up to 115' illumination, 30 SMT IR LEDs, Joystick OSD Control, weather-resistant (IP66), cables concealed in bracket to prevent tampering, white housing	\$47.60	\$73.25	1	6
EV-Y2251-A2WQ	2MP 4-in-1 HD Fixed Turret Camera, 2.8mm lens, 1920x1080 resolution, DWDR/2 and 3D-NR, TVI/CVI/AHD/Analog format, up to 65' illumination, 18 SMT IR LEDs, Joystick OSD Control, 121° viewing angle, 12VDC, vandal-resistant and weather-resistant, white housing	\$23.60	\$36.30	1	24
EV-Y2251-AMWQ	2MP 4-in-1 HD Varifocal Turret Camera, 2.8-12mm lens, 1080P, DWDR/2 and 3D-NR, TVI/CVI/AHD/Analog format, up to 100' illumination, 40 SMT IR LEDs, Joystick OSD Control, 38°-138° viewing angle, 12VDC, vandal-resistant and weather-resistant, white housing	\$37.60	\$57.85	1	8
EV-Y2501-A2GQ	5MP 4-in-1 HD Fixed Turret Camera, 2.8mm lens, 2592x1944 resolution, 1/2.7" 5MP CMOS, DWDR/2D-NR, TVI/CVI/AHD/Analog format, up to 65' illumination, 18 SMT IR LEDs, Joystick OSD Control, 121° viewing angle, 12VDC, vandal-resistant and weather-resistant, gray housing	\$34.25	\$52.70	1	24
EV-Y2501-A2WQ	5MP 4-in-1 HD Fixed Turret Camera, 2.8mm lens, 2592x1944 resolution, 1/2.7" 5MP CMOS, DWDR/2D-NR, TVI/CVI/AHD/Analog format, up to 65' illumination, 18 SMT IR LEDs, Joystick OSD Control, 121° viewing angle, 12VDC, vandal-resistant and weather-resistant, white housing.	\$33.60	\$51.70	1	24

SECO-LARM®

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs/ Carton
EV-Y2501-AMGQ	5MP 4-in-1 HD Varifocal Turret Camera, 2.8~12mm lens, 2592x1944 resolution, 1/2.7" 5MP CMOS, DWDR/2D-NR, TVI/CVI/AHD/Analog format, up to 148' illumination, 40 SMT IR LEDs, Joystick OSD Control, 38°~138° viewing angle, 12VDC, vandal-resistant and weather-resistant, gray housing.	\$48.25	\$74.25	1	8
EV-Y2501-AMWAQ	5MP 4-in-1 HD Varifocal Vandal Dome Camera, 2.8~12mm lens, 2592x1944 resolution, 1/2.7" 5MP CMOS, DWDR/2D-NR, TVI/CVI/AHD/Analog format, up to 148' illumination, 40 SMT IR LEDs, Joystick OSD Control, 38°~138° viewing angle, 12VDC, vandal-resistant and weather-resistant, white housing.	\$59.25	\$91.15	1	8
EV-Y2501-AMWQ	5MP 4-in-1 HD Varifocal Turret Camera, 2.8~12mm lens, 2592x1944 resolution, 1/2.7" 5MP CMOS, DWDR/2D-NR, TVI/CVI/AHD/Analog format, up to 148' illumination, 40 SMT IR LEDs, Joystick OSD Control, 38°~138° viewing angle, 12VDC, vandal-resistant and weather-resistant, white housing.	\$47.60	\$73.25	1	8
EV-Y4201-A2SQ	4-in-1 HD Corner-Mount Camera, 2.9mm lens, 1080p, DWDR, 3D-NR, TVI/CVI/AHD/Analog Format, 1/2.9" 2 MP Sony CMOS, 30 Covert IR LEDs, Joystick OSD Control, 130° viewing angle, 12VDC, Vandal Resistant and weather-resistant IP65, silver	\$122.00	\$187.70	1	12
EV-Y5105-N2SQ	4-in-1 HD Wall Plate Camera, 2.9mm lens, 1080p, 150° viewing angle, DWDR, 3D-NR, Sony 1/3.2" 1.3MP STARVIS CMOS, 12VDC, vandal resistant and weather resistant. One single-gang and one slimline plate included.	\$109.00	\$167.70	1	50
EV-Y6201-A3WQ	4-IN-1 HD UFO Camera, 3.7mm pinhole lens rotates to nearly any angle for flexible installations, 3D digital noise reduction, digital wide dynamic range, 1/2.9" Sony CMOS, 1080p resolution, low-profile design, IP66 weatherproof, white	\$65.00	\$100.00	1	20
EV-Y6501-A3WQ	5MP 4-in-1 HD Covert PIR Camera, 3.7mm pinhole lens, 2D digital noise reduction, digital wide dynamic range, 1/2.8" 5MP Sony CMOS, 1440p resolution, low-profile design, 18 covert IR LEDs for discreet monitoring, white	\$55.00	\$84.60	1	60
HL-951R1-SQ	1-Channel RF Receiver. 10~24 VAC, 9~48 VDC. 1 Form C dry relay contact (NO/NC/COM). 1~99 sec momentary, 1~99 min momentary, toggle, latch, follow (validity) output modes. Compatible with HL-951T1-SQ and HL-951T2-SQ 917MHz transmitters.	\$57.25	\$88.10	1	50
HL-951R2-SQ	2-Channel RF Receiver. 10~24 VAC, 9~48 VDC. 1 Form C dry relay contact (NO/NC/COM). 1~99 sec momentary, 1~99 min momentary, toggle, latch, follow (validity) output modes. Compatible with HL-951T1-SQ and HL-951T2-SQ 917MHz transmitters.	\$60.50	\$93.10	1	50
HL-951T1-SQ	1- Button 917MHz RF Transmitter for use with HL-951R1-SQ and HL-951R2-SQ 917MHz receivers.	\$27.00	\$41.55	1	250
HL-951T2-SQ	2- Button 917MHz RF Transmitter for use with HL-951R1-SQ and HL-951R2-SQ 917MHz receivers.	\$28.00	\$43.10	1	250
JB-1	Small Weatherproof Junction Box	Coming Soon			
JB-2	Large Weatherproof Junction Box	Coming Soon			
LD-1123-PAQ	Single Channel Loop Detector, 12~24VAC/VDC, single loop input, 7 adjustable sensitivity settings, 2 relays: pulse or presence/fault, 11-pin connector, ABS/Aluminum housing, power-on automatic reset and manual reset functions available, tunable operation frequency, two presence modes: limited or permanent.	\$35.00	\$53.85	1	60
LD-ACC-WH	Loop Detector Wire Harness	\$3.95	\$6.10	1	200
LS-313A-14Q	Wireless Outlet Controllers, 3 wireless outlet receivers and 1 remote transmitter, wirelessly control devices or appliances, low power consumption, prolong mechanical life of a switch, transmitter compatible with wireless light sockets	\$8.00	\$12.30	1	20
LS-525A-14Q	Wireless Outlet Controllers, 5 wireless outlet receivers and 2 remote transmitters, wirelessly control devices or appliances, low power consumption, prolong mechanical life of a switch, transmitter compatible with wireless light sockets	\$14.00	\$21.55	1	20
MC-1130-03FQ	4K High-Speed HDMI Cable, 3ft, 28AWG, UL CL3, 18 GBPS, HDR	\$2.95	\$4.55	1	150
MC-1130-06FQ	4K High-Speed HDMI Cable, 6ft, 28AWG, UL CL3, 18 GBPS, HDR	\$3.70	\$5.70	1	100
MC-1130-10FQ	4K High-Speed HDMI Cable, 10ft, 28AWG, UL CL3, 18 GBPS, HDR	\$5.85	\$9.00	1	70
MC-1130-16FQ	4K High-Speed HDMI Cable, 16ft, 28AWG, UL CL3, 18 GBPS, HDR	\$7.95	\$12.25	1	50
MC-1130-18NQ	4K High-Speed HDMI Cable, 1.5ft, 28AWG, UL CL3, 18 GBPS, HDR	\$2.60	\$4.00	1	200
MC-1130-25FQ	4K High-Speed HDMI Cable, 25ft, 26AWG, UL CL3, 18 GBPS, HDR	\$13.40	\$20.60	1	20
MC-1130-35FQ	4K High-Speed HDMI Cable, 35ft, 26AWG, UL CL3, 18 GBPS, HDR	\$19.00	\$29.25	1	16
MC-1130-50FQ	4K High-Speed HDMI Cable, 50ft, 26AWG, UL CL3, 18 GBPS, HDR	\$25.00	\$38.45	1	16
MC-2101Q	HDMI Coupler with 180° rotation for tight mounting behind a monitor . Use to join two HDMI cables together. Gold-plated contacts. Compatible with all 19-pin HDMI contacts. Supports HDCP.	\$4.50	\$6.90	1	1
MIR-AS-01Q	IR Receiver Adapter, for use with MIR-K16S-2101Q	\$6.40	\$9.85	1	1
MIR-E-201Q	Dual IR Emitter, for use with MIR-K16S-2101Q	\$3.60	\$5.55	1	100
MIR-K16S-2101Q	IR Distribution Kit, contains one IR Distribution Block, one IR Receiver and two Single IR Emitters	\$24.00	\$36.90	1	40
MVA-HT01Q	HDMI to Composite Converter, converts HDMI to composite video + stereo audio, supports input resolutions up to 1920x1080, supports NTSC or PAL output, Stereo analog audio output, plug and play operation.	\$32.50	\$50.00	1	100
MVA-HV01Q	HDMI to VGA & Stereo Audio Converter. Converts HDMI input to a VGA & Stereo Audio output. Power by USB connection (USB cable included).	\$22.00	\$33.85	1	100

SECO-LARM®

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs/ Carton
MVA-TH01Q	Composite to HDMI Converter with Scaler, converts composite video + stereo audio to HDMI, supports 720p or 1080p selectable output, stereo analog audio input, plug and play operation	\$33.00	\$50.75	1	100
MVD-AH12-01Q	HDMI Splitter. Transmit a single HDMI source to up to two different high-definition TVs or HDMI displays. Supports up to 4K@60Hz resolution and 3D video. Includes 5VDC power supply.	\$22.00	\$33.85	1	50
MVD-AH14-01Q	HDMI Splitter. Transmit a single HDMI source to up to four different high-definition TVs or HDMI displays. Supports up to 4K@60Hz resolution and 3D video. Includes 5VDC power supply.	\$42.00	\$64.60	1	20
MVD-AH18-01Q	HDMI Splitter. Transmit a single HDMI source to up to eight different high-definition TVs or HDMI displays. Supports up to 4K@30Hz resolution and 3D video. Includes 5VDC power supply.	\$74.00	\$113.85	1	10
MVD-V1201-1Q	Active VGA Extender over Cat5e/6 with Audio, 1-in 2-out. Allows for one local station and one remote station. Can extend remote station up to 460ft (140m) over a single Cat5e/6 cable at 1920x1200 resolution. Longer range at lower resolution. Set includes 1 transmitter and 1 receiver. 5VDC power supply included.	\$75.00	\$115.40	1	20
MVE-AH1E1-01NQ	HDMI over single Cat5e/6. Extends range up to 164ft (50m) over Cat6. Connect HDMI equipment using low-cost Cat5e/6 UTP cables. HDMI over Cat5e/6 without any signal loss. Supports full 1080p resolution. Special features include HDMI Loop output. Includes two 5VDC power supplies.	\$47.00	\$72.30	1	30
MVE-AH1E1-01UQ	1080p HDMI over single Cat6 Extender with USB 2.0 KVM and Loop-Out. Range up to 230ft (70m). Connect HDMI equipment using low-cost Cat6 UTP cable.	\$92.65	\$142.55	1	30
MVE-AH1E1-42NQ	4K HDMI over single Cat5e/6. Extends range up to 197ft (60m) over Cat6. Connect HDMI equipment using low-cost Cat5e/6 UTP cables. HDMI over Cat5e/6 without any signal loss. Supports 4K@60Hz resolution. Special features include Local Loop-Out and IR. Includes one 12VDC power supply (can be powered at either end), one IR receiver, and one IR transmitter.	\$89.00	\$136.90	1	20
MVE-AH1E1-42UQ	4K@60Hz HDMI over single Cat6 Extender with USB 2.0 KVM and Loop-Out. Range up to 230ft (70m). Connect HDMI equipment using low-cost Cat6 UTP cable.	\$152.15	\$234.10	1	10
MVE-AH1E4-42NQ	4K HDMI Splitter/Extender 1 x 4 over Cat5e/6. Extends range up to 230ft (70m) over Cat6. Connect HDMI equipment using low-cost Cat5e/6 UTP cables. HDMI over Cat5e/6 without any signal loss. Supports 4K@30Hz resolution. Special features include Local Loop-Out and IR. Includes one 12VDC power supply, four IR receiver, and one IR transmitter.	\$154.00	\$236.90	1	10
MVE-AH1T1-01YQ	HDMI over Two Wires. Extends range up to 984ft (300m) over any two copper wires. Connect HDMI equipment using any two copper wires including Cat5e/6 cables, telephone wires, and coaxial cables. HDMI over Two Wires. without any signal loss. Supports full 1080p resolution. Special features include Bi-directional IR and RS-232. Includes two 12VDC power supplies, two IR receivers, and two IR transmitters.	\$199.00	\$306.15	1	10
MVE-AHMPM-41NQ	HDMI Extender over IP, Tx and Rx Kit, extends 4K HDMI signals up to 393ft (120m) over a single UTP Cat5e/6 cable, supports point-to-point/point-to-many network configuration, HDCP compliant, with wideband IR (38-56kHz) control to the source, supports TCP/IP protocol, with mounting ears.	\$139.50	\$214.60	1	20
MVE-AHMPM-41NRQ	HDMI Extender over IP, Receiver, extends 4K HDMI signals up to 393ft (120m) over a single UTP Cat5e/6 cable, supports point-to-point/point-to-many network configuration, HDCP compliant, with wideband IR (38-56kHz) control to the source, supports TCP/IP protocol, with mounting ears.	\$69.50	\$106.90	1	20
MVE-AN1W1-01Q	Wireless IR Repeater System. Transmit an IR signal up to 656' (200m). IR frequency of 20-60KHz.	\$39.00	\$60.00	1	40
MVE-PN11-01Q	IR over HDMI Kit. Adds IR pass-through to HDMI devices. Convenient for applications where the HDMI source is not near the monitor.	\$12.00	\$18.45	1	100
MVR-HH01Q	HDMI Repeater. Extends high-definition video and digital audio up to 115ft (35m). Supports high-definition video up to 1080p.	\$17.00	\$26.15	1	50
MVS-AH31-01NQ	HDMI Switcher, 3 HDMI Inputs, supports up to 4K/2K resolution and 3D video, individual status LEDs for each HDMI input, switch will automatically select the active input for added convenience, includes remote control for switching between inputs.	\$18.50	\$28.45	1	50
NE-SE01-020Q	Basic Passive 1 channel Ethernet Extender. 10 Mbps/Full duplex. Transmission distance of up to 650ft (200M) Built in surge protection. Sold as set	\$16.25	\$25.00	1	100
NJ-P101M-PQ	Simple PoE injectors. Send power over network via Ethernet cable when a PoE switch is not available. LED power indicator. Built in surge protection.	\$8.50	\$13.10	1	100
NR-P101E-TQ	Gigabit PoE Extender using a single Cat5e or Cat6 cable, extends range by an additional 328ft (100m), supports 1 PoE device.	\$54.00	\$83.10	1	50
NR-P101FQ	PoE Repeater, 802.3af compliant. Extends power and data an additional 394ft (120m). Auto-sending for detecting PoE or non PoE devices.	\$49.00	\$75.40	1	50
NR-P401E-TQ	Gigabit PoE Extender using a single Cat5e or Cat6 cable, extends range by an additional 328ft (100m), supports 4 PoE devices.	\$42.00	\$64.60	1	40
NS-104UT-MAQ	4-port Unmanaged PoE Switch, 4 Out, 1 Uplink, VLAN, 1.2Gbps.	\$29.00	\$44.60	1	20
NS-508UT-GAQ	8-port Unmanaged PoE Gigabit Switch, 8 Out, 2 Uplink, 20Gbps.	\$90.00	\$138.45	1	10

SECO-LARM®

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs/ Carton
PA-U0405-NULQ	4-Channel Brick Power Supply. 4 Outputs. 5 Amps. Universal 100-240 VAC. Adjustable output voltage 12-13.8 VDC. Built-in over-current protection. Mounting bracket included.	\$16.50	\$25.40	1	25
PB-1311-WWQ	Rocker Switch Flush-mount, contact rated 3A@36VDC, SPDT switch (NO/NC/COM), 33/8"x33/8"x17/16" (86x86x36mm). Minimum order quantity of 10pcs.	\$2.60	\$4.00	1	100
PB-2318-SQ	Mini Request-to-Exit Surface-mount Button, SPDT switch, contact rated 3A@36VDC, large metal button, surface-mount with backbox, 2 1/16"x2 1/16"x1 9/16" (53x53x39mm). Weather resistant, IP65, housing. Minimum order quantity of 3pcs.	\$15.50	\$23.85	1	100
PB-2618-GQ	Mini Request-to-Exit Green Button, N.O., contact rated 3A@36VDC, large metal button, surface-mount with backbox, 21/16"x21/16"x1" (53x53x35mm). Minimum order quantity of 3pcs.	\$14.40	\$22.15	1	100
PB-5348-SQ	Mini Request-to-Exit Illuminated Push Button, SPDT switch, contact rated 3A@36VDC, surface-mount with backbox, 31/8"x13/16"x15/16" (80x30x24mm). Weather resistant, IP55, housing. Minimum order quantity of 3pcs.	\$10.45	\$16.10	1	100
PB-5811-WWQ	Rocker Switch Surface-mount, contact rated 3A@36VDC, SPDT switch (NO/NC/COM), 33/8"x13/4"x1/2" (86x43x13mm). Minimum order quantity of 10pcs.	\$3.95	\$6.10	1	100
PC-U0405-PULQ	Switching CCTV Power Supply. 4 Outputs, 5 Amps, PTC fuses, individual status LEDs for each output.	\$32.00	\$49.25	1	10
PC-U0910-PULQ	Switching CCTV Power Supply. 9 Outputs, 10 Amps, PTC fuses, individual status LEDs for each output.	\$40.50	\$62.30	1	10
PC-U1810-PULQ	Switching CCTV Power Supply. 18 Outputs, 10 Amps, PTC fuses, individual status LEDs for each output.	\$45.00	\$69.25	1	5
PC-U1820-PULQ	Switching CCTV Power Supply. 18 Outputs, 20 Amps, PTC fuses, individual status LEDs for each output.	\$57.00	\$87.70	1	5
PC-U1830-PULQ	Switching CCTV Power Supply. 18 Outputs, 30 Amps, PTC fuses, individual status LEDs for each output.	\$69.70	\$107.25	1	5
PD-4BTQ	4-Channel Access Power Controller Board, 12~24 VAC/VDC, 10 Amp	\$25.50	\$39.25	1	50
PD-5PAQ	Power Distribution module with power failure supervision. 5 Outputs, 1.1A each, PTC Fuses, 5 Amp. Use with SECO-LARM Access Control Power Supply (EAP-5D1Q).	\$25.00	\$38.45	1	20
PD-8BTQ	8-Channel Access Power Controller Board, 12~24 VAC/VDC, 10 Amp	\$35.00	\$53.85	1	20
PH-U1820-PULQ	Rack-Mount 12VDC CCTV Power Supply, 18 Outputs, 20 Amps, PTC Fuses	\$99.00	\$152.30	1	5
PR-2121-PQ	Mini Wiegand Proximity Reader – EM 26 bits, EM 125 kHz, Outdoor rated – IP66, Extreme cold tolerance to -40° F (-40° C), 9~24 VDC Operation, Sturdy black ABS plastic housing	\$15.00	\$23.10	1	20
PR-2123-PQ	Mullion Wiegand Proximity Reader – EM 26 bits, EM 125 kHz, Outdoor rated – IP66, Extreme cold tolerance to -40° F (-40° C), 9~24 VDC Operation, Sturdy black ABS plastic housing	\$15.00	\$23.10	1	20
PR-2125-PQ	Single-Gang Wiegand Proximity Reader – EM 26 bits, EM 125 kHz, Outdoor rated – IP66, Extreme cold tolerance to -40° F (-40° C), 9~24 VDC Operation, Sturdy black ABS plastic housing	\$15.00	\$23.10	1	20
PR-3123-PQ	Stand-Alone Mullion Wiegand Proximity Reader – 1000 Users, EM 26 bits, EM 125 kHz, Outdoor rated – IP66, Extreme cold tolerance to -40° F (-40° C), 9~24 VDC Operation, Sturdy black ABS plastic housing	\$49.00	\$75.40	1	20
PR-3125-PQ	Stand-Alone Single-Gang Wiegand Proximity Reader – 1000 Users, EM 26 bits, EM 125 kHz, Outdoor rated – IP66, Extreme cold tolerance to -40° F (-40° C), 9~24 VDC Operation, Sturdy black ABS plastic housing	\$49.00	\$75.40	1	20
PR-B1124-PQ	Standalone Single-gang Surface mount Bluetooth (EM) Reader, plastic housing, weatherproof.	\$129.00	\$198.45	1	10
PR-K1K1-AQ	Proximity Keyfobs (tags) for use with all SECO-LARM proximity reader products (PR-112S-A, PR-312S-PQ, SK-2323-SPQ, SK-1323-SPQ, etc.). Small size: 1¼"x1½"x¼" (30x36x8 mm). EM-125. Sold in multiples of 10 (price is for 1 pc).	\$2.10	\$3.25	10	1000
PR-K1S1-A	Proximity Cards for use with all SECO-LARM proximity reader products (PR-112S-A, PR-312S-PQ, SK-2323-SPQ, SK-2323-SPAQ, SK-1323-SPQ, etc.). EM-125. Sold in multiples of 10 (price is for 1 pc).	\$1.75	\$2.70	10	100
RA-4961-DSQ	Wireless Outdoor PIR Sensor for use with the RA-4961 series receivers	\$21.65	\$33.30	1	50
RA-4961-K1Q	Complete Wireless Alert System, 900MHz contains 4 channel receiver and pushbutton. Can also be synced to a wide variety of wireless devices to suit almost any situation.	\$35.00	\$53.85	1	50
RA-4961-MCQ	Wireless Magnetic Contact for use with the RA-4961 series receivers	\$12.95	\$19.90	1	100
RA-4961-PBQ	Wireless Pushbutton for use with the RA-4961 series receivers	\$9.95	\$15.30	1	100
RC-135Q	Wireless motion alert system, provides audio and/or video alert when triggered. Up to 390ft (120m) transmission range between sensor and receiver.	\$15.00	\$23.10	1	16
RM-R100-KB1Q	1-Room Occupancy Monitor Kit. Contains Sensor, 1-Room indicator, USB Cable and decals. Powered by 12VDC or USB.	\$49.00	\$75.40	1	50
RM-R100-R2Q	2-Room Indicator - Dual Channel LED Receiver, Powered by 12VDC or USB.	\$14.95	\$23.00	1	50
RM-R100-RB1Q	1-Room Indicator with Buzzer - Single Channel LED Receiver, Powered by 12VDC or USB.	\$21.75	\$33.45	1	50

SECO-LARM®

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs/ Carton
RM-R100-TBQ	Wall-Mount Help Button, Clear 2" square button with "Push for Help" message, desktop or wall mounted, powered by 9VDC Battery (included).	\$29.95	\$46.10	1	25
RM-R100-TH2Q	Indicator Remote, use to reset a 1-room indicator after it has been triggered by the RM-R100-TBQ.	\$15.95	\$24.55	1	50
SA-025EQ	Delayed Egress Timer. Lock control relay (SPDT): 10A@24VDC. Remote alarm relay (SPDT): 10A@24VDC. Local alarm, transistor ground output. Three relocking modes via jumper. 12~24 VDC Operation.	\$79.00	\$121.55	1	50
SA-025MQ	Multifunction Timer 12~24VDC with, Auto garage door or gate closer, Guard awake timer, Pulse stretcher, Timed relay output, Timed pulse relay, Counter, Timer.	\$22.50	\$34.60	1	100
SA-025Q	Programmable Timer with case, 1 second to 60 minutes. 12 or 24 VDC Auto switching. LED indicator. Form C relay, 8A@120VAC/24VDC.	\$11.50	\$17.70	1	100
SA-026Q	Miniature Programmable Timer, 1~180 seconds. Buzzer output. Form C relay. Small size: 1 ³ / ₁₆ "x2 ¹ / ₄ "x ⁹ / ₁₆ " (30x55x16 mm).	\$12.90	\$19.85	1	100
SA-027HQ	Programmable Annual Timer with Housing. Terminal blocks protected inside the housing. Push button toggling of the relay outputs. Two N.O. or N.C. Form C relays, 10A@14VDC. 100 Programmable events can be set weekly, daily or hourly. Output can be toggle or momentary and can be programmed for 1~99 seconds.	\$47.60	\$73.25	1	20
SA-027WQ	Programmable 7- Day Timer with Housing. Terminal blocks protected inside the housing. Push button toggling of the relay output. One N.O. or N.C. Form C relay, 10A@14VDC. 60 Programmable events can be set weekly, daily or hourly. Output can be toggle or momentary and can be programmed for 1~99 seconds.	\$36.50	\$56.15	1	20
SD-6176-SS1Q	Piezoelectric pushbutton. Vandal-resistant, slimline plate. "EXIT" and "SALIDA" printed on plate. Programmable illumination surrounding the button: red or green.	\$29.00	\$44.60	1	50
SD-6276-SS1Q	Piezoelectric pushbutton. Vandal-resistant, single-gang plate. "EXIT" and "SALIDA" printed on plate. Programmable illumination surrounding the button: red or green.	\$27.50	\$42.30	1	50
SD-6276-SSVQ	Piezoelectric pushbutton. Vandal-resistant, single-gang plate, mechanical override button. "PUSH TO EXIT" and "Manual Override" printed on plate. Programmable illumination surrounding the button: red or green.	\$41.00	\$63.10	1	50
SD-7098-SKDQ	Surface-mount Elbow RTE Push Plate, LED indicator (Red-Standby, Green Triggered). Outputs 1A@30VDC. 12/24 VDC operation. Current draw 24mA@12VDC standby 45mA Active	\$29.95	\$46.10	1	20
SD-71002-V0	Shunt (maintained) N.C. turn-to-open keylock switch in a slimline stainless-steel plate. Key #1300.	\$13.85	\$21.30	1	25
SD-7101KBPE1Q	Black pushbutton on stainless-steel, slimline face plate. N.C. (push-to-open) switch, 1A@125VAC. "EXIT" and "SALIDA" printed on plate.	\$6.25	\$9.60	1	100
SD-7101RAEX1Q	Red pushbutton on stainless-steel, slimline face plate. N.O. (push-to-close) switch, 1A@125VAC. "EXIT" and "SALIDA" printed on plate.	\$6.00	\$9.25	1	100
SD-7103GC-PEQ	Illuminated green "PUSH-TO-EXIT" button. Can replace with included "PRESIONE PARA SALIR" message. SPDT switch, 10A@125-250VAC. Stainless-steel slimline plate.	\$18.60	\$28.60	1	100
SD-7103GC-PTQ	Illuminated green, momentary pushbutton. NO/NC contact, rated 3A@24VDC. Built-in timer (1~180 sec). Stainless-steel slimline plate.	\$31.00	\$47.70	1	25
SD-7104SGEX1Q	Vandal-resistant, 1" diameter, stainless-steel, momentary pushbutton on stainless-steel slimline plate. SPDT switch, 5A@250VAC. "EXIT" and "SALIDA" printed on plate.	\$22.60	\$34.75	1	100
SD-71051-V0	Spring-loaded (momentary) N.C. turn-to-open keylock switch, in a slimline stainless-steel plate. Key # 1300.	\$14.60	\$22.45	1	25
SD-7175SGEX1Q	Vandal-resistant, 1" diameter, illuminated, momentary pushbutton on slimline plate. Field-selectable LED color: red, green, blue, magenta, yellow, cyan, or white (12VDC). "EXIT" and "SALIDA" printed on plate.	\$26.30	\$40.45	1	100
SD-72002-V0	Shunt (maintained) N.C. turn-to-open keylock switch in a single-gang, stainless-steel plate. Key # 1300.	\$15.40	\$23.70	1	25
SD-7201GAPT1Q	1 ¹ / ₂ " Green mushroom-cap button. NO/NC contact, rated 5A@125VAC. Stainless-steel, single-gang plate. Built-in delay timer (1~180 sec), NO/NC contact, rated 3A@24VDC. Includes built-in buzzer. "EXIT" and "SALIDA" printed on plate.	\$31.00	\$47.70	1	25
SD-7201GCPE1Q	1 ¹ / ₂ " Green mushroom-cap button. NO/NC contact, rated 5A@125VAC. Stainless-steel, single-gang plate. "EXIT" and "SALIDA" printed on plate.	\$20.50	\$31.55	1	25
SD-7201GC-PEQ	1 ¹ / ₂ " Green mushroom-cap button. NO/NC contact, rated 5A@125VAC. Stainless-steel, single-gang plate. "PUSH TO EXIT" printed on plate.	\$20.50	\$31.55	1	25
SD-7201GFPE1Q	1 ¹ / ₂ " Green mushroom-cap button. DPDT switch, two NO and two NC contacts, rated 5A@125VAC. Stainless-steel, single-gang plate. "EXIT" and "SALIDA" printed on plate.	\$29.40	\$45.25	1	25
SD-7201KBQ	Black pushbutton on stainless-steel, single-gang face plate. N.C. (push-to-open) switch, 1A@125VAC.	\$8.50	\$13.10	1	100
SD-7201RCPE1Q	1 ¹ / ₂ " Red mushroom-cap button. NO/NC contact, rated 5A@125VAC. Stainless-steel, single-gang plate. "EXIT" and "SALIDA" printed on plate.	\$20.50	\$31.55	1	25
SD-7202GC-PEQ	Illuminated green 2" square "PUSH-TO-EXIT" button. Can replace with included "PRESIONE PARA SALIR" message. SPDT switch, 10A@125~250VAC. Stainless-steel single-gang plate.	\$18.30	\$28.15	1	25

SECO-LARM®

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs/ Carton
SD-7202GC-PTQ	Illuminated green 2" square momentary pushbutton. NO/NC Contact, rated 3A@24VDC. Built-in timer (1~180 sec). Stainless-steel single-gang plate.	\$27.95	\$43.00	1	25
SD-72031-6MQ	Single-Gang Mortise Cylinder Key Switch, Maintained: Keyed mortise cylinder (included with 2 keys), DPDT, Mortise cylinder removable for ease of keying, Flush mount, Chrome-plated aluminum back cover fits to single-gang box, Stainless-steel front cover snaps to back cover.	\$48.50	\$74.60	1	30
SD-7204SGEX1Q	Vandal-resistant, 1" diameter, stainless-steel momentary pushbutton on stainless-steel single-gang plate. SPDT switch, 5A@250VAC. "EXIT" and "SALIDA" printed on plate.	\$23.65	\$36.40	1	25
SD-72051-V0	Spring-loaded (momentary) N.C. turn-to-open keylock switch, in single-gang stainless-steel plate. Key #1300.	\$15.95	\$24.55	1	25
SD-72081-6MQ	Single-Gang Mortise Cylinder Key Switch, Momentary: Keyed mortise cylinder (included with 2 keys), DPDT, Mortise cylinder removable for ease of keying, Flush mount, Chrome-plated aluminum back cover fits to single-gang box, Stainless-steel front cover snaps to back cover.	\$49.50	\$76.15	1	30
SD-7213-GSP	R-T-E Plate with Pneumatic Timer (2~60 seconds). 1½" Green mushroom-cap button. NO/NC contact, rated 5A@125VAC. Stainless-steel, single-gang plate. "EXIT" and "SALIDA" printed on plate. No power required.	\$129.00	\$198.45	1	25
SD-7213-RSP	R-T-E Plate with Pneumatic Timer (2~60 seconds). 1½" Red mushroom-cap button. NO/NC contact, rated 5A@125VAC. Stainless-steel, single-gang plate. "EXIT" and "SALIDA" printed on plate. No power required.	\$129.00	\$198.45	1	25
SD-7217-GSBQ	R-T-E Plate with 1½" Green mushroom-cap button, 12/24 VDC operation with dual-color LED (red/gree) and adjustable buzzer (85~95dB). NO/NC contact, rated 10A@125VAC.	\$38.00	\$58.45	1	25
SD-7217GWQ	1½" Green mushroom-cap button with single-gang white plate. NO/NC contact, rated 5A@125VAC.	\$19.00	\$29.25	1	25
SD-7223GW-LQ	Illuminated green 2" square "PUSH-TO-EXIT" button with single-gang white plate. Can replace button cover with included Spanish or French message. SPDT switch, 10A@125~250VAC.	\$16.95	\$26.10	1	25
SD-7257-SSTQ	Single-Gang Request to Exit (RTE) plate with dual color LED, timer and buzzer	\$44.45	\$68.40	1	25
SD-7275SGEX1Q	Vandal-resistant, 1" diameter, illuminated momentary pushbutton on single-gang plate. Field-selectable LED color: red, green, blue, magenta, yellow, cyan, or white (12 VDC). "EXIT" and "SALIDA" printed on plate.	\$27.30	\$42.00	1	50
SD-7623-GSTQ	Illuminated green 2" square RTE plate with dual-color LED (red or green) and timer (1~180 sec). "PUSH TO EXIT" message can be replaced with included "PRESIONE PARA SALIR" message. NO/NC contact rated 5A@125VAC. 12~24 VDC.	\$34.50	\$53.10	1	25
SD-7983-SSHQ	Large 4.5" Round Push Plate with Stainless steel button with the International Symbol of Access and "PUSH TO OPEN". Includes surface-mount plastic back box for easy RF (wireless upgrade).	\$42.00	\$64.60	1	40
SD-8202GT-PEQ	Illuminated green 2" square "PUSH TO EXIT" button with built-in RF transmitter. Use with SECO-LARM 315MHz receivers. 9VDC Battery (included) operation with LED to indicate low battery. Stainless-steel single-gang plate.	\$30.80	\$47.40	1	25
SD-862T-GWSQ	Wireless green 2" square "PUSH TO EXIT" button with built-in RF transmitter. Use with SECO-LARM 315MHz receivers. 9VDC Battery (included) operation with LED to indicate low battery. Place on desktop or mount on wall. English, Spanish, French, and blank message plates included.	\$37.25	\$57.30	1	25
SD-9163-KS1Q	Outdoor No-Touch Sensor with Spanish message, slimline. Adjustable sensing range and relay trigger duration. "SALIDA SIN TOCAR" printed on plate.	\$32.25	\$49.60	1	50
SD-9163-KS2Q	Outdoor No-Touch Sensor with French message, slimline. Adjustable sensing range and relay trigger duration. "SORTIE SANS CONTACT" printed on plate.	\$32.25	\$49.60	1	50
SD-9163-KSQ	Outdoor No-Touch Sensor with English message, slimline. Adjustable sensing range and relay trigger duration. "NO TOUCH EXIT" is printed on plate.	\$32.25	\$49.60	1	50
SD-9163-KSVQ	Outdoor No-Touch Sensor with mechanical override button, slimline. Adjustable sensing range and relay trigger duration. "NO TOUCH EXIT" printed on plate.	\$43.25	\$66.55	1	50
SD-9263-KS1Q	Outdoor single-gang No-Touch Sensor with Spanish message. Adjustable sensing range and relay trigger duration. "SALIDA SIN TOCAR" printed on plate.	\$38.25	\$58.85	1	50
SD-9263-KS2Q	Outdoor single-gang No-Touch Sensor with French message. Adjustable sensing range and relay trigger duration. "SORTIE SANS CONTACT" printed on plate.	\$38.25	\$58.85	1	50
SD-9263-KSQ	Outdoor No-Touch Sensor with English message, single-gang. Adjustable sensing range relay and trigger duration. "NO TOUCH EXIT" is printed on plate.	\$38.25	\$58.85	1	50
SD-9263-KSVQ	Outdoor single-gang No-Touch Sensor with mechanical override button. Adjustable sensing range relay and trigger duration. "NO TOUCH EXIT" printed on plate.	\$49.25	\$75.75	1	50
SD-927PKC-NEQ	IR No-Touch Request-To-Exit Sensor with English message. Green illuminated ring turns red and 3A relay is triggered when hand is passed in front of the plate. "NO TOUCH EXIT" printed on plate.	\$22.00	\$33.85	1	60
SD-927PKC-NEVQ	Indoor No-Touch Sensor with Override Button - English	\$27.00	\$41.55	1	60
SD-927PKC-NFQ	IR No-Touch Request-To-Exit Sensor with French message. Green illuminated ring turns red and 3A relay is triggered when hand is passed in front of the plate. "SORTIE SANS CONTACT" printed on plate.	\$22.00	\$33.85	1	60
SD-927PKC-NFVQ	Indoor No-Touch Sensor with Override Button - French	\$27.00	\$41.55	1	60

SECO-LARM®

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs/ Carton
SD-927PKC-NSQ	IR No-Touch Request-To-Exit Sensor with Spanish message. Green illuminated ring turns red and 3A relay is triggered when hand is passed in front of the plate. "SALIDA SIN TOCAR" printed on plate.	\$22.00	\$33.85	1	60
SD-927PKC-NSVQ	Indoor No-Touch Sensor with Override Button - Spanish	\$27.00	\$41.55	1	60
SD-927PWCQ	IR No-Touch Request-To-Exit Sensor with white plate & white body. Green illuminated ring turns red and 3A relay is triggered when hand is passed in front of the plate. Includes decals in English, Spanish, and French.	\$21.00	\$32.30	1	50
SD-9463-KSVQ	Wave To Open RTE with override button, Double Gang	\$56.00	\$86.15	1	20
SD-961A-36	Push-to-Exit Bar for 36" doors. Brushed aluminum with a black base. Includes two built-in momentary contacts (NO/NC) and SD-969-A18 armored door cord.	\$76.15	\$117.15	1	6
SD-961A-36SLQ	Illuminated Push-to-Open Bar, Buzzer, output timing (adjustable 0.5~60 sec), and LED status indicator	\$119.00	\$183.10	1	6
SD-961B-36GQ	Electromechanical Push Bar, Black, with Double-Locking Spindle, Form C Output, Reversible non-handed design	\$170.00	\$261.55	1	6
SD-961B-36GSQ	Electromechanical Push Bar, Black, with Double-Locking Spindle, Form C Output, Reversible non-handed design, Solenoid actuated unlocking mechanism	\$350.00	\$538.45	1	6
SD-962AR-36A	Rim-Type Exit Device for 36" doors (32¾" length). Dead latch for additional security, reversible, bar can be locked open. UL Listed, Silver.	\$79.50	\$122.30	1	6
SD-962AR-36G	ANSI A 156.3, Grade 1 Rugged Rim Exit Bar. For 30"~48" doors, rim-type, dead latch for additional security, reversible, bar can be locked open. UL Listed, Silver.	\$183.00	\$281.55	1	4
SD-962BR-36A	Rim-Type Exit Device for 36" doors (32¾" length). Dead latch for additional security, reversible, bar can be locked open. UL Listed, Black.	\$89.80	\$138.15	1	6
SD-962BR-36G	ANSI A 156.3, Grade 1 Rugged Rim Exit Bar. For 30"~48" doors, rim-type, dead latch for additional security, reversible, bar can be locked open. UL Listed, Black.	\$225.35	\$346.70	1	4
SD-962H-8LAQ	Mechanical Keypad Door Lock. Fully mechanical (no power required), non-handed operation, free exit from secured side, US26D finish.	\$72.00	\$110.75	1	12
SD-962HL-4A	Entry-type lever trim. For use with model SD-962AR-36A or SD-962SR-36I. USD26D Finish. SC4, 6-pin lock. Non-handed. Two keys included.	\$47.25	\$72.70	1	20
SD-969-A18Q	Armored door cord with plastic arrow-shaped end caps and 18" stainless-steel cable. Minimum order quantity of 10 pieces (price is for 1 pc).	\$7.85	\$12.10	10	200
SD-969-M15Q/B	Stainless-steel armored door cord with removeable cover (Bronze), cord length 15" (39cm).	\$20.50	\$31.55	1	100
SD-969-M15Q/S	Stainless-steel armored door cord with removeable cover (Silver), cord length 15" (39cm).	\$20.50	\$31.55	1	100
SD-969-S18Q	Armored door cord with aluminum end caps and 18" stainless-steel cable. Minimum order quantity of 10 pieces (price is for 1 pc).	\$10.60	\$16.30	10	100
SD-969-T15Q/B	Armored door cord with terminal blocks (Bronze), maximum current 34@30VAC/VDC, cord length 15" (39cm).	\$26.00	\$40.00	1	100
SD-969-T15Q/S	Armored door cord with terminal blocks (Silver), maximum current 34@30VAC/VDC, cord length 15" (39cm).	\$24.50	\$37.70	1	100
SD-9773-KNEVQ	IR No Touch Surface-mount w/ Override Button (Black)	\$49.50	\$76.15	1	20
SD-991A-D1Q	Mini No-Cut Electric Door Strike. Includes stainless steel no-cut and silver aluminum low-cut strike plates. 12VDC, Fail-secure (door locks when power is lost) operation. Optional bronze(SD-991RA-61Q/B) low-cut faceplate available.	\$46.15	\$71.00	1	42
SD-991RA-61Q/B	Optional bronze low-cut faceplate for use with SD-991A-D1Q	\$4.00	\$6.15	1	1
SD-993B-SS	Electric shear lock. 1,500-lb Holding force. Fail-safe (door unlocks when power is lost) operation. 12 or 24 VDC Operation.	\$263.50	\$405.40	1	10
SD-993S-SB	Surface-mount bracket kit for SD-993B-SS.	\$58.00	\$89.25	1	10
SD-993S-UB	(U-type) Mounting bracket kit for mounting SD-993B-SS on most glass doors.	\$40.00	\$61.55	1	10
SD-994A-A1AQ	8-16 VAC/12VDC Reversible Electric Door Strike. Asymmetric (strike portion not centered on the reversible faceplate). Fail Secure operation. US26D chrome faceplate.	\$25.25	\$38.85	1	40
SD-994A-A1SQ	8-16 VAC/12VDC Reversible Electric Door Strike. Symmetric (strike portion is centered on the reversible faceplate). Fail Secure operation. US26D chrome faceplate.	\$25.25	\$38.85	1	40
SD-994C	Electric Door Strike for wood doors. 12VDC, Fail-safe (door unlocks when power is lost) or fail-secure (door locks when power is lost) operation. Indoor use only. ANSI-sized: 7 ¹⁵ / ₁₆ "x1 ¹ / ₄ "x1 ³ / ₈ ", UL Listed.	\$56.00	\$86.15	1	30
SD-994C24	Electric Door Strike for wood doors. 24VDC, Fail-safe (door unlocks when power is lost) or fail-secure (door locks when power is lost) operation. Indoor use only. ANSI-sized: 7 ¹⁵ / ₁₆ "x1 ¹ / ₄ "x1 ³ / ₈ ". UL Listed	\$56.00	\$86.15	1	30
SD-995A-A1Q	Electric Door Strike with Horizontal Adjustment. ¼" adjustment compensates for installation difficulties, 8~16VAC/12VDC operation. Fail-Secure, Unique design accommodates both wood and metal doors. Optional faceplate SD-995RE-21Q also available. Face plate dimensions: 7 ¹⁵ / ₁₆ " x1 ¹ / ₄ " x1 ¹ / ₈ " (202x32x3.2mm).	\$45.70	\$70.30	1	30
SD-995A-D3Q	Weatherproof Door/Gate Strike, 12 VAC/VDC operation, fail-secure operation, one piece cast body, low current draw: 280mA@12VDC/140mA@24VDC, compatible with most locksets, extra wide keeper 15/8"	\$33.30	\$51.25	1	40
SD-995C	Electric Door Strike for metal doors. 12VDC, Fail-safe (door unlocks when power is lost) or fail-secure (door locks when power is lost) operation. Indoor use only. ANSI-sized: 4 ⁷ / ₈ "x1 ¹ / ₄ "x1 ¹ / ₈ ", UL 294 & UL 1034 Listed	\$53.30	\$82.00	1	40

SECO-LARM®

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs/ Carton
SD-995C24	Electric Door Strike for metal doors. 24VDC, Fail-safe (door unlocks when power is lost) or fail-secure (door locks when power is lost) operation. Indoor use only. ANSI-sized: 4 7/8"x1 1/4"x1 1/8", UL 294 & UL 1034 Listed.	\$53.30	\$82.00	1	40
SD-995C-D3Q	No-Cut Door Strike. 12/24 VDC. Fail-safe (door unlocks when power is lost) or fail-secure (door locks when power is lost) operation. UL listed. No horizontal or vertical adjustment possible.	\$73.80	\$113.55	1	14
SD-995C-LE25	1" (25mm) Lip Extender. Compatible with door strikes SD-994C, SD-994C24, SD-995C, SD-995C24, and the SD-996C-NUQ	\$7.80	\$12.00	1	1
SD-995C-LE50	2" (50mm) Lip Extender. Compatible with door strikes SD-994C, SD-994C24, SD-995C, SD-995C24, and the SD-996C-NUQ	\$9.80	\$15.10	1	1
SD-995JA-11Q	SD-995C Series Door Strike Installation/Router Jig. This jig allows for the increased accuracy in cutting metal door frame for the installation of the SD-995C/SD-995C24/SD-996C-NUQ (with metal door faceplates).	\$28.00	\$43.10	1	1
SD-995RE-21Q	Optional faceplate (715/16" x11/4" x1/8" (202x32x3.2mm)) for use with SD-995A-A1Q	\$3.00	\$4.60	1	1
SD-9963-KSGQ	Post-Mount No-Touch Sensor. 12-24 VDC. "Goose-neck" mountable. Adjustable sensing range and delay time. Weatherproof for outdoor use.	\$70.85	\$109.00	1	10
SD-996C-NUQ	12/24 VDC Universal Door Strike. Includes three face plates for nearly any type of door. Fail-safe (door unlocks when power is lost) or fail-secure (door locks when power is lost) operation. UL listed.	\$68.50	\$105.40	1	40
SD-996C-NUVQ	Electric Door Strike with Vertical Adjustment. Vertical adjustable deadbolt opening, sliding shim keeper, and deadlatch ramp accommodates a wide range of lock types, accommodates deadbolts up to 1", 12/24 VAC/VDC operation, Fail-safe (door unlocks when power is lost) or fail-secure (door locks when power is lost) operation. Static Strength - 1,000lbs, UL Listed	\$185.15	\$284.85	1	18
SD-997A-GBQ	Electric Deadbolt Fail-secure Operation, 12/24 VDC operation, similar to SD-997B-GBQ but fail-secure, incorporate manual lock/unlock cylinder to operate lock if power is lost.	\$122.00	\$187.70	1	10
SD-997B-1SQ	Mini Surface-Mount Electric Deadbolt. Fail-safe (door unlocks when power is lost). 12VDC	\$57.75	\$88.85	1	25
SD-997B-GBQ	Fail-safe Electric Deadbolt, for concealed deadbolt security. Door unlocks when power is lost. Dual voltage: 12/24 VDC.	\$94.25	\$145.00	1	10
SD-997C-GCQ	Electric Deadbolt Cabinet Lock, 12/24VDC operation, fail-safe/fail-secure operation, electronically secures lockers/cabinets/cases/etc, Lock status sensor allows for monitoring whether doors are locked, current draw: 300mA@12VDC/150mA@24VDC	\$24.50	\$37.70	1	50
SD-997SMB-AQ	Surface-mount Bracket for SD-997BQ or SD-997B-GBQ. Includes brackets for lock body and strike plate. (Not compatible with SD-997AQ or SD-997A-DQ.)	\$34.00	\$52.30	1	10
SD-997UB-AQ	"U" Bracket for mounting SD-997BQ or SD-997B-GBQ on glass doors. (Not compatible with SD-997AQ or SD-997A-DQ.)	\$37.00	\$56.90	1	10
SD-998C-D3AQ	UL Listed, UL 294 and UL 1034, Surface-mount Electric Rim Strike, Concealed mounting screws, 12/24VDC operation, 1,500-lb jaw strength, 1/2" (19mm) thick metal housing, accommodates up to 3/4" Pullman latch, dynamic strength 70ft-lb, static strength - 1,500lbs, field-programmable for fail-safe/fail-secure operation, horizontal adjustment, metal or wood frame installation.	\$174.20	\$268.00	1	10
SD-998C-D3Q	UL Listed, UL 294 and UL 1034, Surface-mount Electric Rim Strike, Concealed mounting screws, 12/24VDC operation, 1,500-lb jaw strength, 3/4" (19mm) thick metal housing, accommodates up to 3/4" Pullman latch, dynamic strength 70ft-lb, static strength - 1,500lbs, field-programmable for fail-safe/fail-secure operation, horizontal adjustment, metal or wood frame installation.	\$164.35	\$252.85	1	10
SD-C101-SGQ	Grade-1 Door Closer, adjustable for size 1-6, door weight up to 330-lbs. Adjustable sweep speed, latch speed, and back check. Anodized aluminum body, silver finish, and forged steel arms. 5 year warranty	\$38.50	\$59.25	1	10
SD-C121-S	Door Closer. Size 2, door weight up to 100-lbs (45kg). Adjustable sweep and latch speed, anodized aluminum body, silver finish, and forged steel arms. 3 year warranty	\$14.95	\$23.00	1	10
SD-C131-SQ	Door Closer. Size 3, door weight up to 140-lbs (65kg). Adjustable sweep and latch speed, anodized aluminum body, silver finish, and forged steel arms. 1 year warranty	\$20.50	\$31.55	1	10
SD-H412	1) Electric Transfer Hinge. 5-knuckle, 4-wire transfer hinge with concealed wiring, 12-24 VAC/VDC, Heavy-duty, vandal-resistant steel, US26D (652)	\$45.35	\$69.75	1	20
SD-R400-BQ	Microwave RTE Sensor, 12-24VDC, 10-ft (3m) adjustable sensing range, adjustable relay output time, red LED indicator on activation, indoor use only.	\$40.60	\$62.45	1	18
SH-504Q	Electronic Buzzer, 91dB, 3/4" Diameter. Sold in multiples of 10pc. (price is for 1pc.).	\$3.10	\$4.75	10	500
SH-506Q	Electronic Buzzer, 93dB, 3-28VDC, 1" Diameter, surface mount. Sold in multiples of 10 (price is for 1 pc).	\$2.40	\$3.70	10	500
SH-525SQ	Surface-mount Dual-Tone Wall Siren, 100dB/1m@12VDC, 6-14 VDC, 550mA@12VDC	\$4.15	\$6.40	1	24
SH-532BQ	Multi-Tone Chime, 105dB/1m@12VDC, 6-14 VDC, 200mA@12VDC	\$7.45	\$11.45	1	100

SECO-LARM®

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs/ Carton
SH-816S-BMQ	4-in-1 Multi-Purpose Siren. The ENFORCER 4-in-1 Multi-Purpose Siren is multiple communication and signaling devices in one: siren, internal message (up to 2MB .WAV or MP3), broadcast, 9~15 VDC Self-Contained 115dB Warble-Tone Siren. 20W speaker with audio input for broadcasting messages, built-in tamper output, IP65.	\$41.50	\$63.85	1	10
SH-816S-BQ	9~15 VDC Self-Contained 120dB Warble-Tone Siren. 25W speaker with audio input for broadcasting messages, built-in tamper output, IP65.	\$29.00	\$44.60	1	20
SH-816S-SMQ/A	4-in-1 Multi-Purpose Siren/Strobe (Amber). The ENFORCER 4-in-1 Multi-Purpose Siren/Strobe is multiple communication and signaling devices in one: siren, internal message (up to 2MB .WAV or MP3), broadcast, and (SH-816S-SMQ only) an LED strobe. 9~15 VDC Self-Contained 115dB Warble-Tone Siren. 20W speaker with audio input for broadcasting messages, built-in tamper output, IP65. Amber Lens.	\$57.00	\$87.70	1	10
SH-816S-SMQ/B	4-in-1 Multi-Purpose Siren/Strobe (Blue). The ENFORCER 4-in-1 Multi-Purpose Siren/Strobe is multiple communication and signaling devices in one: siren, internal message (up to 2MB .WAV or MP3), broadcast, and (SH-816S-SMQ only) an LED strobe. 9~15 VDC Self-Contained 115dB Warble-Tone Siren. 20W speaker with audio input for broadcasting messages, built-in tamper output, IP65. Blue Lens.	\$57.00	\$87.70	1	10
SH-816S-SMQ/C	4-in-1 Multi-Purpose Siren/Strobe (Clear). The ENFORCER 4-in-1 Multi-Purpose Siren/Strobe is multiple communication and signaling devices in one: siren, internal message (up to 2MB .WAV or MP3), broadcast, and (SH-816S-SMQ only) an LED strobe. 9~15 VDC Self-Contained 115dB Warble-Tone Siren. 20W speaker with audio input for broadcasting messages, built-in tamper output, IP65. Clear Lens.	\$57.00	\$87.70	1	10
SH-816S-SMQ/R	4-in-1 Multi-Purpose Siren/Strobe (Red). The ENFORCER 4-in-1 Multi-Purpose Siren/Strobe is multiple communication and signaling devices in one: siren, internal message (up to 2MB .WAV or MP3), broadcast, and (SH-816S-SMQ only) an LED strobe. 9~15 VDC Self-Contained 115dB Warble-Tone Siren. 20W speaker with audio input for broadcasting messages, built-in tamper output, IP65. Red Lens.	\$57.00	\$87.70	1	10
SH-816S-SQ/A	9~15 VDC Xenon Tube Strobe Light with 120dB Warble-Tone siren. 75 flashes/minute. 25W speaker with audio input for broadcasting messages, built-in tamper output, IP65. Amber Lens.	\$44.50	\$68.45	1	10
SH-816S-SQ/B	9~15 VDC Xenon Tube Strobe Light with 120dB Warble-Tone siren. 75 flashes/minute. 25W speaker with audio input for broadcasting messages, built-in tamper output, IP65. Blue Lens.	\$44.50	\$68.45	1	10
SH-816S-SQ/C	9~15 VDC Xenon Tube Strobe Light with 120dB Warble-Tone siren. 75 flashes/minute. 25W speaker with audio input for broadcasting messages, built-in tamper output, IP65. Clear Lens.	\$44.50	\$68.45	1	10
SH-816S-SQ/R	9~15 VDC Xenon Tube Strobe Light with 120dB Warble-Tone siren. 75 flashes/minute. 25W speaker with audio input for broadcasting messages, built-in tamper output, IP65. Red Lens.	\$44.50	\$68.45	1	10
SH-905SQ	Surface-mount Wall Speaker, 15W	\$2.50	\$3.85	1	24
SK-1011-SDQ	Indoor Stand-Alone Keypad with 1000 users and one 1A relay output. Includes quick code, wrong-code lockout, smart egress input, three LEDs, built-in buzzer, and back box.	\$30.90	\$47.55	1	50
SK-1123-FDQ	Flush-Mount Outdoor Illuminated Stand-Alone Keypad. Weather resistant and vandal resistant. 1100 Users, two outputs, 12~24 VDC/VAC operation. Includes duress, quick code, wrong-code lockout, smart egress input, visitor codes, three LEDs, built-in buzzer, and back box.	\$67.20	\$103.40	1	20
SK-1123-SDQ	Surface-Mount Outdoor Illuminated Stand-Alone Keypad. Weather resistant and vandal resistant. 1100 Users, two outputs, 12~24 VDC/VAC operation. Includes duress, quick code, wrong-code lockout, smart egress input, visitor codes, three LEDs, built-in buzzer, and back box.	\$73.45	\$113.00	1	20
SK-1123-SPQ	Surface-Mount Outdoor Illuminated Stand-Alone Keypad with proximity reader. Weather resistant and vandal resistant. 1100 Users, two outputs, 12~24 VDC/VAC operation. Includes duress, quick code, wrong-code lockout, smart egress input, visitor codes, three LEDs, built-in buzzer, and back box.	\$85.45	\$131.45	1	20
SK-1131-SPQ	Indoor Illuminated Stand-Alone keypad with Prox Reader, 1200 users and three outputs. Includes duress, quick code, wrong-code lockout, egress input, three LEDs, built-in buzzer, and back box.	\$41.40	\$63.70	1	50
SK-1323-SDQ	Sealed-Housing Outdoor Stand-Alone Keypad. Weatherproof (IP65). Backlit keys, 1,010 user codes, 2~6 digit code length, two relay outputs (Form C NO/NC/COM), two egress inputs, one door sensor input, optical tamper sensor. Fully-epoxied circuitry for outdoor use.	\$69.70	\$107.25	1	20
SK-1323-SPQ	Sealed-Housing Outdoor Stand-Alone Keypad with Built-In Proximity Reader (125kHz). Weatherproof (IP65), backlit keys, 1,010 user codes, 2~6 digit code length, two relay outputs (Form C NO/NC/COM), two egress inputs, one door sensor input, optical tamper sensor, fully-epoxied circuitry for outdoor use, proximity cards sold separately (see model PR-K1S1-A or PR-K1K1-AQ).	\$79.10	\$121.70	1	20
SK-1612-SDQ	Keypad, 1,000 Users (up to 998 users and 2 duress users), User code length 4~6 digits, 9~18 VDC Operation, low current draw – 105mA max., Form C relay output – 2A@12VDC, Adjustable output time – 0.5~99s, or toggle, Built-in tamper	\$54.00	\$83.10	1	20

SECO-LARM®

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs/ Carton
SK-2323-SDQ	Mullion-Style Outdoor Stand-Alone Keypad. Weatherproof (IP65). Backlit keys, 1,010 user codes, 2~6 digit code length, two relay outputs (Form C NO/NC/COM), two egress inputs, one door sensor input, optical tamper sensor. Fully-epoxied circuitry for outdoor use.	\$80.10	\$123.25	1	20
SK-2323-SPQ	Mullion-Style Outdoor Stand-Alone Keypad with Built-In Proximity Reader (125 kHz). Weatherproof (IP65). Backlit keys, 1,010 user codes, 2~6 digit code length, two relay outputs (Form C NO/NC/COM), two egress inputs, one door sensor input, optical tamper sensor. Fully-epoxied circuitry for outdoor use. Proximity cards sold separately (see model PR-K1S1-A or PR-K1K1-AQ).	\$90.55	\$139.30	1	20
SK-2612-SDQ	Keypad, 1,000 Users (up to 998 users and 2 duress users), User code length 4~6 digits, 9~18 VDC Operation, low current draw – 105mA max., Form C relay output – 2A@12VDC, Adjustable output time – 0.5~99s, or toggle, Built-in tamper	\$64.00	\$98.45	1	20
SK-2612-SFSQ	Fingerprint Reader and Keypad, 500DPI optical fingerprint reader, Form C relay output, adjustable output time or toggle mode, verification method: fingerprint/PIN, user capacity: 3000 users (1000 fingerprint users, 2000 PIN users), PIN length: 4~6 digits, 12VDC operation, 26~44 bit wiegand output, IP66	\$85.00	\$130.75	1	20
SK-2612-SPQ	Keypad and Proximity Card Reader, 1,000 Users (up to 998 users and 2 duress users), User code length 4~6 digits, 9~18 VDC Operation, low current draw – 105mA max., Form C relay output – 2A@12VDC, Adjustable output time – 0.5~99s, or toggle, Built-in tamper alarm and external alarm output, Backlit keypad and multicolor status LED, EM 125kHz*, Easy transfer of users to additional devices, EEPROM Memory protects data in case of power loss, All features programmed directly on the keypad: No need for an external programmer, Egress input lets users exit the premises without a code/card, Can serve as either Wiegand reader or controller, both output and input are selectable 26~37 bits, 2-Door interlock function, Extreme cold tolerance to -40° F (-40° C), Epoxy-filled black ABS plastic housing – IP66	\$71.00	\$109.25	1	20
SK-3133-PPQ	Heavy Duty Outdoor Keypad with Proximity Reader. Rugged, stainless-steel construction for outdoor use. Individual keys are backlit. Each code can be 4~8 digits. 12~24 VDC/VAC.	\$117.90	\$181.40	1	6
SK-4131-SPSQ	Split-series Keypad with Proximity Reader, keypad and control board are separated for high security applications, built-in proximity card reader: 125kHz (EM125), 1200 users over 3 outputs, code length: 4~8 digits, 12~24VDC operation, built-in door chime, 4 available programmable access modes for all outputs: card only/code only/card and common user code/car and unique user code, up to 50 possible temporary visitor codes, smart egress input, real time clock disables access at specific times.	\$32.00	\$49.25	1	20
SK-910R3Q	3-Channel Receiver. Compatible with all 315MHz SECO-LARM transmitters. Three Form C dry relay contacts rated 8A@24VDC.	\$34.50	\$53.10	1	20
SK-910R4Q	4-Channel Receiver. Compatible with all 315MHz SECO-LARM transmitters. Four Form C dry relay contacts rated 8A@24VDC.	\$42.35	\$65.15	1	20
SK-910RAQ	Miniature 1-Channel RF Receiver. Compatible with all 315MHz SECO-LARM transmitters. 11~24 VDC/VAC. Form C dry relay contact. 3A@24VDC. Four output modes. 315MHz.	\$20.70	\$31.85	1	100
SK-910RAV2Q	Miniature 2-Channel RF Receiver. Compatible with all 315MHz SECO-LARM transmitters. 3~13.8 VDC Operating voltage. Low current draw. Two 3 Amp transistor ground outputs. 315MHz.	\$20.55	\$31.60	1	100
SK-910RAVQ	Miniature 1-Channel RF Receiver. Compatible with all 315MHz SECO-LARM transmitters. 3~13.8 VDC Operating voltage. Low current draw. 5 Amp transistor ground output. 315MHz.	\$19.40	\$29.85	1	100
SK-910RB2-4Q	2-Channel RF Receiver, 433.92 MHz. 11~24 VDC/VAC. Two Form C dry relay contact (NO/NC/COM), 8A@24VDC. Five output modes. For use with any SECO-LARM 433.92MHz transmitter.	\$30.00	\$46.15	1	1
SK-910RB2Q	2-Channel Receiver. Compatible with all 315MHz SECO-LARM transmitters. Five programmable output modes. Each output is independently configurable. Two 10A@24VDC relay outputs. 315MHz.	\$27.45	\$42.25	1	50
SK-910RBQ	1-Channel RF Receiver. Compatible with all 315MHz SECO-LARM transmitters. 11~24 VDC/VAC. Form C dry relay contact (NO/NC/COM), 8A@24VDC. Five output modes.	\$24.70	\$38.00	1	50
SK-917T1-GBQ	1-Button RF transmitter for use with all SECO-LARM 315MHz receivers. Code Hopping.	\$11.95	\$18.40	1	500
SK-917T2-GNQ	2-Button RF transmitter for use with all SECO-LARM 315MHz receivers. Code Hopping.	\$12.45	\$19.15	1	500
SK-917T3-GNQ	3-Button RF transmitter for use with all SECO-LARM 315MHz receivers. Code Hopping.	\$13.25	\$20.40	1	500
SK-917T4-GNQ	4-Button RF transmitter for use with all SECO-LARM 315MHz receivers. Code Hopping.	\$13.95	\$21.45	1	500
SK-919T1-GBDQ	1-Button RF Transmitter for use with all SECO-LARM 315MHz receivers. With DIP-switch coding. Use for block coding. LED transmission indicator.	\$16.30	\$25.10	1	100
SK-919T1-GBQ	1- Button RF Transmitter for use with all SECO-LARM 315MHz receivers. Pre-coded.	\$10.45	\$16.10	1	100

SECO-LARM®

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs/ Carton
SK-919T1-GBUQ	1- Button RF Transmitter for use with all SECO-LARM 315MHz receivers. Pre-coded. No ENFORCER logo on cover.	\$10.45	\$16.10	10	100
SK-919T1-GBWQ	1-Button RF Transmitter for use with all SECO-LARM 315MHz receivers. Pre-coded. Wired for connection to buttons, sensors, etc., to remotely activate devices.	\$15.50	\$23.85	1	100
SK-919T2-GNQ	2- Button RF Transmitter for use with all SECO-LARM 315MHz receivers. Pre-coded.	\$10.95	\$16.85	1	100
SK-919T3-GNQ	3- Button RF Transmitter for use with all SECO-LARM 315MHz receivers. Pre-coded.	\$11.75	\$18.10	1	100
SK-919T4-GNQ	4- Button RF Transmitter for use with all SECO-LARM 315MHz receivers. Pre-coded.	\$12.80	\$19.70	1	100
SK-919TP1H-BQ	1-Button RF Transmitter for use with all SECO-LARM 315MHz receivers. One channel, slimline, handheld.	\$20.60	\$31.70	1	100
SK-919TP2H-NQ	2-Button RF Transmitter for use with all SECO-LARM 315MHz receivers. Three channels, slimline, handheld.	\$21.60	\$33.25	1	100
SK-919TP4H-NQ	4-Button RF Transmitter for use with all SECO-LARM 315MHz receivers. 15 Channels, slimline, handheld.	\$24.65	\$37.90	1	100
SK-91ERSD	Extended Range Antenna (dipole type) for up to 1,000ft range. Plugs into SK-910RBQ, SK-910RA, SK-910RAQ, SK-910R2BQ, SK-910R4Q. Flexible antenna ears.	\$10.85	\$16.70	1	100
SK-937T1-GBQ	1-Button RF transmitter for use with all SECO-LARM 433.92MHz receivers. Code Hopping.	Special Order Item Only. Contact SECO-LARM for details.			
SK-937T2-GNQ	2-Button RF transmitter for use with all SECO-LARM 433.92MHz receivers. Code Hopping.	Special Order Item Only. Contact SECO-LARM for details.			
SK-937T3-GNQ	3-Button RF transmitter for use with all SECO-LARM 433.92MHz receivers. Code Hopping.	Special Order Item Only. Contact SECO-LARM for details.			
SK-937T4-GNQ	4-Button RF transmitter for use with all SECO-LARM 433.92MHz receivers. Code Hopping.	Special Order Item Only. Contact SECO-LARM for details.			
SK-939T1-GBUQ	1-Button RF transmitter for use with all SECO-LARM 433.92MHz receivers. Pre-coded. No ENFORCER logo on cover.	\$11.65	\$17.90	10	1
SK-939T2-GNUQ	2-Button RF transmitter for use with all SECO-LARM 433.92MHz receivers. Pre-coded. No ENFORCER logo on cover.	\$12.30	\$18.90	10	500
SK-939T3-GNQ	3-Button RF transmitter for use with all SECO-LARM 433.92MHz receivers. Pre-coded.	Special Order Item Only. Contact SECO-LARM for details.			
SK-939T4-GNQ	4-Button RF transmitter for use with all SECO-LARM 433.92MHz receivers. Pre-coded.	Special Order Item Only. Contact SECO-LARM for details.			
SK-93ERSD	Extended Range Antenna (dipole type) for up to 1,000ft range. Plugs into SK-910R-4Q, SK-910R2-4Q, SK-910R4-4Q. Flexible antenna ears.	\$11.30	\$17.40	1	100
SK-990AQ	Fail-secure Electric Door Strike for wood doors. Door locks when power is lost. Indoor use only. 12VDC/VAC.	\$23.00	\$35.40	1	50
SK-990BQ	Fail-Safe Electric Door Strike for wood doors. Door unlocks when power is lost. Indoor use only. 12VDC/VAC.	\$23.00	\$35.40	1	50
SK-9HBC	Belt-Clip Holster/wall-mount switch for SK-919TP1H-BUQ, SK-919TP2H-NUQ, & SK-919TP4H-NUQ (handheld transmitters).	\$2.95	\$4.55	1	100
SK-B111-PQ	Single-gang Bluetooth Keypad with Reader, Indoor with one relay output	\$129.00	\$198.45	1	10
SK-B141-PQ	Single-gang Surface Mount Bluetooth Keypad with Reader, metal housing, weatherproof and one relay output.	\$179.00	\$275.40	1	10
SK-B241-PQ	Mullion Surface Mount Bluetooth Keypad with Reader, metal housing, weatherproof and one relay output.	\$179.00	\$275.40	1	10
SL-126-A24Q/A	6~24 VDC (2-wire connection) Strobe Light. "U"-Type Xenon tube. 100,000 Candlepower, over 100 flashes/minute, 150mA current draw at 24VDC. Amber lens.	\$15.25	\$23.45	1	40
SL-126-A24Q/B	6~24 VDC (2-wire connection) Strobe Light. "U"-Type Xenon tube. 100,000 Candlepower, over 100 flashes/min, 150mA current draw at 24VDC. Blue lens.	\$15.25	\$23.45	1	40
SL-126-A24Q/C	6~24 VDC (2-wire connection) Strobe Light. "U"-Type Xenon tube. 100,000 Candlepower, over 100 flashes/min, 150mA current draw at 24VDC. Clear lens.	\$15.25	\$23.45	1	40
SL-126-A24Q/G	6~24 VDC (2-wire connection) Strobe Light. "U"-Type Xenon tube. 100,000 Candlepower, over 100 flashes/min, 150mA current draw at 24VDC. Green lens.	\$15.25	\$23.45	1	40
SL-126-A24Q/R	6~24 VDC (2-wire connection) Strobe Light. "U"-Type Xenon tube. 100,000 Candlepower, over 100 flashes/min, 150mA current draw at 24VDC. Red lens.	\$15.25	\$23.45	1	40
SL-126LQ/A	Replacement lens for SL-126Q/A, SL-126-A24Q/A, SL-1301-EAQ/A, SL-1301-BAQ/A, or SL-1301-SAQ/A strobe lights. Amber.	\$2.50	\$3.85	1	50
SL-126LQ/B	Replacement lens for SL-126Q/B, SL-126-A24Q/B, SL-1301-EAQ/B, SL-1301-BAQ/B, or SL-1301-SAQ/B strobe lights. Blue.	\$2.50	\$3.85	1	50
SL-126LQ/C	Replacement lens for SL-126Q/C, SL-126-A24Q/C, SL-1301-EAQ/C, SL-1301-BAQ/C, or SL-1301-SAQ/C strobe lights. Clear.	\$2.50	\$3.85	1	50

SECO-LARM®

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs/ Carton
SL-126LQ/G	Replacement lens for SL-126Q/G, SL-126-A24Q/G, SL-1301-EAQ/G, SL-1301-BAQ/G, or SL-1301-SAQ/G strobe lights. Green.	\$2.50	\$3.85	1	50
SL-126LQ/R	Replacement lens for SL-126Q/R, SL-126-A24Q/R, SL-1301-EAQ/R , SL-1301-BAQ/R , or SL-1301-SAQ/R strobe lights. Red.	\$2.50	\$3.85	1	50
SL-126Q/A	6~12 VDC (2-wire connection) Strobe Light. "U"-Type Xenon tube. 100,000 Candlepower, over 90 flashes/min, 180mA current draw at 12VDC. UL listed. Amber lens.	\$11.45	\$17.60	1	40
SL-126Q/B	6~12 VDC (2-wire connection) Strobe Light. "U"-Type Xenon tube. 100,000 Candlepower, over 90 flashes/min, 180mA current draw at 12VDC. UL listed. Blue lens.	\$11.45	\$17.60	1	40
SL-126Q/C	6~12 VDC (2-wire connection) Strobe Light. "U"-Type Xenon tube. 100,000 Candlepower, over 90 flashes/min, 180mA current draw at 12VDC. UL listed. Clear lens.	\$11.45	\$17.60	1	40
SL-126Q/G	6~12 VDC (2-wire connection) Strobe Light. "U"-Type Xenon tube. 100,000 Candlepower, over 90 flashes/min, 180mA current draw at 12VDC. UL listed. Green lens.	\$11.45	\$17.60	1	40
SL-126Q/R	6~12 VDC (2-wire connection) Strobe Light. "U"-Type Xenon tube. 100,000 Candlepower, over 90 flashes/min, 180mA current draw at 12VDC. UL listed. Red lens.	\$11.45	\$17.60	1	40
SL-1301-BAQ/A	9~15 VDC LED Strobe Light. Incorporates 20 LEDs. 50,000-Hour operating life. Six different flash patterns. Adjustable flashing speed. Indoor/outdoor use. Amber lens.	\$22.25	\$34.25	1	40
SL-1301-BAQ/B	9~15 VDC LED Strobe Light. Incorporates 20 LEDs. 50,000-Hour operating life. Six different flash patterns. Adjustable flashing speed. Indoor/outdoor use. Blue lens.	\$22.25	\$34.25	1	40
SL-1301-BAQ/C	9~15 VDC LED Strobe Light. Incorporates 20 LEDs. 50,000-Hour operating life. Six different flash patterns. Adjustable flashing speed. Indoor/outdoor use. Clear lens.	\$22.25	\$34.25	1	40
SL-1301-BAQ/G	9~15 VDC LED Strobe Light. Incorporates 20 LEDs. 50,000-Hour operating life. Six different flash patterns. Adjustable flashing speed. Indoor/outdoor use. Green lens.	\$22.25	\$34.25	1	40
SL-1301-BAQ/R	6~12 VDC LED Strobe Light. Incorporates 20 LEDs. 50,000-Hour operating life. Six different flash patterns. Adjustable flashing speed. Indoor/outdoor use. Red lens.	\$22.25	\$34.25	1	40
SL-1301-EAQ/A	6~12 VDC LED Strobe Light. Incorporates 12 LEDs. 50,000-Hour operating life. Flash only. Indoor/outdoor use. Amber lens.	\$11.80	\$18.15	1	40
SL-1301-EAQ/B	6~12 VDC LED Strobe Light. Incorporates 12 LEDs. 50,000-Hour operating life. Flash only. Indoor/outdoor use. Blue lens.	\$11.80	\$18.15	1	40
SL-1301-EAQ/C	6~12 VDC LED Strobe Light. Incorporates 12 LEDs. 50,000-Hour operating life. Flash only. Indoor/outdoor use. Clear lens.	\$11.80	\$18.15	1	40
SL-1301-EAQ/G	6~12 VDC LED Strobe Light. Incorporates 12 LEDs. 50,000-Hour operating life. Flash only. Indoor/outdoor use. Green lens.	\$11.80	\$18.15	1	40
SL-1301-EAQ/R	6~12 VDC LED Strobe Light. Incorporates 12 LEDs. 50,000-Hour operating life. Flash only. Indoor/outdoor use. Red lens.	\$11.80	\$18.15	1	40
SL-1301-SAQ/A	10~24 VDC LED Strobe Light with built in programable siren. Incorporates 54 LEDs. 50,000-Hour operating life. Six different flash patterns. Adjustable flashing speed. Indoor/outdoor use. Amber lens.	\$31.55	\$48.55	1	40
SL-1301-SAQ/B	10~24 VDC LED Strobe Light with built in programable siren. Incorporates 54 LEDs. 50,000-Hour operating life. Six different flash patterns. Adjustable flashing speed. Indoor/outdoor use. Blue lens.	\$31.55	\$48.55	1	40
SL-1301-SAQ/C	10~24 VDC LED Strobe Light with built in programable siren. Incorporates 54 LEDs. 50,000-Hour operating life. Six different flash patterns. Adjustable flashing speed. Indoor/outdoor use. Clear lens.	\$31.55	\$48.55	1	40
SL-1301-SAQ/G	10~24 VDC LED Strobe Light with built in programable siren. Incorporates 54 LEDs. 50,000-Hour operating life. Six different flash patterns. Adjustable flashing speed. Indoor/outdoor use. Green lens.	\$31.55	\$48.55	1	40
SL-1301-SAQ/R	10~24 VDC LED Strobe Light with built in programable siren. Incorporates 54 LEDs. 50,000-Hour operating life. Six different flash patterns. Adjustable flashing speed. Indoor/outdoor use. Red lens.	\$31.55	\$48.55	1	40
SL-1311-MA/B	12VDC High-Intensity LED Strobe Light. Incorporates four 1W LEDs.19 Different flash patterns. Indoor/outdoor use. Blue LEDs.	\$49.80	\$76.60	1	20
SL-1312-SA/B	6~15 VDC Mini Strobe Siren. Mounts in single-gang box or surface-mount. Weatherproof, Indoor/outdoor use. Blue Lens. Minimum order quantity of 10pcs.	\$5.10	\$7.85	10	108
SL-1312-SA/R	6~15 VDC Mini Strobe Siren. Mounts in single-gang box or surface-mount. Weatherproof, Indoor/outdoor use. Red Lens. Minimum order quantity of 10pcs.	\$5.10	\$7.85	10	108
SL-1901-DAQ	Conduit drop bracket. Compatible with all SL-126 and SL-1301 series. Can be used with the SL-1901-JAQ.	\$13.20	\$20.30	1	1
SL-1901-JAQ	Conduit box bracket. Compatible with all SL-126 and SL-1301 series. Can be used with the SL-1901-DAQ	\$14.20	\$21.85	1	1
SL-3301-BAQ	9~24 VDC Multi-Color LED Strobe Light. Incorporates 25 LEDs. 50,000-Hour operating life. 7 different colors which can be set manually via DIP switches, or triggered by an external device via 3 trigger input wires.	\$34.00	\$52.30	1	40

SECO-LARM®

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs/ Carton
SLI 259A	Dual-Stage Microwave Sensor. Siren chirps if someone gets too close to the vehicle, alarm is triggered upon vandalism attempt.	\$13.00	\$20.00	1	100
SLI 820RTF	Keyless Entry Alarm System	\$40.00	\$61.55	1	10
SM-200Q/BR	Surface-Mount Closed Loop Magnetic Contact with screw terminals and cover, brown. ¾" Gap. UL listed. Sold in multiples of 10 (price is for 1 pc).	\$1.65	\$2.55	10	500
SM-200Q/W	Surface-Mount Closed Loop Magnetic Contact with screw terminals and cover, white. ¾" Gap. UL listed. Sold in multiples of 10 (price is for 1 pc).	\$1.65	\$2.55	10	500
SM-204MQ/BR	Magnet for SM-204Q & SM-205Q. Brown. Sold in multiples of 10 (price is for 1 pc).	\$0.80	\$1.25	10	1000
SM-204MQ/W	Magnet for SM-204Q & SM-205Q. White. Sold in multiples of 10 (price is for 1 pc).	\$0.80	\$1.25	10	1000
SM-204Q/BR	Surface-Mount Closed Loop Magnetic Contact with flange and pre-wired 15" leads from center, brown. 1" Gap. Mounts with screws or included 3M tape. UL listed. Sold in multiples of 10 (price is for 1 pc).	\$1.85	\$2.85	10	1000
SM-204Q/W	Surface-Mount Closed Loop Magnetic Contact with flange and pre-wired 15" leads from center, white. 1" Gap. Mounts with screws or included 3M tape. UL listed. Sold in multiples of 10 (price is for 1 pc).	\$1.85	\$2.85	10	1000
SM-205Q/BR	Surface-Mount Closed Loop Magnetic Contact with flange and pre-wired 15" leads from side, brown. 1" Gap. Mounts with screws or included 3M tape. UL Listed. Sold in multiples of 10 (price is for 1 pc).	\$1.90	\$2.90	10	1000
SM-205Q/W	Surface-Mount Closed Loop Magnetic Contact with flange and pre-wired 15" leads from side, white. 1" Gap. Mounts with screws or included 3M tape. UL Listed. Sold in multiples of 10 (price is for 1 pc).	\$1.90	\$2.90	10	1000
SM-206Q/BR	¼" Recessed-Mount Closed Loop Magnetic Contact with bare magnet and 15" leads, brown. 1" Gap. UL listed. Sold in multiples of 10 (price is for 1 pc).	\$2.00	\$3.10	10	1000
SM-206Q/W	¼" Recessed-Mount Closed Loop Magnetic Contact with bare magnet and 15" leads, white. 1" Gap. UL listed. Sold in multiples of 10 (price is for 1 pc).	\$2.00	\$3.10	10	1000
SM-207-5LQ/W	⅜" Diameter Press-Fit Mount Closed Loop Magnetic Contact with stubby switch and standard-size magnet. 1" Gap. White. Sold in multiples of 10 (price is for 1 pc).	\$2.05	\$3.15	10	1000
SM-207-5Q/BR	⅜" Diameter Press-Fit Mount Closed Loop Magnetic Contact with stubby switch and stubby magnet. 3/8" Gap. Brown. Sold in multiples of 10 (price is for 1 pc).	\$2.05	\$3.15	10	1000
SM-207-5Q/W	⅜" Diameter Press-Fit Mount Closed Loop Magnetic Contact with stubby switch and stubby magnet. ⅜" Gap. White. Sold in multiples of 10 (price is for 1 pc).	\$2.05	\$3.15	10	1000
SM-207Q/BR	⅜" Diameter Press-Fit Mount Closed Loop Magnetic Contact with pre-wired 15" leads. 1" Gap. UL Listed. Brown. Sold in multiples of 10 (price is for 1 pc).	\$2.05	\$3.15	10	1000
SM-207Q/W	⅜" Diameter Press-Fit Mount Closed Loop Magnetic Contact with pre-wired 15" leads. 1" Gap. UL Listed. White. Sold in multiples of 10 (price is for 1 pc).	\$2.05	\$3.15	10	1000
SM-216Q/BR	Surface-Mount Closed Loop Magnetic Contact with screw terminals. 2¾" Gap. UL Listed. Brown. Sold in multiples of 10 (price is for 1 pc).	\$3.95	\$6.10	10	200
SM-216Q/GY	Surface-Mount Closed Loop Magnetic Contact with screw terminals. 2¾" Gap. UL Listed. Gray. Sold in multiples of 10 (price is for 1 pc).	\$3.95	\$6.10	10	200
SM-217Q/W	Miniature Surface-Mount Closed Loop Magnetic Contact with concealed screw terminals. 2" Gap. White. Sold in multiples of 10 (price is for 1 pc).	\$2.95	\$4.55	10	500
SM-226L-3Q	Overhead Door-Mount Magnetic Contact with three wires for N.O. or N.C. applications. Magnet mounted on "L" bracket, contact in die-cast aluminum housing with pre-wired 24" leads, flexible stainless-steel cable. 2¾" Gap.	\$12.95	\$19.90	1	50
SM-226LQ	Overhead Door-Mount Closed Loop Magnetic Contact. Magnet mounted on "L" bracket, contact in die-cast aluminum housing with pre-wired 24" leads, flexible stainless-steel cable. 2¾" Gap. UL Listed.	\$8.95	\$13.75	1	50
SM-226R-3Q	Overhead Door-Mount Open/Closed Loop Magnetic Contact. Magnet mounted on "L" Bracket, contact in die-cast aluminum housing with pre-wired 24" leads, flexible stainless-steel cable. 2¾" Gap. Magnet enclosed in metal round-backed bracket.	\$13.90	\$21.40	1	50
SM-226RQ	Overhead Door-Mount Closed Loop Magnetic Contact. Magnet mounted on "L" Bracket, contact in die-cast aluminum housing with pre-wired 24" leads, flexible stainless-steel cable. 2¾" Gap. UL listed. Magnet enclosed in metal round-backed bracket.	\$10.50	\$16.15	1	50
SM-300Q/BR	Surface-Mount Open Loop Magnetic Contact with screw terminals. Includes terminal cover. ¾" Gap. UL listed. Brown. Sold in multiples of 10 (price is for 1 pc).	\$2.10	\$3.25	10	500
SM-300Q/W	Surface-Mount Open Loop Magnetic Contact with screw terminals. Includes terminal cover. ¾" Gap. UL listed. White. Sold in multiples of 10 (price is for 1 pc).	\$2.10	\$3.25	10	500
SM-4003-TQ/W	Surface-Mount Closed Loop Magnetic Contact with quick-connect terminal block. No mounting tabs. 1" Gap. UL, CUL, Listed. White. Sold in multiples of 10 (price is for 1 pc).	\$1.70	\$2.60	10	1000
SM-4004-LQ/W	Capsule-Type Surface-Mount Closed Loop Magnetic Contact with quick-connect terminal block and 18" leads. ¾" Gap. White. Sold in multiples of 10 (price is for 1 pc).	\$1.70	\$2.60	10	1000
SM-4004-TQ/W	Capsule-Type Surface-Mount Closed Loop Magnetic Contact with quick-connect terminal block. 1" Gap. White. Sold in multiples of 10 (price is for 1 pc).	\$1.90	\$2.90	10	1000
SM-407-5TQ/W	⅜" Stubby Press-Fit Mount Closed Loop Magnetic Contact with quick-connect terminal block. ¾" Gap. UL, CUL Listed. White. Sold in multiples of 10 (price is for 1 pc).	\$1.70	\$2.60	10	1000

SECO-LARM®

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs/ Carton
SM-4102-TQ/W	3/8" Stubby Press-Fit Mount Closed Loop Magnetic Contact with quick-connect terminal block. 1" Gap. UL, CUL listed. White. Sold in multiples of 10 (price is for 1 pc).	\$1.70	\$2.60	10	1000
SM-4103-LQ/W	3/8" Rare-Earth, Stubby Press-Fit Mount Closed Loop Magnetic Contact with quick-connect terminal block. 1" Gap. 18" leads. UL, CUL Listed. White. Sold in multiples of 10 (price is for 1 pc).	\$1.45	\$2.25	10	1000
SM-4103-TQ/W	3/8" Rare-Earth, Stubby Press-Fit Mount Closed Loop Magnetic Contact with quick-connect terminal block. 1/2" Gap. White. Sold in multiples of 10 (price is for 1 pc).	\$1.70	\$2.60	10	1500
SM-4104-TQ/W	3/4 Steel Door Recessed Closed Loop Magnetic Contact with quick-connect terminals. 1" Gap. UL, CUL Listed. White. Sold in Multiples of 10. (price is for 1 pc).	\$2.65	\$4.10	10	500
SM-4105-LQ/B	3/4 Steel Door Recessed Closed Loop Magnetic Contact with quick-connect terminals. 1" Gap. 18" leads. UL, CUL Listed. Brown. Sold in Multiples of 10. (price is for 1 pc).	\$2.45	\$3.75	10	500
SM-4105-LQ/W	3/4 Steel Door Recessed Closed Loop Magnetic Contact with quick-connect terminals. 1" Gap. 18" leads. UL, CUL Listed. White. Sold in Multiples of 10. (price is for 1 pc).	\$2.45	\$3.75	10	500
SM-4201-L3Q	Track-Mount SPDT Overhead Magnetic Door Contact. Rugged aluminum housing with 36" leads enclosed in armored cable. 3" Gap.	\$19.50	\$30.00	1	35
SM-4201-L6Q	Track-Mount DPDT Overhead Magnetic Door Contact. Rugged aluminum housing with 36" leads enclosed in armored cable. 3" Gap.	\$24.75	\$38.10	1	35
SM-4201-LQ	Track-Mount N.C Overhead Magnetic Door Contact. Rugged aluminum housing with 36" leads enclosed in armored cable. 3" Gap.	\$12.95	\$19.90	1	35
SM-4301-TQ/W	Plunger-Type Recessed-Mount Closed Loop Magnetic Contact with quick-connect terminals. Plunger travel is 1/4". UL, CUL Listed. White. Sold in multiples of 10 (price is for 1 pc).	\$1.60	\$2.45	10	500
SM-4302-LQ/W	Roller-Ball Recessed-Mount Closed Loop Magnetic Contact. 360° rollerball. 18" leads. Roller travel is 1/4". UL, CUL Listed. White. Sold in multiples of 10 (price is for 1 pc).	\$1.65	\$2.55	10	500
SM-4303-TQ/W	Roller-Ball Recessed-Mount Closed Loop Magnetic Contact with quick-connect terminals. 360° rollerball. Roller travel is 1/4". UL, CUL Listed. White. Sold in multiples of 10 (price is for 1 pc).	\$1.65	\$2.55	10	500
SM-431-TQ/B	Surface-Mount Closed Loop Magnetic Contact with quick-connect terminal block. 1" Gap. UL, CUL Listed. Brown. Sold in multiples of 10 (price is for 1 pc).	\$1.70	\$2.60	10	1000
SM-431-TQ/W	Surface-Mount Closed Loop Magnetic Contact with quick-connect terminal block. 1" Gap. UL, CUL Listed. White. Sold in multiples of 10 (price is for 1 pc).	\$1.70	\$2.60	10	1000
SM-433-TQ/B	Surface-Mount Closed Loop Magnetic Contact with concealed screw terminals. 1 1/4" Gap. UL, CUL Listed. Brown. Sold in multiples of 10 (price is for 1 pc).	\$1.40	\$2.15	10	500
SM-433-TQ/W	Surface-Mount Closed Loop Magnetic Contact with concealed screw terminals. 1 1/4" Gap. UL, CUL Listed. White. Sold in multiples of 10 (price is for 1 pc).	\$1.40	\$2.15	10	500
SM-4601-L3Q	Industrial Wide-Gap Open/Closed Loop Magnetic Contact. Weatherproof rugged aluminum housing with 36" leads enclosed in armored cable. 3" Gap.	\$9.70	\$14.90	1	50
SM-4601-LQ	Industrial Wide-Gap Closed Loop Magnetic Contact. Weatherproof rugged aluminum housing with 36" leads enclosed in armored cable. 3" Gap. UL, CUL Listed.	\$7.50	\$11.55	1	50
SM-8201-LWQ	Wide "L" Bracket for Track-Mount (2.5"~4") Overhead Magnetic Door Contacts SM-4201-LQ	\$3.50	\$5.40	5	300
SM-831	Alnico 5 magnet, 1 7/32" long x 1/4" diameter. Sold in multiples of 10 (price is for 1 pc).	\$0.60	\$0.90	10	500
SM-851	Aluminum "Z" Bracket for SM-216Q. Sold in multiples of 10 (price is for 1 pc).	\$1.20	\$1.85	10	500
SR-1212-C7ALQ	High-sensitivity (1mA trigger), current draw (60mA), trigger input voltage of 3~24 VDC, heavy-duty relay board. 12/24 VDC, two relays, 7A@250VAC, SPDT.	\$6.35	\$9.75	1	100
SR-2112-C7AQ/10	Mini relay board. Breakaway package of 10, 12/24 VDC, one relay, 7A@125VAC, SPDT. (Price is for one breakaway 10-pack.)	\$29.50	\$45.40	1	100
SR-2206-C5AQ	Heavy-duty relay board. 6/12 VDC, auto-sensing, one relay, 5A@250VAC, DPDT.	\$4.15	\$6.40	1	100
SR-2212-C5AQ	Heavy-duty relay board. 12/24 VDC, one relay, 5A@250VAC, DPDT.	\$5.95	\$9.15	1	100
SR-5203A	Power door lock interface with built-in programmable 0.7 or 3.5 second timer. Two heavy-duty, 30-Amp relays built in. Use with vacuum door locks or any other type of door lock system.	\$14.00	\$21.55	1	1
SS-032Q/RD	Red N.O. Momentary pushbutton switch for 1/2" hole. Sold in multiples of 10 (price is for 1 pc).	\$1.90	\$2.90	10	1000
SS-033Q/BK	Black N.C. Momentary pushbutton switch for 1/2" hole. Sold in multiples of 10pc. (price is for 1 pc).	\$1.90	\$2.90	10	1000
SS-040Q/BR	Vibration Detector for closed circuits to protect walls, windows, ceilings. Pure-silver contact points, adjustable sensitivity, and tamper-proof cover. Contact rated 1.0A@50VDC. Brown. Sold in multiples of 10 (price is for 1 pc).	\$2.80	\$4.30	10	500
SS-040Q/W	Vibration Detector for closed circuits to protect walls, windows, ceilings. Pure-silver contact points, adjustable sensitivity, and tamper-proof cover. Contact rated 1.0A@50VDC. White. Sold in multiples of 10 (price is for 1 pc).	\$2.80	\$4.30	10	500
SS-066TL	European-style pin switch. Brass body with nylon/fiberglass shaft. Shaft can be cut to different heights. Sold in multiples of 10 (price is for 1 pc).	\$0.85	\$1.30	10	500
SS-072Q	N.C. Tamper Switch. Plunger-type, SPST, screw terminals. For panel/bell/siren boxes. UL listed. White. Sold in multiples of 10 (price is for 1 pc).	\$1.35	\$2.10	10	500

SECO-LARM®

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs/ Carton
SS-073Q	N.O. Tamper Switch. Plunger-type, SPST, screw terminals. For panel/bell/siren boxes. UL listed. White. Sold in multiples of 10 (price is for 1 pc).	\$1.35	\$2.10	10	500
SS-074Q/BG	Double-Button Momentary Hold-Up Switch with SPST contacts for open circuit. Rated 1A@25VDC. 12" Leads.	\$6.35	\$9.75	1	250
SS-075C-PEQ	NO/NC Momentary Surface-Mount Switch. Includes labels: "EMERGENCY", "PUSH TO EXIT," and "PRESIONE PARA SALIR". Contact rated 0.5A@12VDC. Sold in multiples of 10 (price is for 1 pc).	\$2.05	\$3.15	10	1000
SS-075CQ	"EMERGENCY" Button. NO/NC Momentary Contact. Contact rated 0.5A@12VDC. Sold in multiples of 10 (price is for 1 pc).	\$1.60	\$2.45	10	1000
SS-075Q	N.O. Momentary Surface-Mounted Switch. "EMERGENCY" printed on face. Contact rated 0.5A@12VDC. Off-white. Sold in multiples of 10 (price is for 1 pc).	\$1.05	\$1.60	10	1000
SS-076Q/SW	SPST Toggle Switch in plastic case with 6" wire leads. Rated 3A@125VDC. Snow-white. Sold in multiples of 10 (price is for 1 pc).	\$2.25	\$3.45	10	500
SS-077Q	Latching N.C. Panic Button. Push-to-open, with key reset. 1A@12VDC. Surface-mount ABS plastic case with stainless-steel cover.	\$5.75	\$8.85	1	100
SS-078-KEYQ	Spare Key for SS-077Q and SS-078Q.	\$0.50	\$0.75	1	50
SS-078Q	Latching N.O. Panic Button. Push-to-close, with key reset. 1A@12VDC. Surface-mount ABS plastic case with stainless-steel cover.	\$5.75	\$8.85	1	100
SS-090-1H0	High-Security Tubular Key Lock, SPST, shunt-ON/OFF. Key removable in OFF position only. Key #1300. Sold in multiples of 5 (price is for 1 pc).	\$7.50	\$11.55	5	25
SS-090-2H0	High-Security Tubular Key Lock, SPST, shunt-ON/OFF. Key removable from ON & OFF position. Key #1300. Sold in multiples of 5 (price is for 1 pc).	\$6.70	\$10.30	5	50
SS-090-2H1	High-Security Tubular Key Lock, SPST, shunt-ON/OFF. Key removable from ON & OFF position. Key #1301. Sold in multiples of 5 (price is for 1 pc).	\$6.70	\$10.30	5	50
SS-090-2H2	High-Security Tubular Key Lock, SPST, shunt-ON/OFF. Key removable from ON & OFF position. Key #1302. Sold in multiples of 5 (price is for 1 pc).	\$6.70	\$10.30	5	50
SS-090-2H3	High-Security Tubular Key Lock, SPST, shunt-ON/OFF. Key removable from ON & OFF position. Key #1303. Sold in multiples of 5 (price is for 1 pc).	\$6.70	\$10.30	5	50
SS-090-2H4	High-Security Tubular Key Lock, SPST, shunt-ON/OFF. Key removable from ON & OFF position. Key #1304. Sold in multiples of 5 (price is for 1 pc).	\$6.70	\$10.30	5	50
SS-090-2H5	High-Security Tubular Key Lock, SPST, shunt-ON/OFF. Key removable from ON & OFF position. Key #1305. Sold in multiples of 5 (price is for 1 pc).	\$6.70	\$10.30	5	50
SS-090-2H6	High-Security Tubular Key Lock, SPST, shunt-ON/OFF. Key removable from ON & OFF position. Key #1306. Sold in multiples of 5 (price is for 1 pc).	\$6.70	\$10.30	5	50
SS-090-2H7	High-Security Tubular Key Lock, SPST, shunt-ON/OFF. Key removable from ON & OFF position. Key #1307. Sold in multiples of 5 (price is for 1 pc).	\$6.70	\$10.30	5	50
SS-090-2H8	High-Security Tubular Key Lock, SPST, shunt-ON/OFF. Key removable from ON & OFF position. Key #1308. Sold in multiples of 5 (price is for 1 pc).	\$6.70	\$10.30	5	50
SS-090-2H9	High-Security Tubular Key Lock, SPST, shunt-ON/OFF. Key removable from ON & OFF position. Key #1309. Sold in multiples of 5pc. (price is for 1pc.)	\$6.70	\$10.30	5	50
SS-090-2HX	High-Security Tubular Key Lock, SPST, shunt-ON/OFF. Key removable from ON & OFF position. Key #1310. Sold in multiples of 5 (price is for 1pc.)	\$6.70	\$10.30	5	50
SS-090KN-0	Extra pre-cut keys for SS-090 series and the SS-095 series key locks. Key #1300. Sold in multiples of 5 (price is for 1 pc).	\$1.25	\$1.90	5	50
SS-090KN-1	Extra pre-cut keys for SS-090 series and the SS-095 series key locks. Key #1301. Sold in multiples of 5 (price is for 1 pc).	\$1.25	\$1.90	5	50
SS-090KN-2	Extra pre-cut keys for SS-090 series and the SS-095 series key locks. Key #1302. Sold in multiples of 5 (price is for 1 pc).	\$1.25	\$1.90	5	50
SS-090KN-3	Extra pre-cut keys for SS-090 series and the SS-095 series key locks. Key #1303. Sold in multiples of 5 (price is for 1 pc).	\$1.25	\$1.90	5	50
SS-090KN-4	Extra pre-cut keys for SS-090 series and the SS-095 series key locks. Key #1304. Sold in multiples of 5 (price is for 1 pc).	\$1.25	\$1.90	5	50
SS-090KN-5	Extra pre-cut keys for SS-090 series and the SS-095 series key locks. Key #1305. Sold in multiples of 5 (price is for 1 pc).	\$1.25	\$1.90	5	50
SS-090KN-6	Extra pre-cut keys for SS-090 series and the SS-095 series key locks. Key #1306. Sold in multiples of 5 (price is for 1 pc).	\$1.25	\$1.90	5	50
SS-090KN-7	Extra pre-cut keys for SS-090 series and the SS-095 series key locks. Key #1307. Sold in multiples of 5 (price is for 1 pc).	\$1.25	\$1.90	5	50
SS-090KN-8	Extra pre-cut keys for SS-090 series and the SS-095 series key locks. Key #1308. Sold in multiples of 5 (price is for 1 pc).	\$1.25	\$1.90	5	50
SS-090KN-9	Extra pre-cut keys for SS-090 series and the SS-095 series key locks. Key #1309. Sold in multiples of 5 (price is for 1 pc).	\$1.25	\$1.90	5	50
SS-090KN-X	Extra pre-cut keys for SS-090 series and the SS-095 series key locks. Key #1310. Sold in multiples of 5 (price is for 1 pc).	\$1.25	\$1.90	5	50
SS-095-1H0	High-Security Tubular Key Lock. SPST, momentary-ON/shunt-OFF (spring loaded). Key #1300. Sold in multiples of 5 (price is for 1 pc).	\$7.50	\$11.55	5	50
SS-095-1H1	High-Security Tubular Key Lock. SPST, momentary-ON/shunt-OFF (spring loaded). Key #1301. Sold in multiples of 5 (price is for 1 pc).	\$7.50	\$11.55	5	50
SS-095-1H2	High-Security Tubular Key Lock. SPST, momentary-ON/shunt-OFF (spring loaded). Key #1302. Sold in multiples of 5 (price is for 1 pc).	\$7.50	\$11.55	5	50
SS-095-1H3	High-Security Tubular Key Lock. SPST, momentary-ON/shunt-OFF (spring loaded). Key #1303. Sold in multiples of 5 (price is for 1 pc).	\$7.50	\$11.55	5	50

SECO-LARM®

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs/ Carton
SS-095-1H4	High-Security Tubular Key Lock. SPST, momentary-ON/shunt-OFF (spring loaded). Key #1304. Sold in multiples of 5 (price is for 1 pc).	\$7.50	\$11.55	5	50
SS-095-1H5	High-Security Tubular Key Lock. SPST, momentary-ON/shunt-OFF (spring loaded). Key #1305. Sold in multiples of 5 (price is for 1 pc).	\$7.50	\$11.55	5	50
SS-199Q	Slimline Remote Plate with 3/4" D-hole. Minimum order quantity of 10 pieces (price is for 1 pc).	\$2.25	\$3.45	10	500
SS-202Q	Foil Connection Blocks (pair). UL listed. Sold in multiples of 10 (price is for 1 pc).	\$0.65	\$1.00	10	1000
SS-299Q	Single-Gang Plate with 3/4" D-hole. Minimum order quantity of 10 pieces (price is for 1 pc).	\$2.75	\$4.25	10	100
SSW-113H	Water Sensor, detects conductive, non-flammable liquids. For open loop circuits. Sold in multiples of 2 (price is for 1 pc).	\$2.45	\$3.75	1	200
ST-1206-1.5AQ	Power Supply Charger. Provides 6 or 12 VDC regulated output at 1.5A continuous and 2A peak.	\$7.85	\$12.10	1	100
ST-1228-T350Q	Toroidal Transformer - 110VAC Input, 28VAC Output 350VA	\$25.00	\$38.45	1	10
ST-2406-10AQ	Power Supply Charger. Provides 6, 12 or 24 VDC regulated output at 9A continuous and 10A peak.	\$69.00	\$106.15	1	20
ST-2406-2AQ	Power Supply Charger. Provides 6, 12 or 24 VDC regulated output at 1.5A continuous and 2A peak.	\$8.85	\$13.60	1	100
ST-2406-3AEQ	3A Power Supply Charger with Enclosure. Provides 6, 12 or 24 VDC regulated output at 2.5A continuous and 3A peak. Built-in Low Battery Cutoff when voltage drops below 20%. Room in enclosure for two 4Ah batteries or one 7Ah battery.	\$37.00	\$56.90	1	4
ST-2406-3AQ	Power Supply Charger. Provides 6, 12 or 24 VDC regulated output at 2.5A continuous and 3A peak. Built-in Low Battery Cutoff when voltage drops below 20%.	\$21.00	\$32.30	1	100
ST-2406-5AQ	Power Supply Charger. Provides 6, 12 or 24 VDC regulated output at 4A continuous and 5A peak.	\$29.75	\$45.75	1	25
ST-2406-7AQ	Power Supply Charger. Provides 6, 12 or 24 VDC regulated output at 7A continuous and 7.5A peak.	\$59.00	\$90.75	1	20
ST-2424-W100Q	Open Frame Transformer - 240VAC Input, 24VAC Output 100VA	\$18.00	\$27.70	1	10
ST-BD01Q	Low Battery Cutoff. Prevents the deep discharge of backup batteries. Selectable input 12 or 24VDC. Adjustable voltage cut-off and restore point.	\$8.00	\$12.30	1	100
ST-L0521-TUQ	Snap-In USB Keystone Charger	\$11.95	\$18.40	1	100
ST-LA108-TPQ	0.8A Voltage Converter. 16-28 VDC/VAC input voltage. 12 VDC output voltage. Includes 2.1mm DC Plug.	\$10.40	\$16.00	1	100
ST-LA115-TPQ	1.5A Voltage Converter. 18-28 VDC/VAC input voltage. 12 VDC output voltage. Includes 2.1mm DC Plug.	\$12.80	\$19.70	1	100
ST-LA130-TTQ	3.0A Voltage Converter. 18-28 VDC/VAC input voltage. 12/24 VDC output voltage. Includes 2.1mm DC Plug.	\$15.95	\$24.55	1	100
ST-UV12-S1.0Q	12VDC Plug-In Switching AC Adapter. 1A Output. UL, CUL listed. Minimum order quantity of 10pcs.	\$4.75	\$7.30	10	150
ST-UV12-S2.0Q	12VDC Plug-In Switching AC Adapter. 2A Output. UL, CUL listed. Minimum order quantity of 10pcs.	\$6.45	\$9.90	10	150
ST-UV12-S5.0Q	12VDC Tabletop Switching Power Supply. 5A Output. UL, CUL listed.	\$15.60	\$24.00	1	40
ST-UV16-W100Q	Open-Frame Transformer. Output voltage: 16VAC/100W. Input voltage: 120VAC or 240VAC.	\$28.15	\$43.30	1	10
ST-UV16-W50Q	Open-Frame Transformer. Output voltage: 16VAC/50W. Input voltage: 120VAC or 240VAC.	\$17.70	\$27.25	1	10
ST-UV24-W50Q	Open-Frame Transformer. Output voltage: 24VAC/50W. Input voltage: 120VAC or 240VAC.	\$17.70	\$27.25	1	10
ST-UVDA-W100Q	Open-Frame Transformer. Output voltage: 24 or 28 VAC/100W. Input voltage: 120VAC or 240VAC.	\$28.15	\$43.30	1	10
ST-UVDA-W180Q	Open-Frame Transformer. Output voltage: 24 or 28 VAC/180W. Input voltage: 120VAC or 240VAC.	\$43.40	\$66.75	1	5
VA-1102B-WYQ	4-in-1 HD Video Distributor, 1 input, 2 outputs. Compatible with TVI, CVI, AHD, and Analog video formats.	\$32.55	\$50.10	1	50
VC-2VAQ	VGA to BNC Converter. Converts a VGA signal to composite video for viewing on any monitor or TV with a composite input. Includes 5VDC power supply.	\$61.00	\$93.85	1	20
VC-3BAQ	BNC to VGA Converter. Video converter to change standard BNC (camera) video signal to VGA (computer monitor) signal. VESA Mount included. With high resolution, BNC pass-through output, stores settings in case of power loss, and smaller size. Includes 5VDC power supply.	\$81.00	\$124.60	1	20
VC-3YAQ	4-in-1 HD to HDMI Converter, converts HD-TVI, CVI, AHD and CVBS video to HDMI, VGA, or composite outputs, built-in OSD to display input/output settings, local loop output, picture-in-picture display	\$94.00	\$144.60	1	20
VG-1C12YQ	4-in-1 Ground Loop Isolator, Compatible with TVI, CVI, AHD, and Analog signals, reduces ground loop interference, built-in surge protection, BNC terminals, passive operation	\$9.95	\$15.30	1	180
VS-1V12YQ	HD 4-in-1 Surge Protector, helps prevent damage to sensitive HD-TVI, HD-CVI, HD-AHD, and Analog CCTV cameras, DVRs, and switches, intercepts repeated surges and spikes that could damage CCTV equipment	\$9.00	\$13.85	1	100

SECO-LARM®

MODEL	DESCRIPTION	Distributor Price	Suggested Dealer Price	Minimum Order Quantity	Pcs/ Carton
X-714-046-18B	Hook-and-loop cable tie. 7" (180mm) long, 3/8" (10mm) wide. Hooks on opposite sides at the end of the tie. Use for cable management. Sold in multiples of 10 (price is for 1 pc).	\$0.35	\$0.55	10	100
X-930-096	Replacement 3-volt lithium battery (CR2032) for SECO-LARM transmitters.	\$0.75	\$1.15	1	N/A
X-ACK-SD961A36	Dogging key for SD-961A-36	\$0.50	\$0.75	1	1
X-ACM-SD961A36EC	Full set of end caps for SD-961A-36	\$15.00	\$23.10	1	1
X-ACM-SD961A36LC	Lower end caps for SD-961A-36	\$8.00	\$12.30	1	1
X-ACM-SD961A36UC	Upper end caps for SD-961A-36	\$8.00	\$12.30	1	1
X-ACP-E941SA1200	PCB for E-941SA-1200 and E-941DA-1K2Q	\$15.00	\$23.10	1	1
X-ACP-E941SA1K2PD	PCB for E-941SA-1K2PD	\$30.00	\$46.15	1	1
X-ACP-E941SA1K2PQ	PCB for E-941SA-1K2PQ and E-941DA-1K2P	\$20.00	\$30.75	1	1
X-ACP-E941SA300RQ	PCB for E-941SA-300RQ	\$15.00	\$23.10	1	1
X-ACP-E941SA600	PCB for E-941SA-600 and E-941DA-600Q	\$15.00	\$23.10	1	1
X-ACP-E941SA600PQ	PCB for E-941SA-600PQ and E-941DA-600PQ	\$20.00	\$30.75	1	1
X-ACP-SD961A36	PCB for SD-961A-36	\$10.00	\$15.40	1	1
X-ACS-SD994C	Solenoid for SD-994C	\$5.00	\$7.70	1	1
X-ACS-SD994C24	Solenoid for SD-994C24	\$5.00	\$7.70	1	1
X-ACS-SD995C	Solenoid for SD-995C	\$5.00	\$7.70	1	1
X-ACS-SD995C24	Solenoid for SD-995C24	\$5.00	\$7.70	1	1
X-ACX-E941SA1200	Accessory Pack for E-941SA-1200, E-941SA-1K2PQ, E-941SA-1K2PD, E-941DA-1K2Q and E-941DA-1K2P	\$3.00	\$4.60	1	1
X-ACX-E941SA300	Accessory Pack for E-941SA-300	\$3.00	\$4.60	1	1
X-ACX-E941SA300RQ	Accessory Pack for E-941SA-300RQ	\$3.00	\$4.60	1	1
X-ACX-E941SA600	Accessory Pack for E-941SA-600, E-941SA-600PQ, E-941DA-600Q and E-941DA-600PQ	\$3.00	\$4.60	1	1
X-ACX-E942FC1300	Accessory Pack for E-942FC-1300	\$3.00	\$4.60	1	1
X-ACX-E942FC600	Accessory Pack for E-942FC-600	\$3.00	\$4.60	1	1
X-ACX-SD961A36	Accessory Pack for SD-961A-36	\$2.00	\$3.10	1	1
X-ACX-SD994C	Accessory Pack for SD-994C and SD-994C24	\$0.50	\$0.75	1	1
X-ACX-SD995C	Accessory Pack for SD-995C and SD-995C24	\$0.50	\$0.75	1	1
X-HKP06-06005	Power supply for RA-4961-K1Q. 6VDC, 500mA, 2.1mm plug, center positive.	\$4.95	\$7.60	1	50